

REPLACEMENT PARTS GUIDE

Z530M ZTrak™ Mower

ENGINE



SPARK PLUG

[M805853](#)

Change every 100 hours or Annually, whichever comes first.



OIL FILTER

[AM125424](#)

Change every 50 hours or Annually, whichever comes first.



ENGINE OIL

[TY22029](#) (John Deere Turf-Gard™ 10W-30)
(2.1 L (2.2 qt)) - WITH FILTER

Change every 50 hours or Annually, whichever comes first.



PRIMARY AIR FILTER ELEMENT

[MIU12554](#)



SECONDARY AIR FILTER ELEMENT

[MIU12555](#)

Change every 100 hours or Annually, whichever comes first.



JOHN DEERE MULTI - PURPOSE HD LITHIUM COMPLEX GREASE

[TY24416](#)

GREASE GUN

[TY26517](#)

Change As Required.



FUEL FILTER

[UC21217](#)

Change every 100 hours or Annually, whichever comes first.



TRACTION BELT

[M172116](#) (LGTH =1945 mm, TK = 8 mm,
WIDTH = 12.8 mm)



ELECTRICAL



KEY

[AUC12681](#)



LED LIGHT KIT LAMP

[AUC18501](#) (4.32 W)



IGNITION SWITCH

[AUC14659](#)



BATTERY

[TY25221B](#) (12 V) (FOR CANADA AND USA)

[MCYP340PE](#) (12 V) (NOT FOR CANADA AND USA)

FUEL & AIR



FILLER CAP

[AM146138](#)



MUFFLER

[AM144574](#)



REPLACEMENT PARTS GUIDE

Z530M with 48 inch Accel Deep™ Deck

MOWER BLADE


[UC22009](#)

V BELT

[GX25998](#) (LGTH =3870 mm, TK =11.1 mm,
WIDTH = 17.1 mm)

MOWER DECK LEVELING GAUGE

[AM130907](#)



GAGE WHEELS

[GX10168](#)

MULCH BLADE

[M136185](#)

REPLACEMENT PARTS GUIDE

Z530M with 54 inch Accel Deep™ Deck

MOWER BLADE


[UC22010](#)

V BELT

[GX25998](#) (LGTH =3870 mm, TK =11.1 mm, WIDTH = 17.1 mm)

MOWER DECK LEVELLING GAUGE

[AM130907](#)



GAGE WHEELS

[GX10168](#)

MULCH BLADE

[M177791](#)

REPLACEMENT PARTS GUIDE

Z530M with 60 inch Accel Deep™ Deck

MOWER BLADE

[UC20448](#)

V BELT

[M172963](#) (LGTH =4311 mm, TK =11.1 mm,
WIDTH = 17.1 mm)



GAGE WHEELS

[GX10168](#)

MOWER DECK LEVELLING GUAGE

[AM130907](#)