




# REPLACEMENT PARTS GUIDE


## Q850R Quik Trak™ Mower


### ENGINE


**SPARK PLUG**  
 [M805853](#)  
 Change every 1000 hours.

**OIL FILTER**  
 [AM107423](#)  
 Change every 100 hours/ Annually.

**ENGINE OIL**  
 [TY26669](#) (John Deere 10W-30 Plus-50™ II)  
[TY22029](#) (John Deere 10W-30 Turf-Gard™)  
 CAPACITY- ((2.1 L-2.3 L) (2.2-2.4 qt))  
 (WITH FILTER)  
 Change every 100 hours/ Annually.


**AIR FILTER**  
 [M131802](#) (PRIMARY AIR FILTER ELEMENT)  
 Change every 300 hours.  
[M131803](#) (SECONDARY AIR FILTER ELEMENT)  
 Change every 500 hours.


**JOHN DEERE MULTI - PURPOSE HD LITHIUM COMPLEX GREASE**  
 [TY24416](#)  
**GREASE GUN**  
[TY26183](#)  
 Change As Required.


**FUEL FILTER**  
 [AM116304](#) (IN LINE FUEL FILTER)  
[UC21217](#)  
 Change every 300 hours.





### ELECTRICAL

 **IGNITION KEY**  
[AUC12681](#)


 **ROTARY SWITCH**  
[AUC18708](#)


 **ROCKER SWITCH**  
[AUC15008](#)

 **CONTROL LEVER THROTTLE CABLE**  
[AUC18920](#)


 **WET CHARGED BATTERY**  
[TY25221B](#) (12 V, 30 AH, 350 CCA, U1 BCI)


### FUEL & AIR


 **FUEL TANK FILLER CAP**  
[TCA19830](#)

 **MUFFLER**  
[AUC18498](#)

### TRANSMISSION / HYDRAULIC

 **TRANSMISSION AND HYDRAULIC OIL**  
[TY6354](#) (John Deere Hy-Gard™)  
 (5.7 L (6.0 qt)) (WITH FILTER / DRY)  
 Change every 300 hours.

 **HYDRAULIC FILTER**  
[MIA881446](#)  
 Change every 300 hours.

 **TRACTION DRIVE BELT**  
[UC32307](#) (LGTH = 1699 mm, WIDTH = 11 mm, TK = 13.5 mm)

# REPLACEMENT PARTS GUIDE

## Q850R Quik Trak™ Mower with 54 inch Side Discharge Deck

### MOWER BLADE

[TCU30317](#) (CUT LENGTH = 110 mm)  
(HIGH LIFT)

[TCU30316](#) (CUT LENGTH = 114.1 mm)  
(STANDARD LIFT)


[M135334](#) (CUT LENGTH = 178.1 mm)  
(MULCH BLADE)

### FLAT MOWER BELT

[UC31640](#) (LGTH = 3666 mm,  
WIDTH = 14 mm, TK = 21.1 mm)

### MOWER DECK LEVELLING

[AM130907](#)



### GAGE WHEELS

[UC28193](#)

### MULCH KIT

[TCB11469](#)

# REPLACEMENT PARTS GUIDE

## Q850R Quik Trak™ Mower with 60 inch Side Discharge Deck

### MOWER BLADE


 [TCU15881](#) (CUT LENGTH = 120 mm)  
(HIGH LIFT)

 [M128485](#) (CUT LENGTH = 110 mm)  
(STANDARD LIFT)

 [M168223](#) (CUT LENGTH = 200.6 mm)  
(MULCH BLADE)

 [M133381](#) (CUT LENGTH = 110 mm)  
(LOW LIFT)

### FLAT MOWER BELT

 [UC23309](#) (LGTH = 3955 mm,  
WIDTH = 14 mm, TK = 21.1 mm)

### MOWER DECK LEVELLING

 [AM130907](#)



### GAGE WHEELS

 [UC28193](#)

### MULCH KIT

 [TCB10953](#)