

# REPLACEMENT PARTS GUIDE

## Z915B ZTrak™ B Series Mower

### ENGINE



**OIL FILTER**  
[AM125424](#)  
 Every 100 hours



**ENGINE OIL**  
[TY22029](#) (Turf-Gard™ II 10W-30)  
 (With Filter - 1.9 L (2.0 qt))  
 Every 100 hours.



**AIR FILTER**  
[M131802](#) (PRIMARY)  
 Every 300 hours  
[M131803](#) (SECONDARY)  
 Every 500 hours



**Multi-Purpose SD Polyurea Grease**  
[TY6341](#)  
**GREASE GUN**  
[TY26518](#)  
 Change As Required.



**FUEL FILTER**  
[AM116304](#) (USE WITH AUC15202)  
[UC16183](#) (USE WITH MIA12649)  
 Every 300 hours or annually.



**SPARK PLUG**  
[MIU11020](#)



### ELECTRICAL



**IGNITION SWITCH**  
[TCA22740](#) (S/N (- 070000))  
[AUC18708](#) (S/N ( 070001-))



**HEAD LIGHT BULB**  
[AM118013](#) (37.5 W)



**IGNITION KEY**  
[AUC12681](#)



**BATTERY**  
[TY25221B](#) (12 V) (FOR CANADA AND USA)  
[MCYP340PE](#) (12 V) (NOT FOR CANADA AND USA)

### FUEL & AIR



**FILLER CAP**  
[TCA23672](#)



**MUFFLER**  
[TCA21567](#)

### TRANSMISSION/ HYDRAULIC



**HYDRAULIC OIL FILTER**  
[MIA881446](#)  
 Change every 500 Hrs After 300 hour Initial Break In



**TRACTION DRIVE BELT**  
[TCU34299](#) (LGTH = 1803.9 mm,  
 WIDTH = 16 mm)

# REPLACEMENT PARTS GUIDE

## Z915B with 48 inch Deck

### MOWER BLADE

[M136194](#) (STANDARD LIFT)

[TCU18678](#) (LOW LIFT)

[TCU30315](#) (HIGH LIFT)


[UC15159](#) (HIGH LIFT SELF SHARPENING)

### MULCH KIT

[M136185](#) (MULCH BLADE)

### ROLLER

[TCU34060](#)



### GAGE WHEELS




[UC28193](#)


### V BELT



[TCU30510](#) (LGTH = 4119 mm,  
WIDTH = 14 mm)

# REPLACEMENT PARTS GUIDE

## Z915B with 54 inch Deck




	<b>MOWER BLADE</b> <a href="#">TCU30316</a> (STANDARD LIFT) <a href="#">TCU30317</a> (HIGH LIFT)
	<b>MULCH KIT</b> <a href="#">M135334</a>
	<b>ROLLER</b> <a href="#">TCU34060</a>






	<b>GAGE WHEELS</b> <a href="#">UC28193</a>
	<b>V BELT</b> <a href="#">TCU31132</a> (LGTH = 4337 mm, WIDTH = 14 mm)

# REPLACEMENT PARTS GUIDE

## Z915B with 60 inch Deck

	<b>MOWER BLADE</b> <a href="#">M128485</a> (STANDARD LIFT) <a href="#">TCU15881</a> (HIGH LIFT) <a href="#">UC15158</a> (HIGH LIFT SELF SHARPENING) <a href="#">M133381</a> (LOW LIFT)
	<b>MULCH BLADE</b> <a href="#">M168223</a>
	<b>ROLLER</b> <a href="#">TCU34060</a>



	<b>GAGE WHEELS</b> <a href="#">UC28193</a>
	<b>V BELT</b> <a href="#">TCU35604</a> (LGTH = 4635 mm, WIDTH = 14 mm)