#### 6145M Cab Tractor

**Equipment for Base Machine** 

ENGINE: Fuel Consumption Rate John Deere PowerTech PSS Diesel Time of Day In-line 4-Cylinder Wet-Sleeve Fuel Gauge with High Pressure Common Rail (HPCR) Fuel System and 16 Valve Head 4.5 L (276 Cu. In.) Displacement 145 Engine hp (97/68/EC) at Rated Speed Engine Oil Pressure Indicator Light Coolant Temperature PTO Engagement Alternator Indicator Light Directional Indicators 114 SAE PTO hp at Rated Speed Variable Geometry Turbocharger and Hazard Switch Exhaust Gas Recirculation CAB OPERATOR STATION: ComfortGard Cab with Air Conditioning Dual Temp Cooling System PowerCore G2 Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood AfterTreatment System with and Heater Two Doors Front Windshield Wiper and Washer Deluxe Corner Post Exhaust Self Priming and Bleeding Electronic Fuel Pump Mechanical Suspension Seat with 70.5 Gal (267 L) Fuel Tank Capacity Armrests and Seat Belt Tilt/Telescopic Steering Column Right-hand Operational Controls Floor Mat Foot Throttle Control Power Outlet TRANSMISSION: PowrQuad PLUS 24F/24R Transmission; 25 mph (40km/h) Electronic LH Reverser Perma-Clutch II, Wet Multi-Disk Clutch Park Lock Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Neutral Safety Start System Rear View Mirror STEERING, BRAKES, DIFFERENTIAL: Right Hand Steps and Hand Rail Hydrostatic Steering Wet-Disk Hydraulic Power Brakes ELECTRICAL: Rear Axle Differential Lock Key Shutoff
12-Volt Electrical System One 12-Volt Battery, 154 Ah (1230 Cold Cranking HYDRAULICS: Load Sensing Constant Flow Pressure Amps) Compensated (PC) System
21.1 GPM (80 L/min) Pump Output
21.1 GPM (80 L/min) Flow at One SCV
2 SCV; Mechanical; ISO Couplers 120 Amp Alternator 3 Pin Power Outlet 7 Terminal Rear Implement Electrical Outlet Socket LIGHTS: REAR PTO: Four Front Grille Headlights 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Two Front Outer Roof Worklights One Rear Right Roof Worklight Electrohydraulic Activation Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights Wet Multi-Disk Clutch Neutral Start Safety System with Brake Lights Seat Activated PTO Warning FRONT AXLE WHEELS AND TIRES: ROCKSHAFT, HITCH AND DRAWBAR: MFWD Electrohydraulic Hitch Steel Wheels 3-Point (Category 2/3N) Hitch 6627 Lb. (3006 kg) Lift Capacity Telescopic Draft Links Electrohydraulic MFWD Engagement, Right-hand Console Two 380/85R28 In. Radial Tires RH and LH Telescopic Draft Link Adjustment Sway Control Blocks REAR AXLE WHEELS AND TIRES: Category 2 Swinging Drawbar with Hammerstrap Flanged Axle Adjustable Center Link with Ball End Eight Position Adjustable Steel Wheels RH and LH Rear Fender Hitch Controls Two 460/70R38 In. Radial Rear Tires INSTRUMENTATION: MISCELLANEOUS: Display Functions Definable By Operator: Operator's Manual (English) and Holder Ground Speed SMV Emblem PTO Speed Engine Hours Productivity Efficiency

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Implement Width Service Hours

> SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

#### 6145M Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Port of Entry	
00T5L		6145M Cab Tractor	117,845.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATORS MANUAL	
0409		English	In Base Price
0443		US English with Spanish	Same Price
0445		US English with French	Same Price
00		<del>-</del>	<u> </u>
		OPERATOR PACKAGE	
2071		Basic Cab Includes: Basic Seat (Code 2109), Mirrors Standard-LH & RH (Code 2510), Panorama Windshield with RH Door (Code 2631),	In Base Price
		RH Steps, Front Windshield Wiper & Washer, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, and Overhead Reading Light.	
		7-pin Signal Interface Socket (8224), Inner Rear View Mirror (8230), Power Outlet Socket (8240), LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
2072		Economy Cab Includes: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Panorama Windshield with RH Door (Code 2631).	1,888.00
		RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, Overhead Reading Light, 7-pin Signal Interface Socket (Code 8224), Inner Rear View Mirror (Code 8230), Power Outlet Socket (Code 8240), LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
		Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	
2073		Standard Cab Includes: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Panorama Windshield with RH Door (Code 2631),	2,550.00
		RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, Overhead Reading Light, 7-pin Signal Interface Socket, Inner Rear View Mirror, Power Outlet Socket, LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap, 154ah Battery.	
		Front & Rear Windshield Wiper & Washer, Cup Holder, Front & Rear Roller Blind, Instructor Seat, Additional Storage Compartment, Bottle Holder, and iTec Basic.	

**TRANSMISSION** 

Transmissions WITHOUT Factory Installed Creepers.

#### 6145M Cab Tractor

LIST PRICE USD (\$)		ATTACHMENT ODE IDENTIFIER
-1,813.00	TRANSMISSIONContinued PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) Includes Transmission De-Clutch Function.	37
In Base Price	PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6045(MFWD) Includes Transmission De-Clutch Function.	36
2,762.00	AutoQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6045(MFWD) Includes Transmission De-Clutch Function.	54
1,108.00	CREEPER Transmissions PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) with Creeper Includes Transmission De-Clutch Function.	41
2,512.00	PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	40
3,540.00	AutoQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	58
	GREENSTAR AND AUTOTRAC	
In Base Price	No GreenStar Ready	34
	GreenStar Ready/ISObus Ready	30
814.00	Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.	50
814.00	Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for	30
814.00 4,618.00	Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.	32
	Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.  Requires Code 8742 (Alternator 14V/200A).  AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS.	
	Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.  Requires Code 8742 (Alternator 14V /200A).  AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).  Requires Code 3223 (PFC hydraulics) and Code 8742 (Alternator 14V /200A).	
	Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.  Requires Code 8742 (Alternator 14V/200A).  AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONContinued	
1845		Without AutoTrac Activation	In Base Price
		SEAT	
2109		Basic Seat for Cab Tractor	In Base Price
2127		Economy Seat for Cab Tractor Air suspension. Operator presence switch is included.	In Configuration
		MIRRORS	
2510		Mirrors Standard- LH & RH	In Base Price
2511		Mirrors Manually Adjustable and Telescopic- LH & RH	In Configuration
		WINDSHIELD AND DOORS	
2631		Panorama Windshield with RH Door	In Base Price
		RADIO	
2650		Radio Preparation Package Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2663		Radio Package Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	327.00
		HYDRAULIC SYSTEM	
3232		Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc	In Base Price
3223		Pressure and Flow Compensated Hydraulic System 30.1 GPM (114 L/min), 45cc Pressure and flow compensated hydraulic system (PFC system) with variable pressure up to 200 bar (2900 PSI). Comes with Cold Start Package II (code 8301).	1,639.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3319		2 SCV Mechanical (2 Detent-200 Series) with Standard Couplers Standard Couplers with Plug Type Covers.	In Base Price
3320		2 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover. Required with Hydraulic Motors.	109.00
3338		3 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover.  Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	947.00
		POWER TAKE-OFF	
3820		Rear Independent 540/1000 RPM PTO	In Base Price

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE-OFFContinued	
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End- Category 3N/3	In Base Price
		CENTER LINK	
4213		Center Link with Ball End - Category 3 Not with Cat 2 Draft Links (Code 4120).	In Base Price
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
4421		Stabilizer Bars- Adjustable LH and RH	573.00
		REAR AXLES	
5010		Flanged Axle	In Base Price
5070		Rack and Pinion Axle 3.385 In. (86 mm) Diameter by 100.4 In. Length	2,551.00
		WHEELS & HUBS (FRONT & REAR)	
5093		2 Position Steel Wheels Required for Code 5214, 5237, and 5150.	-1,156.00
5090		Adjustable Steel Wheels	In Base Price
5091		Adjustable Cast Wheels Only available with Rack & Pinion. Front wheels are adjustable steel. If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237.	174.00
		REAR WHEELS AND TIRES	
5221		16.9R38 In. 141A8 R1W Radial (420/85R38 In. 144A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215, or 6220. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	160.00
5222		480/70R38 In. 145A8 R1W Radial For MFWD: Requires Code 6221. Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas AC70T, and Trelleborg.	-316.00
5234		460/85R38 In. 149A8 R1W Radial For 2WD: Requires Code 6151. For MFWD: Requires Code 6240 or 6236, 6232, or 6230. Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	In Base Price
5237		480/80R38 In. 161D R4 Radial For MFWD: Requires Code 6225 or 6237.  Available in Nokain TRI2 only. Not compatible with No Rear Tire Preference (Code 5999).	1,708.00
5232		520/70R38 In. 150A8 R1W Radial	456.00

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued For MFWD: Requires Code 6240. Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas HC70.	
5253		320/90R50 In. 147A8 R1W Radial For MFWD: Requires Code 6257. Available in Firestone only.	-1,334.00
5254		420/80R46 In. 151A8 R1 Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-964.00
5251		460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	-622.00
5250		480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6250. Only with R&P Axle Available in Firestone or Michelin Agribib.	6.00
5279		18.4R42 In. 148A8 R2 (480/80R42 In. 151A8 R2 Radial) For MFWD: Requires Code 6267. Available in Firestone.	-722.00
5242		520/85R38 In. 155A8 R1W Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	-514.00
5244		650/65R38 In. 157A8 R1W Radial For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65.	1,010.00
5252		380/90R46 149A8 R1W Radial For MFWD: Requires Code 6257 or 6256. Available in Continental/Mitas AC85.	-1,286.00
5277		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	536.00
		TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference Continental/Mitas or Firestone Tires will be shipped.	In Base Price
5901		Firestone	200.00
5902		Goodyear	200.00
5903		Michelin	400.00
5904		Continental/Mitas	200.00
5915		Nokian	200.00
5905		Trelleborg	400.00
		FRONT AXLES	

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6022		FRONT AXLESContinued Adjustable 2WD Front Axle Requires 30K transmission, and Front Tire Code 6100, 6123, 6141, or 6151.	-8,398.00
6045		MFWD Front Axle Limited slip Differential.	In Base Price
		FRONT WHEELS AND TIRES	
6151		For Code 6022 (2WD): 10.00-16 In. 10PR F2 Bias Available in Firestone F2. Standard Load Capacity 5830 Lbs. Only with 2WD axle.	-2,476.00
6123		11.00-16 ln. 12PR F2 Bias Available in Firestone.	-2,300.00
6230		For Code 6045 (MFWD): 13.6R28 In. 123A8 R1W Radial (340/85R28 In. 127A8 R1W Radial) Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	248.00
6220		14.9R24 In. 126A8 R1W Radial (380/85R24 In. 131A8 R1W Radial) Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85. Not with Turnable Front Fenders for MFWD (Code 8012).	-236.00
6236		380/85R28 In. 133A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	In Base Price
6221		420/70R24 In. 130A8 R1W Radial Not with Turnable Front Fenders for MFWD (Code 8012). Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas AC70T and Trelleborg.	-484.00
6232		16.9R24 In. 134A8 R1W Radial (420/85R24 137A8 R1W Radial) Not with Turnable Front Fenders for MFWD (Code 8012). Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	118.00
6237		440/80R24 149D R4 Radial Not with Turnable Front Fenders for MFWD (Code 8012). Available in Nokian TRI2 only. Requires Code 5237 (Rear).	1,250.00
6240		420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas HC70, and Trelleborg.	418.00
6257		320/85R34 In. 133A8 R1 Radial <i>Available in Firestone.</i>	956.00

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6258		FRONT WHEELS AND TIRESContinued 380/85R30 In. 135A8 R1W Radial Available in Firestone Performer 85, Continental/Mitas, and Michelin Agribib and Trelleborg.	956.00
6250		420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib (16.9R28), and Continental/Mitas AC85 and Trelleborg.	578.00
6252		540/65R28 In. 142A8 R1W Radial Available in Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65, and Trelleborg.	1,500.00
6267		420/85R28 In. 139A8 R2 Radial (16.9R28 In. 136A8 R2) Available in Goodyear only.	670.00
6272		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,828.00
		PREPARATION PACKAGE	
7702		Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8261		ComfortGard Cab Options: Mechanical Cab Suspension Plus	1,500.00
878T		Glass Roof Hatch	589.00
878J		Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	333.00
8237		Ash Tray with Cigarette Lighter Mounted on right hand console.	20.00
878H		Multi Power Outlet Strip	83.00
8300		Engine: Cold Start Package I Includes Engine Coolant Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8301 (Cold Start Package II).	310.00
8301		Cold Start Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8300 (Cold Start Package I).	441.00
878M		Condensor Screen for Cooling Package	20.00

## 6145M Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8742		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 200 Amp Alternator Required for Codes 873H & 873K (Lighting Packages) and Code 8064 (GreenStar Ready).	255.00
8747		Battery, 12V/174AH	115.00
8380		Front Auxiliary Drive Preparation (Crankshaft Pulley without Drive Shaft)	581.00
873D		Lighting Economy Lighting Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3	183.00
		Requires Code 8742 (200 amp alternator) and Code 8747 (174AH battery).	
873U		Standard Lighting Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3 2 front inner work lights H3 Requires Code 8742 (200 amp alternator) and Code 8747 (174AH battery).	415.00
8730		Belt Line Mounted Lights H-4	456.00
8725		Beacon Light	201.00
		Loader Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.	
891E		2-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.  Note: Loader component of single point is ordered with loader. Front weight support is recommended.	4,506.00
		Compatible with 2-function 640R or 660R loaders.	
891F		3-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.  Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 3-function 640R or 660R loaders.	5,187.00
8925		2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	2,687.00

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8924		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 3-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	3,238.00
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6045 MFWD Axle.	547.00
8012		Turnable Front Fenders for MFWD Requires Code 6045 MFWD Axle.	821.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	624.00
8763		Heavy Duty Rear Wheel Brakes Increases disc brake thickness (+20%) to ensure higher braking capacity (designed for transport with non-braked trailers).	123.00
8457		3 Point Hitch, PTO, and Drawbar: Higher Hitch Lift Capacity 6145M: 7430 lbs (3370 kg).	364.00
8424		Draft Control Electronic Lower Link Sensing. Requires Draft Links (Code 4110 or 4421).	574.00
8386		Rear Remote PTO Control- LH and RH Included with Standard Cab (Code 2073).	60.00
8435		Drawbar, High Clearance with Sway Chains and Hammerstrap  Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap).	245.00
8385		Heavy Duty Rear PTO	291.00
8446		Rear Hitch Remote Control LH and RH	In Base Price
832J		Hydraulics: Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	582.00
8950		Weights: Front Weight Support- 60 kg (132 lbs) Holds up to 14 Front Weights.	282.00
8951		Front Weight Support- 110 kg (242 lbs)  Holds up to 18 Front Weights.	377.00

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8973		Rear Wheel Weights: Rear wheel weights - 110 kg (242 lbs) 2 x 55 kg, 110 kg (242 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
8974		Rear wheel weights - 220 kg (485 lbs) $4 \times 55  kg$ , 220 kg (485 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
8030		Miscellaneous: 'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00
878I		License Plate Bracket with Light	34.00
8782		Back-Up Alarm	461.00
878B		Battery Circuit Breaker Located at top of left hand steps.	290.00
8607		Auto Diff Lock Steering angle dependent engagement and disengagement.	265.00
		Only compatible with PowrQuad Plus and AutoQuad Plus Transmissions.	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15467	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,036.20
	BL15473	Cold Weather Starting Package, 110 V, 6cyl. Includes engine block heater and all required hardware.	429.00
	BL15537	DEF Tank Filler Neck Heater	106.70
	BL15206	Front Auxiliary Drive	1,189.10
	BL15539	Fuel Pre-Heater	178.20

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15292	Fenders: Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 110X15 for North America only.	205.70
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 200X20 for North America only.	205.70
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15552	Guards: Fuel Tank Bottom Guard 87 US Gal. (330L)	250.80
	AL81724	Hitch and Drawbar: Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	458.70
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	100.10
	AL78129	Load Control Shaft Support Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame.	140.80
	BL15216	<b>Hydraulics:</b> Additional Oil Reservoir Increases the existing oil capacity by 3.7 gallons (14 liters).	533.50
	BL15251	M-ICV 2-Function to 3-Function Upgrade  Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	AL111705	Lighting: Beacon Light, LH Requires Switch (AL181123).	250.80
	AL180127	Miscellaneous: Steering Limiter Kit Compatible with MFWD front axles.	209.22
	BL15295	Window decal, rear John Deere logo.	22.00
	AL204297	Operator Environment: Backrest Extension, Telescopic	154.00
	BL15522	Bottle Holder, Floormat	46.20

## 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15385	ATTACHMENTS FOR FIELD CONVERSIONContinued Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	429.00
	BL15158	Display Bracket For mounting display and impliment controls.	163.90
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	248.60
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	629.20
	AL151224	Mirror, Inside Rear	167.20
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	171.60
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	171.60
	AL174215	Power Strip with Six Outlets	80.30
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	100.10
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL157620	Sun Visor Flip down style.	102.30
	AL208658	Wiper/Washer, Rear	245.30
	AL158728	Transmission: Back-up Alarm	574.20
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL176565	<b>Weights:</b> Front Weight Carrier, 243 Lb. (110 Kg)	630.52

#### 6145M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL155035	Wheel Equipment: Wheel Reinforcements, Rear For models with 10.8in. (275 mm) bolt circle diameter.	643.50

#### 6155M Cab Tractor

#### **Equipment for Base Machine**

ENGINE:	Fuel Consumption Rate
John Deere PowerTech PVS Diesel	Time of Day
In-line 6-Cylinder Wet-Sleeve	Fuel Gauge
with High Pressure Common Rail (HPCR)	Engine Oil Pressure Indicator Light
Fuel System and 24 Valve Head	Coolant Temperature
6.8 L (414 Cu. In.) Displacement	PTO Engagement
155 Engine hp (97/68/EC) at Rated Speed	Alternator Indicator Light
123 SAE PTO hp at Rated Speed	Directional Indicators
Variable Geometry Turbocharger and	Hazard Switch
Exhaust Gas Recirculation	
Dual Temp Cooling System	CAB OPERATOR STATION:
PowerCore G2 Air Filtration System with	ComfortGard Cab with Air Conditioning
Permanent Pre-Cleaning and Safety Element	and Heater
Underhood AfterTreatment System with	Two Doors
Deluxe Corner Post Exhaust	Front Windshield Wiper and Washer
Self Priming and Bleeding Electronic Fuel Pump	Mechanical Suspension Seat with
75.5 Gal (286 L) Fuel Tank Capacity	Armrests and Seat Belt
	Tilt/Telescopic Steering Column
TRANSMISSION:	Right-hand Operational Controls
PowrQuad PLUS 20F/20R Transmission; 25 mph (40km/h)	Floor Mat
Electronic LH Reverser	Foot Throttle Control
Perma-Clutch II, Wet Multi-Disk Clutch	Power Outlet
Park Lock	Pre-Radio Wiring and Speaker Package
Neutral Safety Start System	Overhead Courtesy Light
	Rear View Mirror
STEERING, BRAKES, DIFFERENTIAL:	Right Hand Steps and Hand Rail
Hydrostatic Steering	
Wet-Disk Hydraulic Power Brakes	ELECTRICAL:
Rear Axle Differential Lock	Key Shutoff
	12-Volt Electrical System
HYDRAULICS:	One 12-Volt Battery, 154 Ah (1230 Cold Cranking
Pressure and Flow Compensated (PFC) System	Amps)
30 GPM (114 L/min) Pump Output	120 Amp Alternator
26.4 GPM (100 L/min) Flow at One SCV	3 Pin Power Outlet
2 SCV; Mechanical; ISO Couplers	7 Terminal Rear Implement Electrical Outlet Socket
REAR PTO:	LIGHTS:
540/1000 RPM, 1-3/8 In. Independent Rear PTO,	Four Front Grille Headlights
Reversible Shaft and PTO Master Shield	Two Front Outer Roof Worklights
Electrohydraulic Activation	One Rear Right Roof Worklight
Wet Multi-Disk Clutch	Four Roof Mounted Flashing Hazard Lights
Neutral Start Safety System	Two Rear Fender Tail Lights
Seat Activated PTO Warning	with Brake Lights
ğ .	
ROCKSHAFT, HITCH AND DRAWBAR:	FRONT AXLE WHEELS AND TIRES:
Electrohydraulic Hitch	MFWD
3-Point (Category 2/3N) Hitch	Steel Wheels
8984 Lb. (4075 kg) Lift Capacity	Electrohydraulic MFWD Engagement,
Draft Hitch Control	Right-hand Console
Telescopic Draft Links	Two 420/85R28 In. Radial Tires
RH and LH Telescopic Draft Link Adjustment	
Sway Control Blocks	REAR AXLE WHEELS AND TIRES:
Category 2 Swinging Drawbar with Hammerstrap	Flanged Axle
Category 2 Swinging Drawbar with Hammerstrap Adjustable Center Link with Ball End	Eight Position Adjustable Steel Wheels
RH and LH Rear Fender Hitch Controls	Two 460/85R42 In. Radial Rear Tires
INSTRUMENTATION:	MISCELLANEOUS:
Display Functions Definable By Operator:	Operator's Manual (English) and Holder
Ground Speed	SMV Emblem
PTO Speed	
Engine Hours	
Productivity	
Efficiency	

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Implement Width Service Hours

> SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

#### 6155M Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Port of Entry	
4315L		6155M Cab Tractor	128,847.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATORS MANUAL	
0409		English	In Base Price
0443		US English with Spanish	Same Price
0445		US English with French	Same Price
<u> </u>		<del>-</del>	<u> </u>
		OPERATOR PACKAGE	
2071		Basic Cab Includes: Basic Seat (Code 2109), Mirrors Standard-LH & RH (Code 2510), Panorama Windshield with RH Door (Code 2631),	In Base Price
		RH Steps, Front Windshield Wiper & Washer, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, and Overhead Reading Light.	
		7-pin Signal Interface Socket (8224), Inner Rear View Mirror (8230), Power Outlet Socket (8240), LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
2072		Economy Cab Includes: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Panorama Windshield with RH Door (Code 2631).	1,888.00
		RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, Overhead Reading Light, 7-pin Signal Interface Socket (Code 8224), Inner Rear View Mirror (Code 8230), Power Outlet Socket (Code 8240), LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
		Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	
2073		Standard Cab Includes: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Panorama Windshield with RH Door (Code 2631),	2,550.00
		RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, Overhead Reading Light, 7-pin Signal Interface Socket, Inner Rear View Mirror, Power Outlet Socket, LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap, 154ah Battery.	
		Front & Rear Windshield Wiper & Washer, Cup Holder, Front & Rear Roller Blind, Instructor Seat, Additional Storage Compartment, Bottle Holder, and iTec Basic.	

**TRANSMISSION** 

Transmissions WITHOUT Factory Installed Creepers.

#### 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1437		<b>TRANSMISSIONContinued</b> PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) Includes Transmission De-Clutch Function.	-1,557.00
1435		PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6045(MFWD) Includes Transmission De-Clutch Function.	In Base Price
1453		AutoQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6045(MFWD) Includes Transmission De-Clutch Function.	2,508.00
1441		CREEPER Transmissions PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) with Creeper Includes Transmission De-Clutch Function.	1,364.00
1439		PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,151.00
1457		AutoQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	4,103.00
		GREENSTAR AND AUTOTRAC	
1834		No GreenStar Ready	In Base Price
1830		GreenStar Ready/ISObus Ready Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.	814.00
		Requires Code 8742 (Alternator 14V /200A).	
1832		AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00
		Requires Code 3223 (PFC hydraulics) and Code 8742 (Alternator 14V/200A).	
		RECEIVER	
1835		No StarFire 3000 Receiver	In Base Price
1840		Starfire 3000 Receiver - SF1 ready with Deluxe Shroud Starfire Receiver shipped inside the cab Requires AutoTrac Ready (code 1832).	3,195.00
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATION	

## 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONContinued	
1845		Without AutoTrac Activation	In Base Price
		SEAT	
2109		Basic Seat for Cab Tractor	In Base Price
2127		Economy Seat for Cab Tractor Air suspension. Operator presence switch is included.	In Configuration
		MIRRORS	
2510		Mirrors Standard- LH & RH	In Base Price
2511		Mirrors Manually Adjustable and Telescopic- LH & RH	In Configuration
		WINDSHIELD AND DOORS	
2631		Panorama Windshield with RH Door	In Base Price
		RADIO	
2650		Radio Preparation Package Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2663		Radio Package Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	327.00
		HYDRAULIC SYSTEM	
3223		Pressure and Flow Compensated Hydraulic System 30.1 GPM (114 L/min), 45cc  Pressure and flow compensated hydraulic system (PFC system) with variable pressure up to 200 bar (2900 PSI).  Comes with Cold Start Package II (code 8301).	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3319		2 SCV Mechanical (2 Detent-200 Series) with Standard Couplers Standard Couplers with Plug Type Covers.	In Base Price
3320		2 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover. Required with Hydraulic Motors.	109.00
3338		3 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover.  Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	947.00
		POWER TAKE-OFF	
3820		Rear Independent 540/1000 RPM PTO	In Base Price
		DRAFT LINKS	

## 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4121		DRAFT LINKSContinued Draft Links with Telescopic Ball End- Category 3N/3 For 6155M and 6175M and 6195M: requires Sway Control Blocks (Code 4410). Category 3.	In Base Price
		CENTER LINK	
4213		Center Link with Ball End - Category 3 Not with Cat 2 Draft Links (Code 4120).	In Base Price
		STABILIZERS	
4410		Sway Control Blocks Required with Draft Links with Telescopic Ball End- Cateogry 3N/3 (Code 4121).	In Base Price
4421		Stabilizer Bars- Adjustable LH and RH	573.00
		REAR AXLES	
5041		Rack and Pinion Axle 3.622 In. (92 mm) Diameter by 100.4 In. Length (6155M-6195M)	In Base Price
		WHEELS & HUBS (FRONT & REAR)	
5093		2 Position Steel Wheels Required for Code 5214, 5237, and 5150.	-1,156.00
5090		Adjustable Steel Wheels	In Base Price
5091		Adjustable Cast Wheels Only available with Rack & Pinion. Front wheels are adjustable steel. If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237.	174.00
		REAR WHEELS AND TIRES	
5234		460/85R38 In. 149A8 R1W Radial For 2WD: Requires Code 6151. For MFWD: Requires Code 6240 or 6236. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	622.00
5237		480/80R38 In. 161D R4 Radial For MFWD: Requires Code 6225 or 6237. Available in Nokain TRI2 only. Not compatible with No Rear Tire Preference (Code 5999).	2,180.00
5232		520/70R38 In. 150A8 R1W Radial For MFWD: Requires Code 6240. Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas HC70.	928.00
5253		320/90R50 In. 147A8 R1W Radial For MFWD: Requires Code 6257. Available in Firestone only.	-712.00
5254		420/80R46 In. 151A8 R1 Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-342.00
5251		460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250.	In Base Price

## 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued  Available in Firestone Performer 85.	
5250		480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6250. Only with R&P Axle Available in Firestone or Michelin Agribib.	628.00
5279		18.4R42 In. 148A8 R2 (480/80R42 In. 151A8 R2 Radial) For MFWD: Requires Code 6267. Available in Firestone.	-100.00
5242		520/85R38 In. 155A8 R1W Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	108.00
5244		650/65R38 In. 157A8 R1W Radial For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65.	1,632.00
5252		380/90R46 149A8 R1W Radial For MFWD: Requires Code 6257 or 6256. Available in Continental/Mitas AC85.	-814.00
5277		320/90R54 ln. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	1,008.00
		TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference Continental/Mitas or Firestone Tires will be shipped.	In Base Price
5901		Firestone	200.00
5902		Goodyear	200.00
5903		Michelin	400.00
5904		Continental/Mitas	200.00
5915		Nokian	200.00
5905		Trelleborg	400.00
		FRONT AXLES	
6022		Adjustable 2WD Front Axle Requires 30K transmission, and Front Tire Code 6100, 6123, 6141, or 6151.	-8,398.00
6045		MFWD Front Axle  Limited slip Differential.	In Base Price
		FRONT WHEELS AND TIRES	

## 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
6151		For Code 6022 (2WD): 10.00-16 In. 10PR F2 Bias Available in Firestone F2. Standard Load Capacity 5830 Lbs. Only with 2WD axle.	-3,054.00
6123		11.00-16 In. 12PR F2 Bias Available in Firestone.	-2,878.00
6236		For Code 6045 (MFWD): 380/85R28 In. 133A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	-578.00
6232		16.9R24 In. 134A8 R1W Radial (420/85R24 137A8 R1W Radial) Not with Turnable Front Fenders for MFWD (Code 8012). Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	-460.00
6237		440/80R24 149D R4 Radial Not with Turnable Front Fenders for MFWD (Code 8012). Available in Nokian TR12 only. Requires Code 5237 (Rear).	672.00
6240		420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas HC70, and Trelleborg.	-60.00
6257		320/85R34 In. 133A8 R1 Radial Available in Firestone.	378.00
6258		380/85R30 In. 135A8 R1W Radial Available in Firestone Performer 85, Continental/Mitas, and Michelin Agribib and Trelleborg.	378.00
6250		420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib (16.9R28), and Continental/Mitas AC85 and Trelleborg.	In Base Price
6252		540/65R28 In. 142A8 R1W Radial Available in Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65, and Trelleborg.	922.00
6267		420/85R28 In. 139A8 R2 Radial (16.9R28 In. 136A8 R2) Available in Goodyear only.	92.00
6272		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,324.00
6263		420/85R30 R1W Radial Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85, and Trelleborg.	72.00
6262		480/70R30 In. 152A8 R1W Radial Available in Firestone Performer 70, and Michelin Omnibib, Continental/Mitas, and Trelleborg.	72.00

#### 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		PREPARATION PACKAGE	
7702		Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8261		ComfortGard Cab Options: Mechanical Cab Suspension Plus	1,500.00
878T		Glass Roof Hatch	589.00
878J		Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	333.00
8237		Ash Tray with Cigarette Lighter Mounted on right hand console.	20.00
878H		Multi Power Outlet Strip	83.00
8300		Engine: Cold Start Package I Includes Engine Coolant Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8301 (Cold Start Package II).	310.00
8301		Cold Start Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8300 (Cold Start Package I).	441.00
878M		Condensor Screen for Cooling Package	20.00
8742		200 Amp Alternator Required for Codes 873H & 873K (Lighting Packages) and Code 8064 (GreenStar Ready).	255.00
8747		Battery, 12V/174AH	115.00
873D		Lighting Economy Lighting Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3	183.00
		Requires Code 8742 (200 amp alternator) and Code 8747 (174AH battery).	
873U		Standard Lighting Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3 2 front inner work lights H3 Requires Code 8742 (200 amp alternator) and Code 8747 (174AH battery).	415.00

## 6155M Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873O		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Belt Line Mounted Lights H-4	456.00
8725		Beacon Light	201.00
891E		Loader Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.  2-Function Mechanical Independent Control Valve Loader Ready Package	4,506.00
0012		Includes gear shifting (code 8214). Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.  Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 2-function 640R or 660R loaders.	4,500.00
891F		3-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.  Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 3-function 640R or 660R loaders.	5,187.00
8925		2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	2,687.00
8924		3-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.  Chassis:	3,238.00
8002		Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6045 MFWD Axle.	547.00
8012		Turnable Front Fenders for MFWD Requires Code 6045 MFWD Axle.	821.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	624.00
8457		<b>3 Point Hitch, PTO, and Drawbar:</b> Higher Hitch Lift Capacity 6155M: 10,141 lbs (4600 kg).	364.00
8386		Rear Remote PTO Control- LH and RH Included with Standard Cab (Code 2073).	60.00

## 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8446		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Rear Hitch Remote Control LH and RH	In Base Price
832J		Hydraulics: Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	582.00
8950		Weights: Front Weight Support- 60 kg (132 lbs) Holds up to 14 Front Weights.	282.00
8951		Front Weight Support- 110 kg (242 lbs)  Holds up to 18 Front Weights.	377.00
8973		Rear Wheel Weights: Rear wheel weights - 110 kg (242 lbs) 2 x 55 kg, 110 kg (242 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
8974		Rear wheel weights - 220 kg (485 lbs) 4 x 55 kg, 220 kg (485 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
8030		Miscellaneous: 'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00
8781		License Plate Bracket with Light	34.00
8782		Back-Up Alarm	461.00
878B		Battery Circuit Breaker Located at top of left hand steps.	290.00
8607		Auto Diff Lock Steering angle dependent engagement and disengagement.	265.00
		Only compatible with PowrQuad Plus and AutoQuad Plus Transmissions.	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60

## 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15467	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,036.20
	BL15473	Cold Weather Starting Package, 110 V, 6cyl.  Includes engine block heater and all required hardware.	429.00
	BL15537	DEF Tank Filler Neck Heater	106.70
	BL15206	Front Auxiliary Drive	1,189.10
	BL15539	Fuel Pre-Heater	178.20
	BL15292	Fenders: Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 110X15 for North America only.	205.70
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.200X20 for North America only.	205.70
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15554	Guards: Fuel Tank Bottom Guard 93 US Gal. (355L)	250.80
	AL81724	Hitch and Drawbar: Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	458.70
	RE63147	Drawbar Drop-Down Kit  Lowers the height of Drawbar by approximately 3 Inches.	316.80
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	100.10
	BL15216	Hydraulics: Additional Oil Reservoir Increases the existing oil capacity by 3.7 gallons (14 liters).	533.50
	BL15251	M-ICV 2-Function to 3-Function Upgrade  Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	AL111705	Lighting: Beacon Light, LH Requires Switch (AL181123).	250.80

## 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL180127	Miscellaneous: Steering Limiter Kit Compatible with MFWD front axles.	209.22
	BL15295	Window decal, rear John Deere logo.	22.00
	AL204297	Operator Environment: Backrest Extension, Telescopic	154.00
	BL15522	Bottle Holder, Floormat	46.20
	BL15385	Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	429.00
	BL15158	Display Bracket For mounting display and impliment controls.	163.90
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	248.60
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	629.20
	AL151224	Mirror, Inside Rear	167.20
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	171.60
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	171.60
	AL174215	Power Strip with Six Outlets	80.30
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	100.10
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL157620	Sun Visor Flip down style.	102.30
	AL208658	Wiper/Washer, Rear	245.30
	AL158728	Transmission: Back-up Alarm	574.20

#### 6155M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL176565	Weights: Front Weight Carrier, 243 Lb. (110 Kg)	630.52
	AL155035	Wheel Equipment: Wheel Reinforcements, Rear For models with 10.8in. (275 mm) bolt circle diameter.	643.50

# 6155M Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 6175M Cab Tractor

#### **Equipment for Base Machine**

ENGINE: Fuel Consumption Rate John Deere PowerTech PVS Diesel Time of Day In-line 6-Cylinder Wet-Sleeve Fuel Gauge with High Pressure Common Rail (HPCR) Fuel System and 24 Valve Head 6.8 L (414 Cu. In.) Displacement 175 Engine hp (97/68/EC) at Rated Speed Engine Oil Pressure Indicator Light Coolant Temperature PTO Engagement Alternator Indicator Light Directional Indicators 142 SAE PTO hp at Rated Speed Variable Geometry Turbocharger and Hazard Switch Exhaust Gas Recirculation CAB OPERATOR STATION:
ComfortGard Cab with Air Conditioning Dual Temp Cooling System PowerCore G2 Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood AfterTreatment System with and Heater Two Doors Front Windshield Wiper and Washer Deluxe Corner Post Exhaust Self Priming and Bleeding Electronic Fuel Pump Mechanical Suspension Seat with 87.7 Gal (332 L) Fuel Tank Capacity Armrests and Seat Belt Tilt/Telescopic Steering Column Right-hand Operational Controls Floor Mat Foot Throttle Control Power Outlet TRANSMISSION: PowrQuad PLUS 20F/20R Transmission; 25 mph (40km/h) Electronic LH Reverser Perma-Clutch II, Wet Multi-Disk Clutch Park Lock Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Neutral Safety Start System Rear View Mirror STEERING, BRAKES, DIFFERENTIAL: Right Hand Steps and Hand Rail Hydrostatic Steering Wet-Disk Hydraulic Power Brakes ELECTRICAL: Rear Axle Differential Lock Key Shutoff
12-Volt Electrical System One 12-Volt Battery, 154 Ah (1230 Cold Cranking HYDRAULICS: Pressure and Flow Compensated (PFC) System Amps) 30 GPM (114 L/min) Pump Output 120 Amp Alternator 26.4 GPM (100 L/min) Flow at One SCV 3 Pin Power Outlet 2 SCV; Mechanical; ISO Couplers 7 Terminal Rear Implement Electrical Outlet Socket LIGHTS: 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Four Front Grille Headlights Reversible Shaft and PTO Master Shield Two Front Outer Roof Worklights One Rear Right Roof Worklight Electrohydraulic Activation Wet Multi-Disk Clutch Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights Neutral Start Safety System Seat Activated PTO Warning with Brake Lights ROCKSHAFT, HITCH AND DRAWBAR: FRONT AXLE WHEELS AND TIRES: Electrohydraulic Hitch MFWD 3-Point (Category 3) Hitch 8360 Lb. (3792 kg) Lift Capacity Steel Wheels Electrohydraulic MFWD Engagement, Draft Hitch Control Right-hand Console Telescopic Draft Links Two 420/85R28 In. Radial Tires RH and LH Telescopic Draft Link Adjustment Sway Control Blocks REAR AXLE WHEELS AND TIRES: Category 2 Swinging Drawbar with Hammerstrap Rack and Pinion Axle Adjustable Center Link with Ball End 100.4 In. Length x 3.622 In. (92 mm) Diameter RH and LH Rear Fender Hitch Controls Two Fixed Cast Wheels Two 460/85R42 In. Radial Rear Tires INSTRUMENTATION: Display Functions Definable By Operator: MISCELLANEOUS: Ground Speed Operator's Manual (English) and Holder PTO Speed SMV Emblem Engine Hours Productivity Efficiency

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Implement Width Service Hours

> SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

#### 6175M Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Port of Entry	
4325L		6175M Cab Tractor	141,224.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATORS MANUAL	
0409		English	In Base Price
0443		US English with Spanish	Same Price
0445		US English with French	Same Price
00		<del>-</del>	<u> </u>
		OPERATOR PACKAGE	
2071		Basic Cab Includes: Basic Seat (Code 2109), Mirrors Standard-LH & RH (Code 2510), Panorama Windshield with RH Door (Code 2631),	In Base Price
		RH Steps, Front Windshield Wiper & Washer, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, and Overhead Reading Light.	
		7-pin Signal Interface Socket (8224), Inner Rear View Mirror (8230), Power Outlet Socket (8240), LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
2072		Economy Cab Includes: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Panorama Windshield with RH Door (Code 2631).	1,888.00
		RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, Overhead Reading Light, 7-pin Signal Interface Socket (Code 8224), Inner Rear View Mirror (Code 8230), Power Outlet Socket (Code 8240), LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
		Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	
2073		Standard Cab Includes: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Panorama Windshield with RH Door (Code 2631),	2,550.00
		RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, Overhead Reading Light, 7-pin Signal Interface Socket, Inner Rear View Mirror, Power Outlet Socket, LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap, 154ah Battery.	
		Front & Rear Windshield Wiper & Washer, Cup Holder, Front & Rear Roller Blind, Instructor Seat, Additional Storage Compartment, Bottle Holder, and iTec Basic.	

**TRANSMISSION** 

Transmissions WITHOUT Factory Installed Creepers.

## 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1437		<b>TRANSMISSIONContinued</b> PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) <i>Includes Transmission De-Clutch Function</i> .	-1,557.00
1435		PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6045(MFWD) Includes Transmission De-Clutch Function.	In Base Price
1453		AutoQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6045(MFWD) Includes Transmission De-Clutch Function.	2,508.00
		GREENSTAR AND AUTOTRAC	
1834		No GreenStar Ready	In Base Price
1830		GreenStar Ready/ISObus Ready Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.	814.00
		Requires Code 8742 (Alternator 14V /200A).	
1832		AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00
		Requires Code 3223 (PFC hydraulics) and Code 8742 (Alternator 14V/200A).	
		RECEIVER	
1835		No StarFire 3000 Receiver	In Base Price
1840		Starfire 3000 Receiver - SF1 ready with Deluxe Shroud Starfire Receiver shipped inside the cab Requires AutoTrac Ready (code 1832).	3,195.00
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATION	
1845		Without AutoTrac Activation	In Base Price
		SEAT	
2109		Basic Seat for Cab Tractor	In Base Price
2127		Economy Seat for Cab Tractor Air suspension. Operator presence switch is included.	In Configuration
		MIRRORS	
2510		Mirrors Standard- LH & RH	In Base Price
2511		Mirrors Manually Adjustable and Telescopic- LH & RH	In Configuration

## 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		WINDSHIELD AND DOORS	
2631		Panorama Windshield with RH Door	In Base Price
		RADIO	
2650		Radio Preparation Package Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2663		Radio Package Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	327.00
		HYDRAULIC SYSTEM	
3223		Pressure and Flow Compensated Hydraulic System 30.1 GPM (114 L/min), 45cc Pressure and flow compensated hydraulic system (PFC system) with variable pressure up to 200 bar (2900 PSI). Comes with Cold Start Package II (code 8301).	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3319		2 SCV Mechanical (2 Detent-200 Series) with Standard Couplers Standard Couplers with Plug Type Covers.	In Base Price
3320		2 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover. Required with Hydraulic Motors.	109.00
3338		3 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover.  Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	947.00
		POWER TAKE-OFF	
3820		Rear Independent 540/1000 RPM PTO	In Base Price
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End- Category 3N/3 For 6155M and 6175M and 6195M: requires Sway Control Blocks (Code 4410). Category 3.	In Base Price
		CENTER LINK	
4213		Center Link with Ball End - Category 3 Not with Cat 2 Draft Links (Code 4120).	In Base Price
		STABILIZERS	
4410		Sway Control Blocks Required with Draft Links with Telescopic Ball End- Cateogry 3N/3 (Code 4121).	In Base Price
4421		Stabilizer Bars- Adjustable LH and RH	573.00

## 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR AXLES	
5041		Rack and Pinion Axle 3.622 In. (92 mm) Diameter by 100.4 In. Length (6155M-6195M)  Only compatible with Codes 1435, 1437, or 1453.  Only compatible with rear PTO - 540/1000 (Code 3820).	In Base Price
		WHEELS & HUBS (FRONT & REAR)	
5093		2 Position Steel Wheels	-1,156.00
5090		Adjustable Steel Wheels	In Base Price
5091		Adjustable Cast Wheels Only available with Rack & Pinion. Front wheels are adjustable steel. If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237.	174.00
		REAR WHEELS AND TIRES	
5253		320/90R50 In. 147A8 R1W Radial For MFWD: Requires Code 6257. Available in Firestone only.	-712.00
5254		420/80R46 In. 151A8 R1 Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-342.00
5251		460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	In Base Price
5250		480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6250. Only with R&P Axle Available in Firestone or Michelin Agribib.	628.00
5279		18.4R42 In. 148A8 R2 (480/80R42 In. 151A8 R2 Radial) For MFWD: Requires Code 6267. Available in Firestone.	-100.00
5242		520/85R38 In. 155A8 R1W Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	108.00
5244		650/65R38 In. 157A8 R1W Radial For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65.	1,632.00
5252		380/90R46 149A8 R1W Radial For MFWD: Requires Code 6257 or 6256. Available in Continental/Mitas AC85.	-814.00
5277		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	1,008.00
5255		380/90R50 In. 151A8 R1W Radial For MFWD: Requires Code 6274. Available in Firestone only.	-318.00

## 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5278		REAR WHEELS AND TIRESContinued 480/80R46 In. 158A8 R1 Radial For MFWD: Requires Code 6273 or 6263. Only available in Goodyear.	1,388.00
5270		520/85R42 In. 157A8 R1W Radial For MFWD: Requires Code 6273, 6263, or 6262. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	1,844.00
5293		520/85R42 In. 157A8 R2 Radial For MFWD: Requires Code 6266. Available in Firestone.	2,518.00
5272		620/70R42 In. 160A8 R1W Radial For MFWD: Requires Code 6262 or 6264. Available in Firestone Maxi Traction, Michelin XM28, and Trelleborg.	3,490.00
5275		710/70R38 In. 166A8 R1W Radial For MFWD: Requires Code 6262 or 6264. Available in Firestone Maxi Traction, Michelin Machxbib, and Continental/Mitas AC65, and Trelleborg.	5,196.00
		TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference Continental/Mitas or Firestone Tires will be shipped.	In Base Price
5901		Firestone	200.00
5902		Goodyear	200.00
5903		Michelin	400.00
5904		Continental/Mitas	200.00
5915		Nokian	200.00
5905		Trelleborg	400.00
		FRONT AXLES	
6045		MFWD Front Axle Limited slip Differential.	In Base Price
		FRONT WHEELS AND TIRES	
6257		For Code 6045 (MFWD): 320/85R34 In. 133A8 R1 Radial Available in Firestone.	378.00
6258		380/85R30 In. 135A8 R1W Radial Available in Firestone Performer 85, Continental/Mitas, and Michelin Agribib and Trelleborg.	378.00
6250		420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib (16.9R28), and Continental/Mitas AC85 and Trelleborg.	In Base Price

## 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6252		FRONT WHEELS AND TIRESContinued 540/65R28 In. 142A8 R1W Radial Available in Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65, and Trelleborg.	922.00
6267		420/85R28 In. 139A8 R2 Radial (16.9R28 In. 136A8 R2) Available in Goodyear only.	92.00
6272		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,324.00
6274		320/85R38 In. 143A8 R1W Radial Available in Firestone only.	660.00
6273		380/85R34 In. 137A8 R1 Radial Available in Firestone RAT 23, and Michelin.	62.00
6263		420/85R30 R1W Radial Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85, and Trelleborg.	72.00
6266		420/90R30 144A8 R2 Radial Available in Firestone only.	512.00
6262		480/70R30 In. 152A8 R1W Radial Available in Firestone Performer 70, and Michelin Omnibib, Continental/Mitas, and Trelleborg.	72.00
6254		600/65R28 In. 147A8 R1W Radial Available in Firestone Maxi Traction, Michelin Machxbib, and Continental/Mitas SVT, and Trelleborg.	2,280.00
		PREPARATION PACKAGE	
7702		Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8261		ComfortGard Cab Options: Mechanical Cab Suspension Plus	1,500.00
878T		Glass Roof Hatch	589.00
878J		Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	333.00
8237		Ash Tray with Cigarette Lighter  Mounted on right hand console.	20.00
878H		Multi Power Outlet Strip	83.00

## 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8300		Engine: Cold Start Package I Includes Engine Coolant Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8301 (Cold Start Package II).	310.00
8301		Cold Start Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8300 (Cold Start Package I).	441.00
878M		Condensor Screen for Cooling Package	20.00
8742		200 Amp Alternator Required for Codes 873H & 873K (Lighting Packages) and Code 8064 (GreenStar Ready).	255.00
8747		Battery, 12V/174AH	115.00
873D		Lighting Economy Lighting Base lighting plus: 2 corner hood lights H3 I rear left inner work light H3	183.00
		Requires Code 8742 (200 amp alternator) and Code 8747 (174AH battery).	
873U		Standard Lighting Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3 2 front inner work lights H3 Requires Code 8742 (200 amp alternator) and Code 8747 (174AH battery).	415.00
873O		Belt Line Mounted Lights H-4	456.00
8725		Beacon Light	201.00
		Loader Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.	
891E		2-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.  Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function 660R or 680Rloaders.	4,506.00

#### 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
891F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 3-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.  Note: Loader component of single point is ordered with loader. Front weight support	5,187.00
		is recommended.  Compatible with 3 function 660R or 680R loaders.	
8925		2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	2,687.00
8924		3-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	3,238.00
		Chassis:	
8002		Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6045 MFWD Axle.	547.00
8012		Turnable Front Fenders for MFWD Requires Code 6045 MFWD Axle.	821.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	624.00
8386		3 Point Hitch, PTO, and Drawbar: Rear Remote PTO Control- LH and RH Included with Standard Cab (Code 2073).	60.00
8446		Rear Hitch Remote Control LH and RH	In Base Price
832J		Hydraulics: Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	582.00
8950		Weights: Front Weight Support- 60 kg (132 lbs) Holds up to 14 Front Weights.	282.00
8951		Front Weight Support- 110 kg (242 lbs)  Holds up to 18 Front Weights.	377.00

#### 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8973		Rear Wheel Weights: Rear wheel weights - 110 kg (242 lbs) 2 x 55 kg, 110 kg (242 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
8974		Rear wheel weights - 220 kg (485 lbs) 4 x 55 kg, 220 kg (485 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
8030		Miscellaneous: 'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00
8781		License Plate Bracket with Light	34.00
8782		Back-Up Alarm	461.00
878B		Battery Circuit Breaker Located at top of left hand steps.	290.00
8607		Auto Diff Lock Steering angle dependent engagement and disengagement.	265.00
		Only compatible with PowrQuad Plus and AutoQuad Plus Transmissions.	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15467	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,036.20
	BL15473	Cold Weather Starting Package, 110 V, 6cyl. Includes engine block heater and all required hardware.	429.00
	BL15536	DEF Tank Filler Neck Heater	106.70
	BL15206	Front Auxiliary Drive	1,189.10
	BL15539	Fuel Pre-Heater	178.20

#### 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15292	Fenders: Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.110X15 for North America only.	205.70
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.200X20 for North America only.	205.70
	AL180215	MFWD Front Fenders, Fixed, 10.2 ln. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15407	<b>Guards:</b> Fuel Tank Bottom Guard 105 US Gal. (400L)	278.30
	AL208071	Hitch and Drawbar: Drawbar Drop Down Kit Category 2	321.20
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	100.10
	BL15217	<b>Hydraulics:</b> Additional Oil Reservoir Increases the existing oil capacity by 3.7 gallons (14 liters).	533.50
	BL15251	M-ICV 2-Function to 3-Function Upgrade  Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	AL111705	Lighting: Beacon Light, LH Requires Switch (AL181123).	250.80
	AL180127	Miscellaneous: Steering Limiter Kit Compatible with MFWD front axles.	209.22
	BL15295	Window decal, rear John Deere logo.	22.00
	AL204297	Operator Environment: Backrest Extension, Telescopic	154.00
	BL15522	Bottle Holder, Floormat	46.20
	BL15385	Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	429.00
	BL15158	Display Bracket For mounting display and impliment controls.	163.90

#### 6175M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL178985	ATTACHMENTS FOR FIELD CONVERSIONContinued Field Office without Beverage Holder Compatible with Instructional Seat.	248.60
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	629.20
	AL151224	Mirror, Inside Rear	167.20
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	171.60
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	171.60
	AL174215	Power Strip with Six Outlets	80.30
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	100.10
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL157620	Sun Visor Flip down style.	102.30
	AL208658	Wiper/Washer, Rear	245.30
	AL158728	Transmission: Back-up Alarm	574.20
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL176565	Weights: Front Weight Carrier, 243 Lb. (110 Kg)	630.52

#### 6195M Cab Tractor

#### **Equipment for Base Machine**

ENGINE:	Fuel Consumption Rate
John Deere PowerTech PSS 6.0L Engine	Time of Day
In-line 6-Cylinder Wet-Sleeve	Fuel Gauge
with High Pressure Common Rail (HPCR)	Engine Oil Pressure Indicator Light
Fuel System and 24 Valve Head	Coolant Temperature
6.8 L (414 Cu. In.) Displacement 175 Engine hp (97/68/EC) at Rated Speed	PTO Engagement
175 Engine hp (97/68/EC) at Rated Speed	Alternator Indicator Light
158 SAE PTO hp at Rated Speed	Directional Indicators
Variable Geometry Turbocharger and	Hazard Switch
Exhaust Gas Recirculation	
Dual Temp Cooling System	CAB OPERATOR STATION:
PowerCore G2 Air Filtration System with	ComfortGard Cab with Air Conditioning
Permanent Pre-Cleaning and Safety Element	and Heater
Underhood AfterTreatment System with	Two Doors
Deluxe Corner Post Exhaust	Front Windshield Wiper and Washer
Self Priming and Bleeding Electronic Fuel Pump	Mechanical Suspension Seat with
87.7 Gal (332 L) Fuel Tank Capacity	Armrests and Seat Belt
ED ANOME COLON.	Tilt/Telescopic Steering Column
TRANSMISSION:	Right-hand Operational Controls
PowrQuad PLUS 20F/20R Transmission; 25 mph (40km/h)	Floor Mat
Electronic LH Reverser	Foot Throttle Control
Perma-Clutch II, Wet Multi-Disk Clutch	Power Outlet
Park Lock	Pre-Radio Wiring and Speaker Package
Neutral Safety Start System	Overhead Courtesy Light Rear View Mirror
CTEEDING DDAKEG DIEFEDENTIAL:	Right Hand Steps and Hand Rail
STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering	Right hand Steps and hand Rail
Oil Cooled Powerfill Disc Brakes	ELECTRICAL:
Rear Axle Differential Lock	Key Shutoff
Real Axic Dilicicital Lock	12-Volt Electrical System
HYDRAULICS:	One 12-Volt Battery, 154 Ah (1230 Cold Cranking
Pressure and Flow Compensated (PFC) System	Amps)
30 GPM (114 L/min) Pump Output	120 Amp Alternator
26.4 GPM (100 L/min) Flow at One SCV	3 Pin Power Outlet
2 SCV; Mechanical; ISO Couplers	7 Terminal Rear Implement Electrical Outlet Socket
REAR PTO:	LIGHTS:
540/1000 RPM, 1-3/8 In. Independent Rear PTO,	Four Front Grille Headlights
Reversible Shaft and PTO Master Shield	Two Front Outer Roof Worklights
Electrohydraulic Activation	One Rear Right Roof Worklight
Wet Multi-Disk Clutch	Four Roof Mounted Flashing Hazard Lights
Neutral Start Safety System	Two Rear Fender Tail Lights
Seat Activated PTO Warning	with Brake Lights
ROCKSHAFT, HITCH AND DRAWBAR:	FRONT AXLE WHEELS AND TIRES:
Electrohydraulic Hitch	MFWD
3-Point (Category 3) Hitch	Steel Wheels
8360 Lb. (3792 kg) Lift Capacity	Electrohydraulic MFWD Engagement,
Draft Hitch Control	Right-hand Console
Telescopic Draft Links	Two 420/85R28 In. Radial Tires
RH and LH Telescopic Draft Link Adjustment	DEAD AVID BUILDING AND STREET
Sway Control Blocks	REAR AXLE WHEELS AND TIRES:
Category 2 Swinging Drawbar with Hammerstrap	Rack and Pinion Axle
Adjustable Center Link with Ball End RH and LH Rear Fender Hitch Controls	100.4 In. Length x 3.622 In. (92 mm) Diameter Two Fixed Cast Wheels
RH and LH Rear Fender HILCH Controls	Two 460/85R42 In. Radial Rear Tires
INSTRUMENTATION:	1WO 400/05R42 III. RAQIAI REAI IIIES
Display Functions Definable By Operator:	MISCELLANEOUS:
Ground Speed	Operator's Manual (English) and Holder
PTO Speed	SMV Emblem
Engine Hours	DITY BINDIEM
Productivity	
Efficiency	

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Implement Width Service Hours

> SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

#### 6195M Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Port of Entry	
4335L		6195M Cab Tractor	150,326.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATORS MANUAL	
0409		English	In Base Price
0443		US English with Spanish	Same Price
0445		US English with French	Same Price
		OPERATOR PACKAGE	
2071		Basic Cab Includes: Basic Seat (Code 2109), Mirrors Standard-LH & RH (Code 2510), Panorama Windshield with RH Door (Code 2631),	In Base Price
		RH Steps, Front Windshield Wiper & Washer, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, and Overhead Reading Light.	
		7-pin Signal Interface Socket (8224), Inner Rear View Mirror (8230), Power Outlet Socket (8240), LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
2072		Economy Cab Includes: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Panorama Windshield with RH Door (Code 2631).	1,888.00
		RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, Overhead Reading Light, 7-pin Signal Interface Socket (Code 8224), Inner Rear View Mirror (Code 8230), Power Outlet Socket (Code 8240), LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
		Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	
2073		Standard Cab Includes: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Panorama Windshield with RH Door (Code 2631),	2,550.00
		RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, Overhead Reading Light, 7-pin Signal Interface Socket, Inner Rear View Mirror, Power Outlet Socket, LH Remote Hitch Controls, Air Conditioning, Swinging Drawbar with Hammerstrap, 154ah Battery.	
		Front & Rear Windshield Wiper & Washer, Cup Holder, Front & Rear Roller Blind, Instructor Seat, Additional Storage Compartment, Bottle Holder, and iTec Basic.	

#### **TRANSMISSION**

Transmissions WITHOUT Factory Installed Creepers.

#### 6195M Cab Tractor

CODE	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
1437		<b>TRANSMISSIONContinued</b> PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) Includes Transmission De-Clutch Function.	-1,557.00
1435		PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6045(MFWD) Includes Transmission De-Clutch Function.	In Base Price
1453		AutoQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6045(MFWD) Includes Transmission De-Clutch Function.	2,508.00
		GREENSTAR AND AUTOTRAC	
1834		No GreenStar Ready	In Base Price
1830		GreenStar Ready/ISObus Ready Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.	814.00
		Requires Code 8742 (Alternator 14V/200A).	
1832		AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00
		Requires Code 3223 (PFC hydraulics) and Code 8742 (Alternator 14V/200A).	
		RECEIVER	
1835		No StarFire 3000 Receiver	In Base Price
1840		Starfire 3000 Receiver - SF1 ready with Deluxe Shroud Starfire Receiver shipped inside the cab Requires AutoTrac Ready (code 1832).	3,195.00
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATION	
1845		Without AutoTrac Activation	In Base Price
		SEAT	
2109		Basic Seat for Cab Tractor	In Base Price
2127		Economy Seat for Cab Tractor Air suspension. Operator presence switch is included.	In Configuration
		MIRRORS	
2510		Mirrors Standard- LH & RH	In Base Price
2511		Mirrors Manually Adjustable and Telescopic- LH & RH	In Configuration

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		WINDSHIELD AND DOORS	
2631		Panorama Windshield with RH Door	In Base Price
		RADIO	
2650		Radio Preparation Package Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2663		Radio Package Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	327.00
		HYDRAULIC SYSTEM	
3223		Pressure and Flow Compensated Hydraulic System 30.1 GPM (114 L/min), 45cc  Pressure and flow compensated hydraulic system (PFC system) with variable pressure up to 200 bar (2900 PSI).  Comes with Cold Start Package II (code 8301).	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3319		2 SCV Mechanical (2 Detent-200 Series) with Standard Couplers Standard Couplers with Plug Type Covers.	In Base Price
3320		2 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover. Required with Hydraulic Motors.	109.00
3338		3 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	947.00
		POWER TAKE-OFF	
3820		Rear Independent 540/1000 RPM PTO	In Base Price
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End- Category 3N/3 For 6155M and 6175M and 6195M: requires Sway Control Blocks (Code 4410). Category 3.	In Base Price
		CENTER LINK	
4213		Center Link with Ball End - Category 3  Not with Cat 2 Draft Links (Code 4120).	In Base Price
		STABILIZERS	
4410		Sway Control Blocks Required with Draft Links with Telescopic Ball End- Cateogry 3N/3 (Code 4121).	In Base Price
4421		Stabilizer Bars- Adjustable LH and RH	573.00

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR AXLES	
5041		Rack and Pinion Axle 3.622 In. (92 mm) Diameter by 100.4 In. Length (6155M-6195M) Only compatible with Codes 1435, 1437, or 1453.  Only compatible with rear PTO - 540/1000 (Code 3820).	In Base Price
		WHEELS & HUBS (FRONT & REAR)	
5093		2 Position Steel Wheels	-1,156.00
5090		Adjustable Steel Wheels	In Base Price
5091		Adjustable Cast Wheels Only available with Rack & Pinion. Front wheels are adjustable steel. If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237.	174.00
		REAR WHEELS AND TIRES	
5251		460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	In Base Price
5250		480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6250. Only with R&P Axle Available in Firestone or Michelin Agribib.	628.00
5277		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	1,008.00
5255		380/90R50 In. 151A8 R1W Radial For MFWD: Requires Code 6274. Available in Firestone only.	-318.00
5278		480/80R46 In. 158A8 R1 Radial For MFWD: Requires Code 6273 or 6263. Only available in Goodyear.	1,388.00
5270		520/85R42 In. 157A8 R1W Radial For MFWD: Requires Code 6273, 6263, or 6262. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	1,844.00
5293		520/85R42 In. 157A8 R2 Radial For MFWD: Requires Code 6266. Available in Firestone.	2,518.00
5272		620/70R42 In. 160A8 R1W Radial For MFWD: Requires Code 6262 or 6264. Available in Firestone Maxi Traction, Michelin XM28, and Trelleborg.	3,490.00
5275		710/70R38 In. 166A8 R1W Radial For MFWD: Requires Code 6262 or 6264. Available in Firestone Maxi Traction, Michelin Machxbib, and Continental/Mitas AC65, and Trelleborg.	5,196.00
		TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference	In Base Price

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TIRE BRAND PREFERENCEContinued Continental/Mitas or Firestone Tires will be shipped.	
5901		Firestone	200.00
5902		Goodyear	200.00
5903		Michelin	400.00
5904		Continental/Mitas	200.00
5915		Nokian	200.00
5905		Trelleborg	400.00
		FRONT AXLES	
6045		MFWD Front Axle Limited slip Differential.	In Base Price
		FRONT WHEELS AND TIRES	
6250		For Code 6045 (MFWD): 420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib (16.9R28), and Continental/Mitas AC85 and Trelleborg.	In Base Price
6272		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,324.00
6274		320/85R38 In. 143A8 R1W Radial Available in Firestone only.	660.00
6273		380/85R34 In. 137A8 R1 Radial Available in Firestone RAT 23, and Michelin.	62.00
6263		420/85R30 R1W Radial Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85, and Trelleborg.	72.00
6266		420/90R30 144A8 R2 Radial Available in Firestone only.	512.00
6262		480/70R30 In. 152A8 R1W Radial Available in Firestone Performer 70, and Michelin Omnibib, Continental/Mitas, and Trelleborg.	72.00
6254		600/65R28 In. 147A8 R1W Radial Available in Firestone Maxi Traction, Michelin Machxbib, and Continental/Mitas SVT, and Trelleborg.	2,280.00
		PREPARATION PACKAGE	
7702		Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION PREPARATION PACKAGEContinued	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8261		ComfortGard Cab Options: Mechanical Cab Suspension Plus	1,500.00
878T		Glass Roof Hatch	589.00
878J		Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	333.00
8237		Ash Tray with Cigarette Lighter Mounted on right hand console.	20.00
878H		Multi Power Outlet Strip	83.00
8300		Engine: Cold Start Package I Includes Engine Coolant Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8301 (Cold Start Package II).	310.00
8301		Cold Start Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8300 (Cold Start Package I).	441.00
878M		Condensor Screen for Cooling Package	20.00
8742		200 Amp Alternator Required for Codes 873H & 873K (Lighting Packages) and Code 8064 (GreenStar Ready).	255.00
8747		Battery, 12V/174AH	115.00
873D		Lighting Economy Lighting Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3	183.00
		Requires Code 8742 (200 amp alternator) and Code 8747 (174AH battery).	
873U		Standard Lighting Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3 2 front inner work lights H3 Requires Code 8742 (200 amp alternator) and Code 8747 (174AH battery).	415.00
873O		Belt Line Mounted Lights H-4	456.00
8725		Beacon Light	201.00

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued  Loader Packages:  Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.	
891E		2-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	4,506.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 2-function 660R or 680Rloaders.	
891F		3-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,187.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 3 function 660R or 680R loaders.	
8925		2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	2,687.00
8924		3-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	3,238.00
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6045 MFWD Axle.	547.00
8012		Turnable Front Fenders for MFWD Requires Code 6045 MFWD Axle.	821.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	624.00
8386		3 Point Hitch, PTO, and Drawbar: Rear Remote PTO Control- LH and RH Included with Standard Cab (Code 2073).	60.00
8446		Rear Hitch Remote Control LH and RH	In Base Price

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832J		Hydraulics: Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	582.00
8950		Weights: Front Weight Support- 60 kg (132 lbs) Holds up to 14 Front Weights.	282.00
8951		Front Weight Support- 110 kg (242 lbs)  Holds up to 18 Front Weights.	377.00
		nous up to 18 From weignis.	
8973		Rear Wheel Weights: Rear wheel weights - 110 kg (242 lbs) 2 x 55 kg, 110 kg (242 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
8974		Rear wheel weights - 220 kg (485 lbs) 4 x 55 kg, 220 kg (485 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
		Miscellaneous:	
8030		'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00
8781		License Plate Bracket with Light	34.00
8782		Back-Up Alarm	461.00
878B		Battery Circuit Breaker Located at top of left hand steps.	290.00
8607		Auto Diff Lock Steering angle dependent engagement and disengagement.	265.00
		Only compatible with PowrQuad Plus and AutoQuad Plus Transmissions.	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15467	<b>Engine:</b> Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,036.20
	BL15473	Cold Weather Starting Package, 110 V, 6cyl.  Includes engine block heater and all required hardware.	429.00
	BL15536	DEF Tank Filler Neck Heater	106.70
	BL15206	Front Auxiliary Drive	1,189.10
	BL15539	Fuel Pre-Heater	178.20
	BL15292	Fenders: Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.110X15 for North America only.	205.70
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.200X20 for North America only.	205.70
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15407	Guards: Fuel Tank Bottom Guard 105 US Gal. (400L)	278.30
	AL208071	Hitch and Drawbar: Drawbar Drop Down Kit Category 2	321.20
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	100.10
	BL15090	Hydraulic Center Link	2,084.50
	BL15217	Hydraulics: Additional Oil Reservoir Increases the existing oil capacity by 3.7 gallons (14 liters).	533.50
	BL15251	M-ICV 2-Function to 3-Function Upgrade  Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	AL111705	Lighting: Beacon Light, LH Requires Switch (AL181123).	250.80

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL180127	Miscellaneous: Steering Limiter Kit Compatible with MFWD front axles.	209.22
	BL15295	Window decal, rear John Deere logo.	22.00
	AL204297	Operator Environment: Backrest Extension, Telescopic	154.00
	BL15522	Bottle Holder, Floormat	46.20
	BL15385	Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	429.00
	BL15158	Display Bracket For mounting display and impliment controls.	163.90
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	248.60
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	629.20
	AL151224	Mirror, Inside Rear	167.20
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	171.60
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	171.60
	AL174215	Power Strip with Six Outlets	80.30
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	100.10
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL157620	Sun Visor Flip down style.	102.30
	AL208658	Wiper/Washer, Rear	245.30
	AL158728	Transmission: Back-up Alarm	574.20

#### 6195M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
		Weights:	
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	630.52

#### 6145M Open Operator Station Tractor

**Equipment for Base Machine** 

ENGINE: Productivity John Deere PowerTech PSS Diesel Efficiency In-line 4-Cylinder Wet-Sleeve Area with High Pressure Common Rail (HPCR) Fuel System and 16 Valve Head 4.5 L (276 Cu. In.) Displacement 145 Engine hp (97/68/EC) at Rated Speed Implement Width Service Hours Fuel Consumption Rate Time of Day 114 SAE PTO hp at Rated Speed Fuel Gauge Variable Geometry Turbocharger and Engine Oil Pressure Indicator Light Coolant Temperature Exhaust Gas Recirculation Dual Temp Cooling System PTO Engagement PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element Alternator Indicator Light Directional Indicators Underhood AfterTreatment System with Hazard Switch Deluxe Corner Post Exhaust Self Priming and Bleeding Electronic Fuel Pump 70.5 Gal (267 L) Fuel Tank Capacity OPEN OPERATOR STATION: Two Post Foldable ROPS with Seat Belt, Less Canopy Platform Mechanical Suspension Seat with TRANSMISSION: PowrQuad 16F/16R Transmission; 19 mph (30km/h) Armrests and Seat Belt Operational Controls, Console Tilt Steering Column Mechanical LH Reverser Perma-Clutch II, Wet Multi-Disk Clutch Foot Throttle Control
Right Hand Steps and Hand Rail Park Lock Neutral Safety Start System STEERING, BRAKES, DIFFERENTIAL: ELECTRICAL: Key Shutoff Hydrostatic Steering 12-Volt Electrical System Wet-Disk Hydraulic Power Brakes Rear Axle Differential Lock One 12-Volt Battery, 154 Ah (1230 Cold Cranking Amps) HYDRAULICS: 120 Amp Alternator Load Sensing Constant Flow Pressure 7 Terminal Rear Implement Electrical Outlet Socket Compensated (PC) System
21.1 GPM (80 L/min) Pump Output
21.1 GPM (80 L/min) Flow at One SCV
2 SCV; Mechanical; ISO Couplers Four Front Grille Headlights One Rear ROPS Light Two Flashing Hazard Lights REAR PTO: Two Rear Fender Tail Lights 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield with Brake Lights Electrohydraulic Activation FRONT AXLE WHEELS AND TIRES: Wet Multi-Disk Clutch MFWD Neutral Start Safety System Steel Wheels Seat Activated PTO Warning Electrohydraulic MFWD Engagement, Right-hand Console Two 380/85R28 In. Radial Tires ROCKSHAFT, HITCH AND DRAWBAR: Electrohydraulic Hitch 3-Point (Category 2/3N) Hitch 6627 Lb. (3006 kg) Lift Capacity Telescopic Draft Links REAR AXLE WHEELS AND TIRES: Flanged Axle Eight Position Adjustable Steel Wheels RH and LH Telescopic Draft Link Adjustment Two 460/70R38 In. Radial Rear Tires Sway Control Blocks Category 2 Swinging Drawbar with Hammerstrap MISCELLANEOUS: Adjustable Center Link with Ball End Operator's Manual (English) and Holder RH and LH Rear Fender Hitch Controls SMV Emblem INSTRUMENTATION:

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Ground Speed PTO Speed Engine Hours

Display Functions Definable By Operator:

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

#### **BASE MACHINE**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued EX-WORKS Port of Entry	
00T4L		6145M Open Operator Station Tractor	105,045.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATORS MANUAL	
0409		English	In Base Price
0443		US English with Spanish	Same Price
0445		US English with French	Same Price
		OPERATOR PACKAGE	
2075		Open Operator Station Flat Platform Includes: RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, and Hand and Foot Throttle Control.	In Base Price
		Power Outlet Socket (Code 8240), LH Remote Hitch Controls, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
1424		PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh)	In Base Price
1426		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) Requires Code 6045(MFWD).	1,649.00
1432		CREEPER Transmissions PowrQuad 16F/16R Transmission with Left Hand Reverser (19 mph/30 kmh)with Creeper	4,750.00
1434		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper Requires Code 6045(MFWD).	4,162.00
		SEAT	
2100		Economy Seat for OOS Tractor  Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
2107		Standard Seat for OOS Tractor Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	602.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC SYSTEM	
3232		Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc	In Base Price
3223		Pressure and Flow Compensated Hydraulic System 30.1 GPM (114 L/min), 45cc Pressure and flow compensated hydraulic system (PFC system) with variable pressure up to 200 bar (2900 PSI).  Comes with Cold Start Package II (code 8301).	1,639.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3319		2 SCV Mechanical (2 Detent-200 Series) with Standard Couplers Standard Couplers with Plug Type Covers.	In Base Price
3320		2 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover. Required with Hydraulic Motors.	109.00
3338		3 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover.  Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	947.00
		POWER TAKE-OFF	
3820		Rear Independent 540/1000 RPM PTO	In Base Price
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End- Category 3N/3	In Base Price
		CENTER LINK	
4213		Center Link with Ball End - Category 3 Not with Cat 2 Draft Links (Code 4120).	In Base Price
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
4421		Stabilizer Bars- Adjustable LH and RH	573.00
		REAR AXLES	
5010		Flanged Axle	In Base Price
5070		Rack and Pinion Axle 3.385 In. (86 mm) Diameter by 100.4 In. Length	2,551.00
		WHEELS & HUBS (FRONT & REAR)	
5093		2 Position Steel Wheels Required for Code 5214, 5237, and 5150.	-1,156.00
5090		Adjustable Steel Wheels	In Base Price
5091		Adjustable Cast Wheels Only available with Rack & Pinion. Front wheels are adjustable steel. If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes:	174.00

#### **6145M Open Operator Station Tractor**

. Continued

			SUGGESTED
	ATTACHMEN1		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### WHEELS & HUBS (FRONT & REAR) ...Continued...

5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237.

	REAR WHEELS AND TIRES	
5221	16.9R38 ln. 141A8 R1W Radial (420/85R38 ln. 144A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215, or 6220. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	160.00
5222	480/70R38 In. 145A8 R1W Radial For MFWD: Requires Code 6221. Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas AC70T, and Trelleborg.	-316.00
5234	460/85R38 In. 149A8 R1W Radial For 2WD: Requires Code 6151. For MFWD: Requires Code 6240 or 6236. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	In Base Price
5237	480/80R38 In. 161D R4 Radial For MFWD: Requires Code 6225 or 6237.  Available in Nokain TR12 only. Not compatible with No Rear Tire Preference (Code 5999).	1,708.00
5232	520/70R38 In. 150A8 R1W Radial For MFWD: Requires Code 6240. Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas HC70.	456.00
5253	320/90R50 In. 147A8 R1W Radial For MFWD: Requires Code 6257. Available in Firestone only.	-1,334.00
5254	420/80R46 In. 151A8 R1 Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-964.00
5251	460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	-622.00
5250	480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6250. Only with R&P Axle Available in Firestone or Michelin Agribib.	6.00
5279	18.4R42 In. 148A8 R2 (480/80R42 In. 151A8 R2 Radial) For MFWD: Requires Code 6267. Available in Firestone.	-722.00
5242	520/85R38 In. 155A8 R1W Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	-514.00
5244	650/65R38 In. 157A8 R1W Radial For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65.	1,010.00
5252	380/90R46 149A8 R1W Radial For MFWD: Requires Code 6257 or 6256. Available in Continental/Mitas AC85.	-1,286.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
5277		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	536.00
		TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference Continental/Mitas or Firestone Tires will be shipped.	In Base Price
5901		Firestone	200.00
5902		Goodyear	200.00
5903		Michelin	400.00
5904		Continental/Mitas	200.00
5915		Nokian	200.00
5905		Trelleborg	400.00
		FRONT AXLES	
6022		Adjustable 2WD Front Axle Requires 30K transmission, and Front Tire Code 6100, 6123, 6141, or 6151.	-8,398.00
6045		MFWD Front Axle  Limited slip Differential.	In Base Price
		FRONT WHEELS AND TIRES	
6151		For Code 6022 (2WD): 10.00-16 In. 10PR F2 Bias Available in Firestone F2. Standard Load Capacity 5830 Lbs. Only with 2WD axle.	-2,476.00
6123		11.00-16 In. 12PR F2 Bias Available in Firestone.	-2,300.00
6215		For Code 6045 (MFWD): 12.4R28 In. 121A8 R1W Radial (320/85R28 In. 124A8 R1W Radial) Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	-550.00
6230		13.6R28 In. 123A8 R1W Radial (340/85R28 In. 127A8 R1W Radial) Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	248.00

## 6145M Open Operator Station Tractor Continued

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6220		FRONT WHEELS AND TIRESContinued 14.9R24 In. 126A8 R1W Radial (380/85R24 In. 131A8 R1W Radial) Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85. Not with Turnable Front Fenders for MFWD (Code 8012).	-236.00
6236		380/85R28 In. 133A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	In Base Price
6221		420/70R24 In. 130A8 R1W Radial Not with Turnable Front Fenders for MFWD (Code 8012). Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas AC70T and Trelleborg.	-484.00
6232		16.9R24 In. 134A8 R1W Radial (420/85R24 137A8 R1W Radial) Not with Turnable Front Fenders for MFWD (Code 8012). Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	118.00
6237		440/80R24 149D R4 Radial Not with Turnable Front Fenders for MFWD (Code 8012). Available in Nokian TRI2 only. Requires Code 5237 (Rear).	1,250.00
6240		420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas HC70, and Trelleborg.	418.00
6257		320/85R34 In. 133A8 R1 Radial Available in Firestone.	956.00
6258		380/85R30 In. 135A8 R1W Radial Available in Firestone Performer 85, Continental/Mitas, and Michelin Agribib and Trelleborg.	956.00
6250		420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib (16.9R28), and Continental/Mitas AC85 and Trelleborg.	578.00
6252		540/65R28 In. 142A8 R1W Radial Available in Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65, and Trelleborg.	1,500.00
6267		420/85R28 In. 139A8 R2 Radial (16.9R28 In. 136A8 R2) Available in Goodyear only.	670.00
6272		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,828.00
		PREPARATION PACKAGE	
7702		Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00

#### **SPECIAL EQUIPMENT - FACTORY INSTALLED**

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
878J		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	333.00
8284		Floor Mat Requires Code 2075 Open Operator Station Flat Platform.	109.00
8300		Engine: Cold Start Package I Includes Engine Coolant Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8301 (Cold Start Package II).	310.00
8301		Cold Start Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8300 (Cold Start Package I).	441.00
878M		Condensor Screen for Cooling Package	20.00
8747		Battery, 12V/174AH	115.00
873B		Lighting 2 Front Work Lights, H3, Fender mounted	184.00
873R		1 Rear Work light RH, H3, 2-Post mounted	111.00
		Loader Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.	
891E		2-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214).  Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	4,506.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.	
		Compatible with 2-function 640R or 660R loaders.	
891F		3-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214).  Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,187.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.	
		Compatible with 3-function 640R or 660R loaders.	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8925		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,687.00
8924		3-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-function mid-mounted control valve and mechanical joystick control.	3,238.00
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6045 MFWD Axle.	547.00
8012		Turnable Front Fenders for MFWD Requires Code 6045 MFWD Axle.	821.00
8763		Heavy Duty Rear Wheel Brakes Increases disc brake thickness (+20%) to ensure higher braking capacity (designed for transport with non-braked trailers).	123.00
8457		3 Point Hitch, PTO, and Drawbar: Higher Hitch Lift Capacity 6145M: 7430 lbs (3370 kg).	364.00
8424		Draft Control	574.00
8435		Drawbar, High Clearance with Sway Chains and Hammerstrap  Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap).	245.00
8385		Heavy Duty Rear PTO	291.00
832J		Hydraulics: Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	582.00
8950		Weights: Front Weight Support- 60 kg (132 lbs) Holds up to 14 Front Weights.	282.00
8951		Front Weight Support- 110 kg (242 lbs)  Holds up to 18 Front Weights.	377.00
8973		Rear Wheel Weights: Rear wheel weights - 110 kg (242 lbs) 2 x 55 kg, 110 kg (242 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8974		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Rear wheel weights - 220 kg (485 lbs) 4 x 55 kg, 220 kg (485 lbs) total weight, split on both sides. Requires Code 5010 (Flange Axle) and 34"-38" wheelsize.	311.00
8030		Miscellaneous: 'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00
8781		License Plate Bracket with Light	34.00
8782		Back-Up Alarm	461.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15427	Engine: Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	836.00
	BL15431	Engine Block Heater, 4 cyl.  Only compatable with 6R and 6M tractors.	412.50
	BL15206	Front Auxiliary Drive	1,189.10
	BL15539	Fuel Pre-Heater	178.20
	AL180215	Fenders: MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15552	Guards: Fuel Tank Bottom Guard 87 US Gal. (330L)	250.80
	AL81724	Hitch and Drawbar: Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	458.70
	AL78129	Load Control Shaft Support Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame.	140.80

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15251	Hydraulics: M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing	244.20
	AL180127	Miscellaneous: Steering Limiter Kit Compatible with MFWD front axles.	209.22
	AL158728	Transmission: Back-up Alarm	574.20
	BL15086	Vandal Protection: Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL176565	<b>Weights:</b> Front Weight Carrier, 243 Lb. (110 Kg)	630.52
	AL155035	Wheel Equipment: Wheel Reinforcements, Rear For models with 10.8in. (275 mm) bolt circle diameter.	643.50

#### 6155M Open Operator Station Tractor

**Equipment for Base Machine** 

ENGINE: Productivity John Deere PowerTech PVS Diesel Efficiency In-line 6-Cylinder Wet-Sleeve Area with High Pressure Common Rail (HPCR) Fuel System and 24 Valve Head 6.8 L (414 Cu. In.) Displacement 155 Engine hp (97/68/EC) at Rated Speed Implement Width Service Hours Fuel Consumption Rate Time of Day 123 SAE PTO hp at Rated Speed Fuel Gauge Variable Geometry Turbocharger and Engine Oil Pressure Indicator Light Coolant Temperature Exhaust Gas Recirculation Dual Temp Cooling System PTO Engagement PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element
Underhood AfterTreatment System with Alternator Indicator Light Directional Indicators Hazard Switch Deluxe Corner Post Exhaust Self Priming and Bleeding Electronic Fuel Pump OPEN OPERATOR STATION: 75.5 Gal (286 L) Fuel Tank Capacity Two Post Foldable ROPS with Seat Belt, Less Canopy Platform Mechanical Suspension Seat with TRANSMISSION: PowrQuad 16F/16R Transmission; 19 mph (30km/h) Armrests and Seat Belt Operational Controls, Console Tilt Steering Column Mechanical LH Reverser Perma-Clutch II, Wet Multi-Disk Clutch Foot Throttle Control Park Lock Right Hand Steps and Hand Rail Neutral Safety Start System STEERING, BRAKES, DIFFERENTIAL: ELECTRICAL: Key Shutoff Hydrostatic Steering 12-Volt Electrical System Wet-Disk Hydraulic Power Brakes Rear Axle Differential Lock One 12-Volt Battery, 154 Ah (1230 Cold Cranking Amps) HYDRAULICS: 120 Amp Alternator Pressure and Flow Compensated (PFC) System 7 Terminal Rear Implement Electrical Outlet Socket 30 GPM (114 L/min) Pump Output 26.4 GPM (100 L/min) Flow at One SCV LIGHTS: 2 SCV; Mechanical; ISO Couplers Four Front Grille Headlights One Rear ROPS Light Two Flashing Hazard Lights 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Two Rear Fender Tail Lights Reversible Shaft and PTO Master Shield with Brake Lights Electrohydraulic Activation Wet Multi-Disk Clutch FRONT AXLE WHEELS AND TIRES: Neutral Start Safety System Seat Activated PTO Warning Steel Wheels Electrohydraulic MFWD Engagement, ROCKSHAFT, HITCH AND DRAWBAR: Right-hand Console Electrohydraulic Hitch Two 420/85R28 In. Radial Tires 3-Point (Category 2/3N) Hitch 8984 Lb. (4075 kg) Lift Capacity Electrohydraulic Hitch Control REAR AXLE WHEELS AND TIRES: Rack and Pinion Draft Hitch Control 2 Position Fixed Cast Wheels Telescopic Draft Links Two 460/85R42 In. Radial Rear Tires RH and LH Telescopic Draft Link Adjustment Sway Control Blocks MISCELLANEOUS: Category 2 Swinging Drawbar with Hammerstrap Operator's Manual (English) and Holder Adjustable Center Link with Ball End SMV Emblem RH and LH Rear Fender Hitch Controls

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Display Functions Definable By Operator:

INSTRUMENTATION:

Ground Speed PTO Speed Engine Hours

> SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Port of Entry	
4314L		6155M Open Operator Station Tractor	116,297.00
0000		DESTINATION	la Dana Brian
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATORS MANUAL	
0409		English	In Base Price
0443		US English with Spanish	Same Price
0445		US English with French	Same Price
		OPERATOR PACKAGE	
2075		Open Operator Station Flat Platform Includes: RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, and Hand and Foot Throttle Control.	In Base Price
		Power Outlet Socket (Code 8240), LH Remote Hitch Controls, Swinging Drawbar with Hammerstrap (Code 8434), 154ah Battery (8746).	
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
1424		PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh)	In Base Price
1445		PowrQuad 20F/20R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) Requires Code 6045(MFWD).	2,007.00
1432		CREEPER Transmissions PowrQuad 16F/16R Transmission with Left Hand Reverser (19 mph/30 kmh)with Creeper	4,750.00
1446		PowrQuad 20F/20R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper	4,508.00
		SEAT	
2100		Economy Seat for OOS Tractor  Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
2107		Standard Seat for OOS Tractor Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	602.00
		HYDRAULIC SYSTEM	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3223		HYDRAULIC SYSTEMContinued  Pressure and Flow Compensated Hydraulic System 30.1 GPM (114 L/min), 45cc  Pressure and flow compensated hydraulic system (PFC system) with variable pressure up to 200 bar (2900 PSI).  Comes with Cold Start Package II (code 8301).	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3319		2 SCV Mechanical (2 Detent-200 Series) with Standard Couplers Standard Couplers with Plug Type Covers.	In Base Price
3320		2 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover. Required with Hydraulic Motors.	109.00
3338		3 SCV Mechanical (3 Detents - 450 Series) with Standard Couplers Standard Coupler with Dust Cover.  Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	947.00
		POWER TAKE-OFF	
3820		Rear Independent 540/1000 RPM PTO	In Base Price
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End- Category 3N/3  Category 3.	In Base Price
		CENTER LINK	
4213		Center Link with Ball End - Category 3 Not with Cat 2 Draft Links (Code 4120).	In Base Price
		STABILIZERS	
4410		Sway Control Blocks Required with Draft Links with Telescopic Ball End- Cateogry 3N/3 (Code 4121).	In Base Price
4421		Stabilizer Bars- Adjustable LH and RH	573.00
		REAR AXLES	
5041		Rack and Pinion Axle 3.622 In. (92 mm) Diameter by 100.4 In. Length (6155M-6195M)	In Base Price
		WHEELS & HUBS (FRONT & REAR)	
5093		2 Position Steel Wheels Required for Code 5214, 5237, and 5150.	-1,156.00
5090		Adjustable Steel Wheels	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5091		WHEELS & HUBS (FRONT & REAR)Continued Adjustable Cast Wheels Only available with Rack & Pinion. Front wheels are adjustable steel. If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237.	174.00
		REAR WHEELS AND TIRES	
5234		460/85R38 In. 149A8 R1W Radial For 2WD: Requires Code 6151. For MFWD: Requires Code 6240 or 6236. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	622.00
5253		320/90R50 In. 147A8 R1W Radial For MFWD: Requires Code 6257. Available in Firestone only.	-712.00
5254		420/80R46 In. 151A8 R1 Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-342.00
5251		460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	In Base Price
5250		480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6250. Only with R&P Axle Available in Firestone or Michelin Agribib.	628.00
5279		18.4R42 In. 148A8 R2 (480/80R42 In. 151A8 R2 Radial) For MFWD: Requires Code 6267. Available in Firestone.	-100.00
5242		520/85R38 In. 155A8 R1W Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	108.00
5244		650/65R38 In. 157A8 R1W Radial For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Continental/Mitas AC65.	1,632.00
5252		380/90R46 149A8 R1W Radial For MFWD: Requires Code 6257 or 6256. Available in Continental/Mitas AC85.	-814.00
5277		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	1,008.00
		TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference Continental/Mitas or Firestone Tires will be shipped.	In Base Price
5901		Firestone	200.00
5902		Goodyear	200.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5903		TIRE BRAND PREFERENCEContinued Michelin	400.00
5904		Continental/Mitas	200.00
		FRONT AXLES	
6022		Adjustable 2WD Front Axle Requires 30K transmission, and Front Tire Code 6100, 6123, 6141, or 6151.	-8,398.00
6045		MFWD Front Axle Limited slip Differential.	In Base Price
		FRONT WHEELS AND TIRES	
6151		For Code 6022 (2WD): 10.00-16 In. 10PR F2 Bias Available in Firestone F2. Standard Load Capacity 5830 Lbs. Only with 2WD axle.	-3,054.00
6123		11.00-16 ln. 12PR F2 Bias Available in Firestone.	-2,878.00
6236		For Code 6045 (MFWD): 380/85R28 In. 133A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	-578.00
6232		16.9R24 In. 134A8 R1W Radial (420/85R24 137A8 R1W Radial) Not with Turnable Front Fenders for MFWD (Code 8012). Available in Firestone Performer 85, Michelin Agribib, Continental/Mitas AC85, and Trelleborg.	-460.00
6240		420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, Continental/Mitas HC70, and Trelleborg.	-60.00
6257		320/85R34 In. 133A8 R1 Radial Available in Firestone.	378.00
6258		380/85R30 In. 135A8 R1W Radial Available in Firestone Performer 85, Continental/Mitas, and Michelin Agribib and Trelleborg.	378.00
6250		420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib (16.9R28), and Continental/Mitas AC85 and Trelleborg.	In Base Price
6267		420/85R28 In. 139A8 R2 Radial (16.9R28 In. 136A8 R2) Available in Goodyear only.	92.00
6272		320/90R42 In. 139A8 R1W Radial <i>Available in Firestone only.</i>	1,324.00
		PREPARATION PACKAGE	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7702		PREPARATION PACKAGEContinued Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
878J		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	333.00
8284		Floor Mat Requires Code 2075 Open Operator Station Flat Platform.	109.00
8300		Engine: Cold Start Package I Includes Engine Coolant Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8301 (Cold Start Package II).	310.00
8301		Cold Start Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Requires Code 8747 (174AH Battery). Not compatible with Code 8300 (Cold Start Package I).	441.00
878M		Condensor Screen for Cooling Package	20.00
8747		Battery, 12V/174AH	115.00
873B		Lighting 2 Front Work Lights, H3, Fender mounted	184.00
873R		1 Rear Work light RH, H3, 2-Post mounted	111.00
		Loader Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.	
891E		2-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	4,506.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.	
		Compatible with 2-function 640R or 660R loaders.	

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
891F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 3-Function Mechanical Independent Control Valve Loader Ready Package Includes gear shifting (code 8214). Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,187.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.	
		Compatible with 3-function 640R or 660R loaders.	
8925		2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,687.00
8924		3-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-function mid-mounted control valve and mechanical joystick control.	3,238.00
		Chassis:	
8002		Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6045 MFWD Axle.	547.00
8012		Turnable Front Fenders for MFWD Requires Code 6045 MFWD Axle.	821.00
8457		<b>3 Point Hitch, PTO, and Drawbar:</b> Higher Hitch Lift Capacity 6155M: 10,141 lbs (4600 kg).	364.00
832J		Hydraulics: Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	582.00
		Weights:	
8950		Front Weight Support- 60 kg (132 lbs)  Holds up to 14 Front Weights.	282.00
8951		Front Weight Support- 110 kg (242 lbs)  Holds up to 18 Front Weights.	377.00
8030		Miscellaneous: 'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8781		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued License Plate Bracket with Light	34.00
8782		Back-Up Alarm	461.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15427	Engine: Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	836.00
	BL15431	Engine Block Heater, 4 cyl.  Only compatable with 6R and 6M tractors.	412.50
	BL15206	Front Auxiliary Drive	1,189.10
	BL15539	Fuel Pre-Heater	178.20
	AL180215	<b>Fenders:</b> MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15554	Guards: Fuel Tank Bottom Guard 93 US Gal. (355L)	250.80
	AL81724	Hitch and Drawbar: Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	458.70
	BL15251	Hydraulics: M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing	244.20
	AL180127	Miscellaneous: Steering Limiter Kit Compatible with MFWD front axles.	209.22

COI	ATTACHMENT DE IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL158728	Transmission: Back-up Alarm	574.20
	BL15086	Vandal Protection: Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL176565	<b>Weights:</b> Front Weight Carrier, 243 Lb. (110 Kg)	630.52
	AL155035	Wheel Equipment: Wheel Reinforcements, Rear For models with 10.8in. (275 mm) bolt circle diameter.	643.50

# 6155M Open Operator Station Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 6150M Open Operator Station Tractor

**Equipment for Base Machine** 

ENGINE: Productivity John Deere PowerTech PVX Diesel Efficiency In-line 6-Cylinder Wet-Sleeve Area with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
150 Engine hp (97/68/EC) @ Rated Speed Implement Width Service Hours Fuel Consumption Rate Time of Day 123 SAE PTO hp @ Rated Speed Fuel Gauge Variable Geometry Turbocharger and Engine Oil Pressure Indicator Light Exhaust Gas Recirculation Coolant Temperature Dual Temp Cooling System PTO Engagement PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element
Underhood AfterTreatment System with Alternator Indicator Light Directional Indicators Hazard Switch Deluxe Corner Post Exhaust Self Priming and Bleeding Electronic Fuel Pump 79 Gal (300 L) Fuel Tank Capacity OPEN OPERATOR STATION: Two Post Foldable ROPS with Seat Belt, Less Canopy Platform Mechanical Suspension Seat with TRANSMISSION: PowrQuad 16F/16R Transmission; 19 mph (30km/h) Armrests and Seat Belt Operational Controls, Console Tilt Steering Column Mechanical LH Reverser Perma-Clutch II, Wet Multi-Disk Clutch Foot Throttle Control Park Lock Right Hand Steps and Hand Rail Neutral Safety Start System STEERING, BRAKES, DIFFERENTIAL: ELECTRICAL: Key Shutoff Hydrostatic Steering 12-Volt Electrical System Wet-Disk Hydraulic Power Brakes Rear Axle Differential Lock One 12-Volt Battery, 154 Ah (1230 Cold Cranking Amps) HYDRAULICS: 90 Amp Alternator 7 Terminal Rear Implement Electrical Outlet Socket Pressure and Flow Compensated (PFC) System 30 GPM (114 L/min) Pump Output 26.4 GPM (100 L/min) Flow @ One SCV 1 SCV; Mechanical; ISO Couplers Two Front Grille Headlights One Rear ROPS Light Two Flashing Hazard Lights 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Two Rear Fender Tail Lights Reversible Shaft and PTO Master Shield with Brake Lights Electrohydraulic Activation Wet Multi-Disk Clutch FRONT AXLE WHEELS AND TIRES: Neutral Start Safety System Seat Activated PTO Warning Steel Wheels Electrohydraulic MFWD Engagement, ROCKSHAFT, HITCH AND DRAWBAR: Right-hand Console Electrohydraulic Hitch Two 420/85R28 In. Radial Tires 3-Point (Category 2/3N) Hitch 8984 Lb. (4075 kg) Lift Capacity Electrohydraulic Hitch Control REAR AXLE WHEELS AND TIRES: Rack and Pinion Draft Hitch Control 2 Position Fixed Cast Wheels Telescopic Draft Links Two 460/85R42 In. Radial Rear Tires RH & LH Telescopic Draft Link Adjustment Sway Control Blocks MISCELLANEOUS: Category 2 Swinging Drawbar with Hammerstrap Operator's Manual (English) and Holder Adjustable Center Link with Ball End SMV Emblem RH & LH Rear Fender Hitch Controls INSTRUMENTATION: Display Functions Definable By Operator: Ground Speed PTO Speed

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Engine Hours

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Port of Entry	
00U1L		6150M Open Operator Station Tractor	104,374.00
		SERIES	
1002		Series Tractor	In Base Price
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR PACKAGE	
0521		Open Operator Station Flat Platform Includes: Series Tractor (Code 1002), OOS Flat Platform (Code 2002), Telescopic Draft Links (Code 4121), Center Link (Code 4213), Swinging Drawbar with Hammerstrap (Code 8434), Power Outlet Socket (Code 8240), RH & LH Remote Hitch Controls (Code 8446), Battery, 12V 154 Ah (Code 8746), No Handbrake (Code 8762), RH Steps, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, and Hand and Foot Throttle Control.	In Base Price
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
1424		PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh)	In Base Price
1445		PowrQuad 20F/20R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) Requires Code 6043(MFWD).	2,007.00
1432		CREEPER Transmissions PowrQuad 16F/16R Transmission with Left Hand Reverser (19 mph/30 kmh)with Creeper	1,073.00
1446		PowrQuad 20F/20R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper	4,508.00
		OPERATOR STATION	
2002		Open Operator Station Platform	In Base Price
		SEAT	
2100		Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion (MSG-83 731)  Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails,  Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
2107		Super Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion (MSG-85 731)  Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment,  Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right),  Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	596.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3304		1 SCV Mechanical (2 Detent-200 Series) with Standard Couplers	In Base Price
3305		1 SCV Mechanical (3 Detents - 450 Series) with Deluxe Couplers	140.00
3327		2 SCV Mechanical (3 Detents - 450 Series) with Deluxe Couplers Required with Hydraulic Motors.	1,499.00
		POWER TAKE-OFF	
3822		Rear Independent 540/1000 RPM PTO	In Base Price
		DRAFT LINKS	
4121		Two Telescopic Draft Links 3N/2	In Base Price
		OFNITED LINK	
4213		CENTER LINK  Center Link with Ball End - Category 3	In Base Price
4210		Corner Emili Willia Ball End Galegory C	III Base I file
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
		REAR AXLES	
5073		Rack and Pinion Axle 3.385 In. (86 mm) Diameter by 100.4 In. Length 2-Position Fixed Cast Wheels  Requires Code 5231, 5242, 5244, 5250, 5251, 5252, 5253, 5254, 5277, or 5320.	In Base Price
		REAR WHEELS AND TIRES	
5231		460/85R38 In. 149A8 R1W Radial For 2WD: Requires Code 6151. For MFWD: Requires Code 6240 or 6236. Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	622.00
5244		650/65R38 In. 157A8 R1W Radial For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Continental AC65.	1,632.00
5242		520/85R38 In. 155A8 R1W Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	108.00
5279		480/80R42 In. 151A8 R2 Radial (18.4R42 In. 148A8 R2) For MFWD: Requires Code 6267. Available in Firestone only.	-100.00
5250		480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6213 or 6250. Available in Michelin Agribib only.	628.00
5251		460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	In Base Price
5254		420/80R46 In. 151A8 R1 Radial For MFWD: Requires Code 6256 or 6250.	-342.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued  Available in Firestone RAT 23.	
5252		380/90R46 149A8 R1W Radial For MFWD: Requires Code 6257 or 6256. Available in Mitas (Continental) AC85.	-814.00
5277		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	1,008.00
5253		320/90R50 In. 147A8 R1W Radial For MFWD: Requires Code 6257. Available in Firestone only.	-712.00
		REAR TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference	In Base Price
5901		Continental	200.00
5902		Firestone	200.00
5903		Michelin	400.00
		FRONT AVI FO	
6022		FRONT AXLES  Adjustable 2WD Front Axle HD (63.3 In- 87.4 In)	-8,398.00
0022		Requires 30K transmission.	0,000.00
6043		MFWD Front Axle with Adjustable Rims	In Base Price
		FRONT WHEELS AND TIRES	
6123		For Code 6022 (2WD): 11.00-16 ln. 12PR F2 Bias Available in Firestone.	-2,878.00
6151		10.00-16 In. 10PR F2 Bias Available in Firestone F2. Standard Load Capacity 5830 Lbs.	-3,054.00
6252		For Code 6043 (MFWD): 540/65R28 In. 142A8 R1W Radial Available in Firestone R9000 Evo, Michelin Multibib, and Continental AC65.	922.00
6250		420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib (16.9R28), and Continental AC85.	In Base Price
6257		320/85R34 In. 133A8 R1 Radial Available in Firestone only.	-212.00
6256		380/85R30 In. 135A8 R1W Radial Available in Firestone Performer 85, Continental, and Michelin Agribib.	378.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6267		FRONT WHEELS AND TIRESContinued 420/85R28 In. 139A8 R2 Radial (16.9R28 In. 136A8 R2) Available in Firestone only.	92.00
6272		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,324.00
6236		380/85R28 In. 133A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	-578.00
6240		420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, and Continental HC70.	-60.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Tire Brand Preference	In Base Price
6701		Continental	200.00
6702		Firestone	200.00
6703		Michelin	400.00
		PREPARATION PACKAGE	
7702		Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
878J		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	330.00
8284		Floor Mat	108.00
8240		Power Outlet Socket	In Base Price
8446		Remote Rear Hitch Control LH & RH	In Base Price
		Engine: If option codes 8300 or 8301 (Cold Start Packages) are desired, code 8746 (154AH Battery) must be de-selected.	
8300		Cold Start Package I Includes Heavy-Duty Battery (174 Amp Hrs) and Engine Coolant Heater (110V). Not compatible with Code 8301 (Cold Start Package II) or Code 8746 (154AH Battery).	309.00
8301		Cold Start Package II Includes Heavy-Duty Battery (174 Amp Hrs), Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Not compatible with Code 8300 (Cold Start Package I) or Code 8746 (154AH Battery).	441.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8304		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Fuel Heating System (12V)	137.00
878M		Condensor Screen for Cooling Package	20.00
8741		150 Amp Alternator	227.00
873L		Lighting Two Front Work Lights, H3, Fender mounted	184.00
873R		One Rear Work light RH, H3, 2-Post mounted	111.00
878A		Front Corner Lights	286.00
		Loader Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.	
834B		2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	4,506.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 2-function H360 loader only. Loader ready package not compatible with H340.	
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,187.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 3-function H360 loader only. Loader ready package not compatible with H340.	
834C		2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,687.00
		Chassis:	
8002		Toolbox	75.00
8010		Front Fenders (Two Wheel Drive) Requires Code 6022 2WD Axle.	345.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6043 MFWD Axle.	531.00
8012		Turnable Front Fenders for MFWD Requires Code 6043 MFWD Axle.	826.00
8434		3 Point Hitch, PTO, and Drawbar: Swinging Drawbar with Hammerstrap	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8457		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Higher Hitch Lift Capacity 10,141 Lb.(4600 kg)	360.00
8385		Heavy Duty Rear PTO	283.00
8331		Hydraulics: Third Mechanical SCV (3 Detents - 450 Series) with Deluxe Couplers Requires Code 3327 (2 SCV). Note: This will be 2nd SCV if ordered with 0523 (Low Profile Orchard Open Operator Station tractor).	1,077.00
832J		Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing three ports: pressure, tank and load sensing. No couplers are installed due to different standards available.	106.00
8950		Weights: Front Weight Support (70kg/ 155 Lb), Holds up to 14 Front Weights	279.00
8951		Front Weight Support (110kg/ 242 Lb), Holds up to 18 Front Weights Holds up to 18 Front Weights.	359.00
8762		Miscellaneous: No Handbrake	In Base Price
9013		French Operator's Manual	No Charge
9037		Spanish Operator's Manual	No Charge
8030		'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00
878F		License Plate Bracket with Light	34.00
8782		Back-Up Alarm	461.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15289	Brakes: Hydraulic Trailer Brake Kit PFC System, with Priority 2 Functions, No Front Axle Brake.	578.60
	AL207807	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	541.20

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL207809	ATTACHMENTS FOR FIELD CONVERSIONContinued Engine Block Heater, 6 cyl	188.10
	BL15206	Front Auxiliary Drive	1,189.10
	AL158520	Fuel Pre-Heater	178.20
	BL15062	Fenders: MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20
	BL15068	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,434.40
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15061	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	764.50
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	774.40
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	785.40
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	818.40
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	829.40

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15060	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	BL15205	Guards: Fuel Tank Bottom Guard 79 US Gal. (300L)	238.70
	AL81349	Hitch and Drawbar: Drawbar, Swinging with Hammerstrap Reference Installation Instructions. Not compatible with DirectDrive.	760.10
	AL119419	Drawbar, Swinging with Hammerstrap, Short Reference Installation Instructions. Required for baling applications.	899.80
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50
	AL206323	Stabilizer Bar, Automatic (One) and Standard Economy Stabilizer Bar (One)	695.20
	BL15303	Hydraulics: Control Lever SCV Position #3 Manual Selective Control Valve. Includes Cab Lever, Cover, Cable and Mounting Hardeare.	100.10
	BL15272	ICV Oil Lines, PFC Hydraulic System Independent Control Valve.	333.30
	BL15273	ICV Oil Lines, PFC Hydraulic System Independent Control Valve.	333.30
	BL15274	ICV Oil Lines, PFC Hydraulic System Independent Control Valve.	333.30
	BL15251	M-ICV 2-Function to 3-Function Upgrade  Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	BL15318	M-ICV Control Lever (Joystick) 2 Function - OOS only Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	371.80
	AL204803	M-ICV, 2-Function Mecahnical Independent Control Valve. NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,221.00
	AL204804	M-ICV, 3-Function Mechanical Independent Control Valve. A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,882.10
	AL204807	M-SCV, 100 Series  Mechanical Selective Control Valve. Kit contains standard quick coupler and leak-off oil parts for dust protector housing.	576.40

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204808	ATTACHMENTS FOR FIELD CONVERSIONContinued M-SCV, 200 Series Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	AL204810	M-SCV, 350 Series Mechanical Selevtice Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	920.70
	BL15297	M-SCV, Deluxe 450 Series  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	823.90
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing	244.20
	AL204829	Miscellaneous: Tool Box	278.30
	AL203919	Operator Environment: 3-Terminal Socket	82.50
	AR201256	Canopy for Roll-Guard Requires Wiring Harness Adapter (AL160408), order through Parts.	1,535.60
	AL158728	Transmission: Back-up Alarm	574.20
	BL15277	Creeper Field Kit for PowrQuad Transmissions Also requires software AL215026. Reference Installation Instructions.	3,289.00
	BL15086	Vandal Protection: Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg)	142.26
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)	746.90
	R207782	Weight, Wheel, 452 Lb. (205 kg)	701.80
	L28228	Weight, Wheel, 120 Lb. (54Kg)	254.02

#### 6150M Cab Tractor

**Equipment for Base Machine** 

ENGINE: Fuel Consumption Rate John Deere PowerTech PVX Diesel Time of Day In-line 6-Cylinder Wet-Sleeve Fuel Gauge with High Pressure Common Rail (HPCR) Fuel System and 24 Valve Head 6.8 L (414 Cu. In.) Displacement 150 Engine hp (97/68/EC) @ Rated Speed Engine Oil Pressure Indicator Light Coolant Temperature PTO Engagement Alternator Indicator Light Directional Indicators 123 SAE PTO hp @ Rated Speed Variable Geometry Turbocharger and Hazard Switch Exhaust Gas Recirculation CAB OPERATOR STATION: ComfortGard Cab with Air Conditioning Dual Temp Cooling System PowerCore G2 Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood AfterTreatment System with and Heater Two Doors Deluxe Corner Post Exhaust Self Priming and Bleeding Electronic Fuel Pump 79 Gal (300 L) Fuel Tank Capacity Front Windshield Wiper & Washer Mechanical Suspension Seat with Armrests and Seat Belt Tilt/Telescopic Steering Column Right-hand Operational Controls Floor Mat Foot Throttle Control Power Outlet TRANSMISSION: PowrQuad PLUS 20F/20R Transmission; 25 mph (40km/h) Electronic LH Reverser Perma-Clutch II, Wet Multi-Disk Clutch Park Lock Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Neutral Safety Start System Rear View Mirror STEERING, BRAKES, DIFFERENTIAL: Right Hand Steps and Hand Rail Hydrostatic Steering Wet-Disk Hydraulic Power Brakes ELECTRICAL: Rear Axle Differential Lock Key Shutoff
12-Volt Electrical System One 12-Volt Battery, 154 Ah (1230 Cold Cranking HYDRAULICS: Pressure and Flow Compensated (PFC) System Amps) 30 GPM (114 L/min) Pump Output 90 Amp Alternator 26.4 GPM (100 L/min) Flow @ One SCV 3 Pin Power Outlet 1 SCV; Mechanical; ISO Couplers 7 Terminal Rear Implement Electrical Outlet Socket LIGHTS: 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Four Front Grille Headlights Reversible Shaft and PTO Master Shield Two Front Outer Roof Worklights One Rear Right Roof Worklight Electrohydraulic Activation Wet Multi-Disk Clutch Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights Neutral Start Safety System Seat Activated PTO Warning with Brake Lights ROCKSHAFT, HITCH AND DRAWBAR: FRONT AXLE WHEELS AND TIRES: Electrohydraulic Hitch MFWD 3-Point (Category 2/3N) Hitch 8984 Lb. (4075 kg) Lift Capacity Steel Wheels Electrohydraulic MFWD Engagement, Draft Hitch Control Right-hand Console Two 420/85R28 In. Radial Tires Telescopic Draft Links RH & LH Telescopic Draft Link Adjustment Sway Control Blocks REAR AXLE WHEELS AND TIRES: Category 2 Swinging Drawbar with Hammerstrap Flanged Axle Adjustable Center Link with Ball End Eight Position Adjustable Steel Wheels RH & LH Rear Fender Hitch Controls Two 460/85R42 In. Radial Rear Tires INSTRUMENTATION: MISCELLANEOUS: Display Functions Definable By Operator: Operator's Manual (English) and Holder Ground Speed SMV Emblem PTO Speed Engine Hours Productivity

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Efficiency

Implement Width Service Hours

> SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Port of Entry	
00U2L		6150M Cab Tractor	115,412.00
			<u> </u>
		SERIES	
1002		Series Tractor	In Base Price
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR PACKAGE	
0511		Base Standard Cab Includes: Series Tractor (Code 1002), Standard Cab (Code 2051), Mechanical Suspension Seat (Code 2109), Mirrors Standard-LH & RH (Code 2510), Air Conditioning (Code 2557 or 2567), Panorama Windshield with RH Door (Code 2631), Telescopic Draft Links (Code 4121), Center Link (Code 4213), Swinging Drawbar with Hammerstrap (Code 8434), Power Outlet Socket (Code 8240), 7-pin Signal Interface Socket (Code 8224), Pre-Radio Wiring and Speakers (Code 8250), Inner Rear View Mirror (Code 8230), RH & LH Remote Hitch Controls (Code 8446), No Handbrake (Code 8762), RH Steps, Front Windshield Wiper & Washer, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, and Overhead Reading Light.	In Base Price
0512		Standard Cab Plus Includes in addition to Base Standard Cab: Air Suspension Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer (Code 8281), Cup Holder (Code 878S), and Sun Visor (Code 8278).	1,869.00
0513		Deluxe Cab Includes in addition to Standard Cab Plus: Front & Rear Roller Blind (Code 8276), Instructor Seat (Code 8254), Additional Storage Compartment (Code 8266), Bottle Holder (878R), and iTec Basic (Code 8216).	2,525.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
1437		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) <i>Includes Transmission De-Clutch Function</i> .	-1,557.00
1435		PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6043 (MFWD) Includes Transmission De-Clutch Function.	In Base Price
1453		AutoQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6043 (MFWD) Includes Transmission De-Clutch Function.	2,508.00
1441		CREEPER Transmissions PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) with Creeper Includes Transmission De-Clutch Function.	1,364.00

## 6150M Cab Tractor

4121		Two Telescopic Draft Links 3N/2  CENTER LINK	In Base Price
4121		DRAFT LINKS Two Tologopoic Draft Links 3N/2	In Dogo Drice
3822		Rear Independent 540/1000 RPM PTO On 6150M for Rack and Pinion Axle.	Same Price
3820		Rear Independent 540/1000 RPM PTO On 6150M for Flange Axle.	In Base Price
		POWER TAKE-OFF	
3327		2 SCV Mechanical (3 Detents - 450 Series) with Deluxe Couplers Required with Hydraulic Motors.	1,499.00
3305		1 SCV Mechanical (3 Detents - 450 Series) with Deluxe Couplers	140.00
3304		1 SCV Mechanical (2 Detent-200 Series) with Standard Couplers	In Base Price
2001		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	iii base i lice
2631		WINDSHIELD AND DOORS Panorama Windshield with RH Door	In Base Price
2557		Air Conditioning	In Base Price
		AIR CONDITIONING	comgaration
2511		Mirrors Manually Adjustable and Telescopic- LH & RH	In Configuration
2510		MIRRORS Mirrors Standard- LH & RH	In Base Price
2127		Basic Spec Seat with Air Suspension	In Configuration
2109		Comfort Seat with Mechanical Suspension	In Base Price
		SEAT	
2051		Standard Cab	In Base Price
		OPERATOR STATION	
1457		AutoQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 6043 (MFWD) Includes Transmission De-Clutch Function.	4,103.00
1439		PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 6043 (MFWD) Includes Transmission De-Clutch Function.	3,151.00
CODE	IDENTIFIER	TRANSMISSIONContinued	090 (\$)
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4010		CENTER LINKContinued Center Link with Ball End - Category 3	In Base Price
4213		Center Link with ball End - Category 3	III base Filce
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
		REAR AXLES	
5031		Flanged Axle, 8 Position Adjustable Steel Wheels Bolt Circle: 8x275mm Only available on 6150M with 30K transmission.	In Base Price
5073		Rack and Pinion Axle 3.385 In. (86 mm) Diameter by 100.4 In. Length 2-Position Fixed Cast Wheels	2,725.00
		Requires Code 5231, 5242, 5244, 5250, 5251, 5252, 5253, 5254, 5277, or 5320.	
		REAR WHEELS AND TIRES	
5231		460/85R38 In. 149A8 R1W Radial	622.00
		For 2WD: Requires Code 6151. For MFWD: Requires Code 6240 or 6236 or 6232. Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	
5253		320/90R50 In. 147A8 R1W Radial For MFWD: Requires Code 6257. Available in Firestone only.	-712.00
5252		380/90R46 149A8 R1W Radial For MFWD: Requires Code 6257 or 6256. Available in Mitas (Continental) AC85.	-814.00
5277		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	1,008.00
5254		420/80R46 In. 151A8 R1 Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-342.00
5251		460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	In Base Price
5250		480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6213 or 6250. Available in Michelin Agribib only.	628.00
5279		480/80R42 In. 151A8 R2 Radial (18.4R42 In. 148A8 R2) For MFWD: Requires Code 6267. Available in Firestone only.	-100.00
5242		520/85R38 In. 155A8 R1W Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	108.00
5244		650/65R38 In. 157A8 R1W Radial For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Continental AC65.	1,632.00

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference	In Base Price
5901		Continental	200.00
5902		Firestone	200.00
5903		Michelin	400.00
5904		Trelleborg	400.00
		FRONT AXLES	
6022		Adjustable 2WD Front Axle HD (63.3 In- 87.4 In) Requires 30K transmission.	-8,398.00
6043		MFWD Front Axle with Adjustable Rims	In Base Price
		FRONT WHEELS AND TIRES	
6151		For Code 6022 (2WD): 10.00-16 In. 10PR F2 Bias Available in Firestone F2. Standard Load Capacity 5830 Lbs.	-3,054.00
6123		11.00-16 In. 12PR F2 Bias Available in Firestone.	-2,878.00
6257		For Code 6043 (MFWD): 320/85R34 In. 133A8 R1 Radial Available in Firestone only.	-212.00
6256		380/85R30 In. 135A8 R1W Radial Available in Firestone Performer 85, Continental, and Michelin Agribib.	378.00
6250		420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib (16.9R28), and Continental AC85.	In Base Price
6252		540/65R28 In. 142A8 R1W Radial Available in Firestone R9000 Evo, Michelin Multibib, and Continental AC65.	922.00
6267		420/85R28 In. 139A8 R2 Radial (16.9R28 In. 136A8 R2) Available in Firestone only.	92.00
6272		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,324.00
6236		380/85R28 In. 133A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	-578.00
6232		16.9R24 In. 134A8 R1W Radial (420/85R24 137A8 R1W Radial) Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	-460.00
6240		420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, and Continental HC70.	-60.00

#### 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT TIRE BRAND PREFERENCE	
6799		No Tire Brand Preference	In Base Price
6701		Continental	200.00
6702		Firestone	200.00
6703		Michelin	400.00
6704		Trelleborg	400.00
		PREPARATION PACKAGE	
7702		Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8247		ComfortGard Cab Options: Deluxe Radio Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	324.00
8206		Glass Roof Hatch with Sun Visor	583.00
878J		Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	330.00
8237		Ash Tray with Cigarette Lighter	20.00
8224		7-Pin Signal Interface Socket	In Base Price
8230		Inner Rear View Mirror	In Base Price
8250		Speaker & antenna installation	In Base Price
8240		Power Outlet Socket	In Base Price
8446		Remote Rear Hitch Control LH & RH	In Base Price
8278		Sun Visor	In Configuration
878S		Cup Holder	In Configuration
8281		Rear Window Wiper & Washer	In Configuration
8216		iTec (Headland Management System) Includes Rear PTO Controls.	In Configuration
8254		Instructional Seat	In Configuration
8266		Additional Storage Compartment	In Configuration

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8276		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front & Rear Roller Blind	In Configuration
878R		Bottle Holder	In Configuration
878H		Multi Power Outlet Strip	82.00
		<b>Engine:</b> If option codes 8300 or 8301 (Cold Start Packages) are desired, code 8746 (154AH Battery) must be de-selected.	
8300		Cold Start Package   Includes Heavy-Duty Battery (174 Amp Hrs) and Engine Coolant Heater (110V).  Not compatible with Code 8301 (Cold Start Package II) or Code 8746 (154AH Battery).	309.00
8301		Cold Start Package II Includes Heavy-Duty Battery (174 Amp Hrs), Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Not compatible with Code 8300 (Cold Start Package I) or Code 8746 (154AH Battery).	441.00
8304		Fuel Heating System (12V)	137.00
878M		Condensor Screen for Cooling Package	20.00
8742		200 Amp Alternator Required for Codes 873H & 873K (Lighting Packages) and Code 8064 (GreenStar Ready).	255.00
8064		Ag Management Solutions: GreenStar Ready Wiring Harness with Implement Connector Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Requires Code 8742 (200 amp alternator).	814.00
873H		Lighting Deluxe Lighting (Package 1 North America) Base lighting plus: 2 corner hood lights H3 I rear left inner work light H3 Requires Code 8742 (200 amp alternator).	181.00
873K		Premium Lighting (Package 3 North America) Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3 2 front inner work lights H3 Requires Code 8742 (200 amp alternator).	411.00
873O		Belt Line Mounted Lights H-4	451.00
8725		Beacon Light	201.00

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
		Loader Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.	
834B		2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	4,506.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 2-function H360 loader only. Loader ready package not compatible with H340.	
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,187.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 3-function H360 loader only. Loader ready package not compatible with H340.	
834C		2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	2,687.00
8341		3-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	3,238.00
		Chassis:	
8002		Toolbox	75.00
8010		Front Fenders (Two Wheel Drive) Requires Code 6022 2WD Axle.	345.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6043 MFWD Axle.	531.00
8012		Turnable Front Fenders for MFWD Requires Code 6043 MFWD Axle.	826.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	606.00
8434		3 Point Hitch, PTO, and Drawbar: Swinging Drawbar with Hammerstrap	In Base Price
8457		Higher Hitch Lift Capacity 10,141 Lb.(4600 kg)	360.00
8386		Rear Remote PTO Control- LH & RH	59.00

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8331		Hydraulics: Third Mechanical SCV (3 Detents - 450 Series) with Deluxe Couplers Requires Code 3327 (2 SCV). Note: This will be 2nd SCV if ordered with 0523 (Low Profile Orchard Open Operator Station tractor).	1,077.00
832J		Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing three ports: pressure, tank and load sensing.  No couplers are installed due to different standards available.	106.00
8950		Weights: Front Weight Support (70kg/ 155 Lb), Holds up to 14 Front Weights	282.00
8951		Front Weight Support (110kg/ 242 Lb), Holds up to 18 Front Weights Holds up to 18 Front Weights.	359.00
8762		Miscellaneous: No Handbrake	In Base Price
9013		French Operator's Manual	No Charge
9037		Spanish Operator's Manual	No Charge
8030		'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00
878E		License Plate Bracket with Light Cab Models Not with Code 2053 (Low Clearance Cab).	34.00
8782		Back-Up Alarm	461.00
878B		Battery Circuit Breaker Located at top of left hand steps.	290.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15289	Brakes: Hydraulic Trailer Brake Kit PFC System, with Priority 2 Functions, No Front Axle Brake.	578.60
	AL207807	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	541.20

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL207809	ATTACHMENTS FOR FIELD CONVERSIONContinued Engine Block Heater, 6 cyl	188.10
	BL15206	Front Auxiliary Drive	1,189.10
	AL158520	Fuel Pre-Heater	178.20
	AL208651	Fenders: Fender Mud Guard	57.20
	AL174767	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	205.70
	AL174768	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	205.70
	AL174769	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	228.80
	AL174770	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	228.80
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 110X15 for North America only.	205.70
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.200X20 for North America only.	205.70
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15068	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,434.40
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15061	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	764.50
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	774.40
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	785.40
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	818.40
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	829.40
	BL15060	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	BL15205	Guards: Fuel Tank Bottom Guard 79 US Gal. (300L)	238.70
	AL81349	Hitch and Drawbar: Drawbar, Swinging with Hammerstrap Reference Installation Instructions. Not compatible with DirectDrive.	760.10
	AL119419	Drawbar, Swinging with Hammerstrap, Short Reference Installation Instructions. Required for baling applications.	899.80
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	100.10
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50
	AL206323	Stabilizer Bar, Automatic (One) and Standard Economy Stabilizer Bar (One)	695.20

## 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15217	<b>Hydraulics:</b> Additional Oil Reservoir Increases the existing oil capacity by 3.7 gallons (14 liters).	533.50
	BL15303	Control Lever SCV Position #3 Manual Selective Control Valve. Includes Cab Lever, Cover, Cable and Mounting Hardeare.	100.10
	BL15272	ICV Oil Lines, PFC Hydraulic System Independent Control Valve.	333.30
	BL15273	ICV Oil Lines, PFC Hydraulic System Independent Control Valve.	333.30
	BL15274	ICV Oil Lines, PFC Hydraulic System Independent Control Valve.	333.30
	BL15251	M-ICV 2-Function to 3-Function Upgrade  Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	BL15312	M-ICV Control Lever (Joystick) 2 Function and 3 Function  Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	699.60
	AL204803	M-ICV, 2-Function Mecahnical Independent Control Valve. NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,221.00
	AL204804	M-ICV, 3-Function Mechanical Independent Control Valve. A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,882.10
	AL204807	M-SCV, 100 Series  Mechanical Selective Control Valve. Kit contains standard quick coupler and leak-off oil parts for dust protector housing.	576.40
	AL204808	M-SCV, 200 Series  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	AL204810	M-SCV, 350 Series  Mechanical Selevtice Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	920.70
	BL15297	M-SCV, Deluxe 450 Series  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	823.90
	BL15169	Lighting: (2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts required. See installation instructions.	205.70
	AL111705	Beacon Light, LH Requires Switch (AL181123).	250.80

#### 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15200	ATTACHMENTS FOR FIELD CONVERSIONContinued Bracket, Beltline Mounted Lights	189.20
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,056.00
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50
	AL205881	Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	AL204829	Miscellaneous: Tool Box	278.30
	BL15295	Window decal, rear John Deere logo.	22.00
	AL203919	Operator Environment: 3-Terminal Socket	82.50
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	BL15522	Bottle Holder, Floormat	46.20
	BL15158	Display Bracket For mounting display and impliment controls.	163.90
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	248.60
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	629.20
	AL205894	Internal Rear View Mirror, Front Window Mounted	38.50
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20
	AL151224	Mirror, Inside Rear	167.20
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	171.60
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	171.60
	AL174215	Power Strip with Six Outlets	80.30
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	100.10

#### 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15037	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL157620	Sun Visor Flip down style.	102.30
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	29.70
	AL158728	Transmission: Back-up Alarm	574.20
	BL15277	Creeper Field Kit for PowrQuad Transmissions Also requires software AL215026. Reference Installation Instructions.	3,289.00
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg)	142.26
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)	746.90
	R207782	Weight, Wheel, 452 Lb. (205 kg)	701.80
	L28228	Weight, Wheel, 120 Lb. (54Kg)	254.02
	BL15106	Wheel Equipment: Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	861.30
	BL15127	Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,111.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,100.00

#### 6150M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15128	ATTACHMENTS FOR FIELD CONVERSIONContinued Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,305.70

# 6150M Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### **6170M Cab Tractor**

#### **Equipment for Base Machine**

ENGINE:	Time of Day
John Deere PowerTech PVX Diesel	Fuel Gauge
In-line 6-Cylinder Wet-Sleeve	Engine Oil Pressure Indicator Light
with High Pressure Common Rail (HPCR)	Coolant Temperature
Fuel System and 24 Valve Head	PTO Engagement
6.8 L (414 Cu. In.) Displacement	Alternator Indicator Light
1/U Engine np (9//68/EC) @ Rated Speed	Directional Indicators
142 SAE PTO hp @ Rated Speed	Hazard Switch
Variable Geometry Turbocharger and	
Exhaust Gas Recirculation	CAB OPERATOR STATION:
Dual Temp Cooling System	ComfortGard Cab with Air Conditioning
PowerCore G2 Air Filtration System with	and Heater
Permanent Pre-Cleaning and Safety Element	Two Doors
Underhood AfterTreatment System with	Front Windshield Wiper & Washer
Deluxe Corner Post Exhaust	Mechanical Suspension Seat with
Self Priming and Bleeding Electronic Fuel Pump	Armrests and Seat Belt
93.5 Gal (355 L) Fuel Tank Capacity	Tilt/Telescopic Steering Column
	Right-hand Operational Controls
TRANSMISSION:	Floor Mat
PowrQuad PLUS 20F/20R Transmission; 25 mph (40km/h)	Foot Throttle Control
Electronic LH Reverser	Power Outlet
Perma-Clutch II, Wet Multi-Disk Clutch	Pre-Radio Wiring and Speaker Package
Park Lock	Overhead Courtesy Light
Neutral Safety Start System	Rear View Mirror
	Right Hand Steps and Hand Rail
STEERING, BRAKES, DIFFERENTIAL:	
Hydrostatic Steering	ELECTRICAL:
Wet-Disk Hydraulic Power Brakes	Key Shutoff
Rear Axle Differential Lock	12-Volt Electrical System
	One 12-Volt Battery, 154 Ah (1230 Cold Cranking
HYDRAULICS: Pressure and Flow Compensated (PFC) System 30 GPM (114 L/min) Pump Output 26.4 GPM (100 L/min) Flow @ One SCV 1 SCV; Mechanical; ISO Complers	Amps)
Pressure and Flow Compensated (PFC) System	90 Amp Alternator
30 GPM (114 L/min) Pump Output	3 Pin Power Outlet
26.4 GPM (100 L/min) Flow @ One SCV	7 Terminal Rear Implement Electrical Outlet Socket
I DOVY HOUMANITOUITY IDO COUPICID	
REAR PTO: 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Activation	LIGHTS:
REAR PTO:	Four Front Grille Headlights
540/1000 RPM, 1-3/8 In. Independent Rear PTO,	Two Front Outer Roof Worklights
Reversible Shaft and PTO Master Shield	One Rear Right Roof Worklight
Wet Multi-Disk Clutch	Two Rear Fender Tail Lights
Neutral Start Safety System	with Brake Lights
Seat Activated PTO Warning	
	FRONT AXLE WHEELS AND TIRES:
ROCKSHAFT, HITCH AND DRAWBAR:	MFWD
Electrohydraulic Hitch	Steel Wheels
3-Point (Category 2/3N) Hitch	Steel Wheels Electrohydraulic MFWD Engagement,
830U LD. (3792 KG) LILL CADACILV	RIGHT-HAND CONSOLE
Draft Hitch Control	Two 420/85R28 In. Radial Tires
Telescopic Draft Links	
RH & LH Telescopic Draft Link Adjustment	REAR AXLE WHEELS AND TIRES:
Sway Control Blocks Category 2 Swinging Drawbar with Hammerstrap Adjustable Center Link with Ball End RH & LH Rear Fender Hitch Controls	Rack & Pinion Axie
Category 2 Swinging Drawbar with Hammerstrap	Tou. 4 in. Length x 3.622 in. (92 mm) Diameter
Adjustable Center Link With Ball End	Two Fixed Cast wheels
RH & LH Rear Fender Hitch Controls	TWO 460/85R42 In. Radial Rear Tires
INSTRUMENTATION:	MICCELL AMEOUC.
Diaplay Eunationa Dofinable By Operator:	MISCELLANEOUS: Operator of Manual (English) and Holder
Display Functions Definable By Operator:	Operator's Manual (English) and Holder SMV Emblem
Ground Speed	Horn
PTO Speed	110111
Engine Hours	
Productivity Efficiency	
Area	
Implement Width	

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Service Hours Fuel Consumption Rate

> SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

## **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Port of Entry	
00V2L		6170M Cab Tractor	128,299.00
,		OFDIFO.	
1002		SERIES Series Tractor	In Base Price
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR PACKAGE	
0511		Base Standard Cab Includes: Series Tractor (Code 1002), Standard Cab (Code 2051), Mechanical Suspension Seat (Code 2109), Mirrors Standard-LH & RH (Code 2510), Air Conditioning (Code 2557 or 2567), Panorama Windshield with RH Door (Code 2631), Telescopic Draft Links (Code 4121), Center Link (Code 4213), Swinging Drawbar with Hammerstrap (Code 8434), Power Outlet Socket (Code 8240), 7-pin Signal Interface Socket (Code 8224), Pre-Radio Wiring and Speakers (Code 8250), Inner Rear View Mirror (Code 8230), RH & LH Remote Hitch Controls (Code 8446), No Handbrake (Code 8762), RH Steps, Front Windshield Wiper & Washer, Tilt/Telescopic Steering Column, Right-Hand Operational Controls, Floor Mat, Hand and Foot Throttle Control, and Overhead Reading Light.	In Base Price
0512		Standard Cab Plus Includes in addition to Base Standard Cab: Air Suspension Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer (Code 8281), Cup Holder (Code 878S), and Sun Visor (Code 8278).	1,869.00
0513		Deluxe Cab Includes in addition to Standard Cab Plus: Front & Rear Roller Blind (Code 8276), Instructor Seat (Code 8254), Additional Storage Compartment (Code 8266), Bottle Holder (878R), and iTec Basic (Code 8216).	2,525.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
1437		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) <i>Includes Transmission De-Clutch Function.</i>	-1,557.00
1435		PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6043 (MFWD) Includes Transmission De-Clutch Function.	In Base Price
1453		AutoQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 6043 (MFWD) Includes Transmission De-Clutch Function.	2,508.00
		CREEPER Transmissions	
		OPERATOR STATION	
2051		Standard Cab	In Base Price

## **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SEAT	
2109		Comfort Seat with Mechanical Suspension	In Base Price
2127		Basic Spec Seat with Air Suspension	In Configuration
		MIRRORS	
2510		Mirrors Standard- LH & RH	In Base Price
2511		Mirrors Manually Adjustable and Telescopic- LH & RH	In Configuration
		AIR CONDITIONING	
2557		Air Conditioning	In Base Price
		WINDSHIELD AND DOORS	
2631		Panorama Windshield with RH Door	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3304		1 SCV Mechanical (2 Detent-200 Series) with Standard Couplers	In Base Price
3305		1 SCV Mechanical (3 Detents - 450 Series) with Deluxe Couplers	140.00
3327		2 SCV Mechanical (3 Detents - 450 Series) with Deluxe Couplers Required with Hydraulic Motors.	1,499.00
		POWER TAKE-OFF	
3822		Rear Independent 540/1000 RPM PTO	In Base Price
		DRAFT LINKS	
4121		Two Telescopic Draft Links 3N/2	In Base Price
		CENTER LINK	
4213		Center Link with Ball End - Category 3	In Base Price
4410		STABILIZERS Sway Control Blocks	In Base Price
4410		Sway Control Blocks	III base Plice
		REAR AXLES	
5057		Rack and Pinion Axle 3.622 In. (92 mm) Diameter by 100.4 In. Length 2-Position Fixed Cast Wheels	In Base Price
		REAR WHEELS AND TIRES	
5231		460/85R38 In. 149A8 R1W Radial For 2WD: Requires Code 6151 or 6123. Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	622.00
5253		320/90R50 In. 147A8 R1W Radial For MFWD: Requires Code 6257. Available in Firestone only.	-712.00

#### **6170M Cab Tractor**

Continued

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5252		REAR WHEELS AND TIRESContinued 380/90R46 149A8 R1W Radial For MFWD: Requires Code 6257 or 6256. Available in Mitas (Continental) AC85.	-814.00
5254		420/80R46 In. 151A8 R1 Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-342.00
5251		460/85R42 In. 151A8 R1W Radial For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	In Base Price
5250		480/80R42 In. 151A8 R1W Radial For MFWD: Requires Code 6213 or 6250. Available in Michelin Agribib only.	628.00
5279		480/80R42 In. 151A8 R2 Radial (18.4R42 In. 148A8 R2) For MFWD: Requires Code 6267. Available in Firestone only.	-100.00
5242		520/85R38 In. 155A8 R1W Radial For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	108.00
5244		650/65R38 In. 157A8 R1W Radial For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Continental AC65.	1,632.00
5277		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Code 6272. Available in Firestone only.	1,008.00
5255		380/90R50 In. 151A8 R1W Radial For MFWD: Requires Code 6274. Available in Firestone only.	-318.00
5278		480/80R46 In. 158A8 R1W Radial For MFWD: Requires Code 6273 or 6263. Available in Firestone and Continental.	1,388.00
5270		520/85R42 In. 157A8 R1W Radial For MFWD: Requires Code 6273, 6263, or 6262. Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	1,844.00
5293		520/85R42 In. 157A8 R2 Radial For MFWD: Requires Code 6266. Available in Firestone only.	2,518.00
5272		620/70R42 In. 160A8 R1W Radial For MFWD: Requires Code 6262 or 6264. Available in Firestone Maxi Traction, and Michelin XM28.	3,490.00
5275		710/70R38 In. 166A8 R1W Radial For MFWD: Requires Code 6262 or 6264. Available in Firestone Maxi Traction, Michelin Machxbib, and Continental AC65.	5,196.00

#### **REAR TIRE BRAND PREFERENCE**

5999 No Tire Brand Preference In Base Price

## **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR TIRE BRAND PREFERENCEContinued	
5901		Continental	200.00
5902		Firestone	200.00
5903		Michelin	400.00
		FRONT AXLES	
6022		Adjustable 2WD Front Axle HD (63.3 In- 87.4 In) Requires 30K transmission.	-8,398.00
6043		MFWD Front Axle with Adjustable Rims	In Base Price
		FRONT WHEELS AND TIRES	
6123		For Code 6022 (2WD): 11.00-16 In. 12PR F2 Bias Available in Firestone.	-2,878.00
6151		10.00-16 In. 10PR F2 Bias Available in Firestone F2. Standard Load Capacity 5830 Lbs.	-3,054.00
6257		For Code 6043 (MFWD): 320/85R34 In. 133A8 R1 Radial Available in Firestone only.	-212.00
6256		380/85R30 In. 135A8 R1W Radial Available in Firestone Performer 85, Continental, and Michelin Agribib.	378.00
6250		420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85.	In Base Price
6252		540/65R28 In. 142A8 R1W Radial Available in Firestone R9000 Evo, Michelin Multibib, and Continental AC65.	922.00
6267		420/85R28 In. 139A8 R2 Radial (16.9R28 In. 136A8 R2) Available in Firestone only.	92.00
6274		320/85R38 In. 143A8 R1W Radial Available in Firestone only.	660.00
6273		380/85R34 In. 137A8 R1 Radial Available in Firestone RAT 23, and Continental.	62.00
6272		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,324.00
6263		420/85R30 R1W Radial Available in Firestone Performer 85, Michelin Agribib, and Continental AC85.	344.00
6266		420/90R30 144A8 R2 Radial Available in Firestone only.	512.00

## **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6262		FRONT WHEELS AND TIRESContinued 480/70R30 In. 152A8 R1W Radial Available in Firestone Performer 70, and Michelin Omnibib.	72.00
6254		600/65R28 In. 147A8 R1W Radial Available in Firestone Maxi Traction, Michelin Machxbib, and Continental SVT.	2,280.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Tire Brand Preference	In Base Price
6701		Continental	200.00
6702		Firestone	200.00
6703		Michelin	400.00
		PREPARATION PACKAGE	
7702		Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8247		ComfortGard Cab Options: Deluxe Radio Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	324.00
8206		Glass Roof Hatch with Sun Visor	583.00
878J		Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, and Lockable Hood.	330.00
8237		Ash Tray with Cigarette Lighter	20.00
8224		7-Pin Signal Interface Socket	In Base Price
8230		Inner Rear View Mirror	In Base Price
8250		Speaker & antenna installation	In Base Price
8240		Power Outlet Socket	In Base Price
8446		Remote Rear Hitch Control LH & RH	In Base Price
8278		Sun Visor	In Configuration
878S		Cup Holder	In Configuration
8281		Rear Window Wiper & Washer	In Configuration

## **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8216		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued iTec (Headland Management System) Includes Rear PTO Controls.	In Configuration
8254		Instructional Seat	In Configuration
8266		Additional Storage Compartment	In Configuration
8276		Front & Rear Roller Blind	In Configuration
878R		Bottle Holder	In Configuration
878H		Multi Power Outlet Strip	82.00
8300		Engine: If option codes 8300 or 8301 (Cold Start Packages) are desired, code 8746 (154AH Battery) must be de-selected.  Cold Start Package I	309.00
		Includes Heavy-Duty Battery (174 Amp Hrs) and Engine Coolant Heater (110V). Not compatible with Code 8301 (Cold Start Package II) or Code 8746 (154AH Battery).	
8301		Cold Start Package II Includes Heavy-Duty Battery (174 Amp Hrs), Engine Coolant Heater (110V), Ground Fault Interrupter, Hydraulic Charge Pump Heater, and Transmission Heater (110V). Not compatible with Code 8300 (Cold Start Package I) or Code 8746 (154AH Battery).	441.00
8304		Fuel Heating System (12V)	137.00
878M		Condensor Screen for Cooling Package	20.00
8742		200 Amp Alternator Required for Codes 873H & 873K (Lighting Packages) and Code 8064 (GreenStar Ready).	255.00
8064		Ag Management Solutions: GreenStar Ready Wiring Harness with Implement Connector Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Requires Code 8742 (200 amp alternator).	814.00
873H		Lighting Deluxe Lighting (Package 1 North America) Base lighting plus: 2 corner hood lights H3 I rear left inner work light H3 Requires Code 8742 (200 amp alternator).	181.00
873K		Premium Lighting (Package 3 North America) Base lighting plus: 2 corner hood lights H3 1 rear left inner work light H3 2 front inner work lights H3 Requires Code 8742 (200 amp alternator).	411.00
873O		Belt Line Mounted Lights H-4	451.00

## **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8725		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Beacon Light	201.00
		Loader Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting frames, hydraulics hoses, single point half coupler, and hood guard.	
834B		2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	4,506.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 2-function H360 loader only.	
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,187.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.  Compatible with 3 function H360 and H380 loaders.	
834C		2-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	2,687.00
8341		3-Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-function mid-mounted control valve and mechanical joystick control with activated gear shifting buttons.	3,238.00
8002		Chassis: Toolbox	75.00
8010		Front Fenders (Two Wheel Drive) Requires Code 6022 2WD Axle.	345.00
8011		Front Fenders for MFWD (Rigid) Requires Code 6043 MFWD Axle.	531.00
8012		Turnable Front Fenders for MFWD Requires Code 6043 MFWD Axle.	826.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	606.00
8434		3 Point Hitch, PTO, and Drawbar: Swinging Drawbar with Hammerstrap	In Base Price
8457		Higher Hitch Lift Capacity 10,582 Lb.(4800 kg)	360.00
8386		Rear Remote PTO Control- LH & RH	59.00

## **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8331		Hydraulics: Third Mechanical SCV (3 Detents - 450 Series) with Deluxe Couplers Requires Code 3327 (2 SCV). Note: This will be 2nd SCV if ordered with 0523 (Low Profile Orchard Open Operator Station tractor).	1,077.00
832J		Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing three ports: pressure, tank and load sensing.  No couplers are installed due to different standards available.	106.00
8950		Weights: Front Weight Support (70kg/ 155 Lb), Holds up to 14 Front Weights	282.00
8951		Front Weight Support (110kg/ 242 Lb), Holds up to 18 Front Weights Holds up to 18 Front Weights.	359.00
8762		Miscellaneous: No Handbrake	In Base Price
9013		French Operator's Manual	No Charge
9037		Spanish Operator's Manual	No Charge
8030		'JD Industrial Yellow' Paint Finish	1,458.00
8031		'Community Orange' Paint Finish	1,458.00
8307		Fuel Tank Bottom Guard	404.00
878E		License Plate Bracket with Light Cab Models Not with Code 2053 (Low Clearance Cab).	34.00
8782		Back-Up Alarm	461.00
878B		Battery Circuit Breaker Located at top of left hand steps.	290.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15290	Brakes: Hydraulic Trailer Brake Kit PFC System, with Priority 2 Functions, No Front Axle Brake.	578.60
	AL207807	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	541.20

## **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL207809	ATTACHMENTS FOR FIELD CONVERSIONContinued Engine Block Heater, 6 cyl	188.10
	BL15206	Front Auxiliary Drive	1,189.10
	AL158520	Fuel Pre-Heater	178.20
	AL174767	Fenders: Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	205.70
	AL174768	Fender Side Extension  Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm).  Refer to installation instructions for additional hardware needed to complete installation on certain models.  See Ag Sales Manual for Compatible Tire Combinations.	205.70
	AL174769	Fender Side Extension  Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm).  Refer to installation instructions for additional hardware needed to complete installation on certain models.  See Ag Sales Manual for Compatible Tire Combinations.	228.80
	AL174770	Fender Side Extension  Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm).  Refer to installation instructions for additional hardware needed to complete installation on certain models.  See Ag Sales Manual for Compatible Tire Combinations.	228.80
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 110X15 for North America only.	205.70
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.200X20 for North America only.	205.70
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20
	BL15068	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20

#### **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15070	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,434.40
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	687.50
	BL15061	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	764.50
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	774.40
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	785.40
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	818.40
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	829.40
	BL15060	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	AL81349	Hitch and Drawbar: Drawbar, Swinging with Hammerstrap Reference Installation Instructions. Not compatible with DirectDrive.	760.10
	AL119419	Drawbar, Swinging with Hammerstrap, Short Reference Installation Instructions. Required for baling applications.	899.80
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	100.10
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50
	AL206323	Stabilizer Bar, Automatic (One) and Standard Economy Stabilizer Bar (One)	695.20
	BL15217	Hydraulics: Additional Oil Reservoir Increases the existing oil capacity by 3.7 gallons (14 liters).	533.50
	BL15303	Control Lever SCV Position #3 Manual Selective Control Valve. Includes Cab Lever, Cover, Cable and Mounting Hardeare.	100.10

### 6170M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15275	ATTACHMENTS FOR FIELD CONVERSIONContinued ICV Oil Lines, PFC Hydraulic System Independent Control Valve.	333.30
	BL15251	M-ICV 2-Function to 3-Function Upgrade  Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	548.90
	BL15312	M-ICV Control Lever (Joystick) 2 Function and 3 Function  Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	699.60
	AL204803	M-ICV, 2-Function Mecahnical Independent Control Valve. NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,221.00
	AL204804	M-ICV, 3-Function Mechanical Independent Control Valve. A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,882.10
	AL204807	M-SCV, 100 Series  Mechanical Selective Control Valve. Kit contains standard quick coupler and leak-off oil parts for dust protector housing.	576.40
	AL204808	M-SCV, 200 Series  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	AL204810	M-SCV, 350 Series  Mechanical Selevtice Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	920.70
	BL15297	M-SCV, Deluxe 450 Series  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	823.90
	BL15169	<b>Lighting:</b> (2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts required. See installation instructions.	205.70
	AL111705	Beacon Light, LH Requires Switch (AL181123).	250.80
	BL15200	Bracket, Beltline Mounted Lights	189.20
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,056.00
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50

### **6170M Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205881	ATTACHMENTS FOR FIELD CONVERSIONContinued Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	AL180127	Miscellaneous: Steering Limiter Kit Compatible with MFWD front axles.	209.22
	AL204829	Tool Box	278.30
	BL15295	Window decal, rear John Deere logo.	22.00
	AL203919	Operator Environment: 3-Terminal Socket	82.50
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	BL15522	Bottle Holder, Floormat	46.20
	BL15158	Display Bracket For mounting display and impliment controls.	163.90
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	248.60
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	629.20
	AL205894	Internal Rear View Mirror, Front Window Mounted	38.50
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20
	AL151224	Mirror, Inside Rear	167.20
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	171.60
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	171.60
	AL174215	Power Strip with Six Outlets	80.30
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	100.10
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00

### 6170M Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL157620	ATTACHMENTS FOR FIELD CONVERSIONContinued Sun Visor Flip down style.	102.30
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	29.70
	AL158728	Transmission: Back-up Alarm	574.20
	AL180063	Creeper, Cab Control Parts	529.10
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.75
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg)	142.26
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)	746.90
	R207782	Weight, Wheel, 452 Lb. (205 kg)	701.80
	L28228	Weight, Wheel, 120 Lb. (54Kg)	254.02
	BL15106	Wheel Equipment: Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	861.30
	BL15127	Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,111.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,100.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,305.70

#### 6150R Cab Tractor

#### **Equipment for Base Machine**

GreenStar 3 Application Capability ENGINE: John Deere PowerTech PVX Diesel Activations Required In-line 6-Cylinder Wet-Sleeve Access Manager with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
150 Engine hp 97/68/EC @ Rated Speed Universal Performance Monitor Display Function Definable by Operator iTEC Tractor and Implement Function Control 120 SAE PTO hp @ Rated Speed High Pressure Common Rail OPERATOR PROTECTIVE STRUCTURE ComfortView Cab with Air Conditioning Variable Geometry Turbocharger and and Heater Exhaust Gas Recirculation
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element One Panorama LH Door One Panorama RH Window Front Windshield Washer and Wiper Air Suspended Seat with Seat Belt Tilt/Telescopic Steering Column Underhood AfterTreatment System with Deluxe Corner Post Exhaust Operational Controls Console Mounted Self Priming and Bleeding Electronic Fuel Pump 80.5~Gal~(305~L) Fuel Tank Capacity Floor Mat Foot Throttle Control Diff Lock Switch Intelligent Power Management AM/FM Stereo Radio with Weatherband, Clock, Two Speakers and Antenna Coat hook TRANSMISSION: 20/20 AutoQuad PLUS ECO; 25 mph (40km/h) Overhead Storage Bin Reduced engine rpm's at max transport speed Electronic LH Reverser Left Hand Storage Bin and Accessory Outlet Perma-Clutch II (Hydraulically Engaged Wet Disk Clutch) Overhead Courtesy Light Rear View Mirror Speed Matching Cup Holder on RH console Sun Visor Park Lock Neutral Safety Start System Right Hand Steps and Hand Rail STEERING, BRAKES, DIFFERENTIAL: **ELECTRICAL:** Hydrostatic Steering Key Shutoff 12 Volt Electrical System 12 Volt Battery, 154 Ah (1230 Cold Cranking Amps) Wet-Disk Hydraulic Power Brakes Hydraulically-Engaged Rear Axle Differential Lock 120 Amp Alternator 3 Pin Accessory Outlet Multi-Power Outlet Sockets Pressure and Flow Compensating Axial Piston Pump 30 GPM (114 L/min) Pump Output 7 Terminal Rear Implement Electrical Outlet Socket 12V Electrical Convenience 26.4 GPM (100 L/min) Flow @ One SCV Three 450 Series SCVs; Mechanical with ISO Breakaway Couplers Outlet on RH Console REAR PTO: LIGHTS: 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Four Front Grille Headlights Two Front Grille Worklights Electrohydraulic Activation Two Belt Line Mounted Lights Wet Multi-Disk Clutch Four Front Roof Lights Neutral Start Safety System Two Rear Roof Lights Seat Activated PTO Warning Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with ROCKSHAFT, HITCH AND DRAWBAR: Electrohydraulic Hitch with Transport Brake Lights Lock and External Remote Controls 3-Point (Category 3/3N) Hitch 9,193 Lb Lift Capacity FRONT AXLE WHEELS AND TIRES: Electronic Lower Link Draft Sensing Steel Wheels Telescopic Draft Links Electrohydraulic MFWD Engagement Sway Blocks Two 380/85R30 In. 135A8 R1 Radial Tires Category 2 Swinging Drawbar with Hammerstrap Secondary Implement Chain Support REAR AXLE WHEELS AND TIRES: Adjustable Center Link with Ball End Rack and Pinion Axle; 100 In. Length x 3.622 In. (92 mm) Diameter INSTRUMENTATION: Two Cast Wheels Dashboard Instrument Panel Includes: Two 480/80R42 In. 151A8 R1 Radial Tires Tachometer Speedometer MISCELLANEOUS: Hour Meter JDLink Capable Fuel Gauge Operator's Manual (English) and Holder SMV Emblem Engine Oil Pressure Indicator Light Coolant Temperature PTO Engagement Engine Air Filter Restriction Indicator Alternator Directional Indicators Hazard Switch CommandCenter Display Includes:

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
01C1RW		6150R Cab Tractor	136,967.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR STATION	
2050		Base Cab Includes 1 LH Panorama door, RH Steps,Sun Visor,GS3 CommandCenter Display located on RH console,Front Windshield Washer and Wiper, Manual Temperature Controls, Air Seat, Coat hook,Two 3-Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, and JDLink Capable.	In Base Price
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, John Deere Section Control, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
2058		Deluxe Cab Includes in addition to Base Package: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat and Bottle Holder.	1,899.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, John Deere Section Control, and Pivot Pro will function on the CommandCenter display with activations and sold separately. Not compatible with video.	
2063		Premium Cab Includes in addition to Deluxe Cab Package: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control.	4,752.00
		Requires Electronic SCV's and 8276. Not compatible with Codes 3325 and 3332.	
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, John Deere Section Control and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
2067		Premium Plus Cab Includes in addition to Premium Cab Package: Deluxe Air Seat and Adaptive Hydraulic Cab Suspension Plus.	9,336.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Requires Electronic SCV's and 8276. Not compatible with Code 3325 and 3332.	
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, John Deere Section Control, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,121.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2WD front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), & B speed rated rear tires. Code 8011 or 8012 (front fenders) required.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle).	8,724.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle). Requires Code 6067 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), & B speed rated rear tires. Code 8011 or 8012 (front fenders) required.	8,724.00
1500		DirectDrive ECO Transmission (25 mph/40 kmh) 24F/24R Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console.  Not compatible with Code 6022 (2wd front axle).	6,324.00
		RADIO PACKAGES	
2660		Deluxe Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	345.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers	-1,205.00

### 6150R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVESContinued Not compatible with Code 1551 or 1552 (IVT Transmission) or 1500 (DirectDrive). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers  Not compatible with Code 1551 or 1552 (IVT Transmission) or 1500 (DirectDrive).  Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	In Base Price
3331		Three Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers	1,528.00
3341		Four Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers  Not compatible with Code 832J (Power Beyond).  Not compatible with Code 5028 (High Crop Drop Axle).	2,391.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/8 In. shaft.	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/8 In. shaft. 540E is an economy mode that allows engine to run at lower RPM and save fuel.	889.00
		REAR ROCKSHAFT AND HITCH	
4034		9,193 Lb.(4170kg) Capacity 3-Point Hitch (Category 3/3N) with Telescopic Draft Links and Sway Blocks For quick-coupler also order code 8448.	In Base Price
		REAR AXLES	
5052		Rack and Pinion 3.62 In. (92mm) Diameter by 100.4 In. Length	In Base Price
5057		Rack and Pinion 3.62 In. (92mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	494.00
		REAR WHEELS AND TIRES	

For complete tire and wheel information, refer to the Agricultural Sales Manual.

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (STEEL):	
		A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference.	
5310		320/90R50 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6375, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	232.00
5410		320/90R50 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6375, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	7,474.00
5311		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Firestone only. Requires Code 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	-424.00
5411		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Firestone only. Requires Code 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	6,422.00
5312		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6375, 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	-424.00
5412		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6375, 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	6,422.00
5313		420/80R46 In. 151A8 R1 Radial in Single Wheel Configuration Available in Firestone and Goodyear. Requires Code 6378, 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	312.00
5413		420/80R46 In. 151A8 R1 Radial in Dual Wheel Configuration Available in Firestone and Goodyear. Requires Code 6378, 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	7,574.00
5315		18.4R42 In. 148A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6379, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	568.00
5415		18.4R42 In. 148A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6379, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	8,126.00
5316		480/80R42 In. 151A8 R1 Radial in Single Wheel Configuration (18.4R42 In. 151A8 R1 Radial)  Available in Goodyear and Firestone. Requires Code 6378, 6376,6375, 6166, 6168, or 6165. Goodyear tires only available in US & Canada.	In Base Price

### 6150R Cab Tractor

CODE	ATTACHMENTIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5416		REAR WHEELS AND TIRESContinued 480/80R42 In. 151A8 R1 Radial in Dual Wheel Configuration (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6378, 6376,6375, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	6,990.00
5317		480/80R42 In. 151A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 6377, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	683.00
5417		480/80R42 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 6377, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,945.00
5318		520/85R38 In. 155A8 R1 Radial in Single Wheel Configuration (20.8R38 In. 155A8 R1 Radial)  Available in Goodyear and Firestone. Requires Code 6378, 6376, 6166, 6168, or 6165.  Requires Code 5052 or 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	8.00
5319		650/65R38 In. 157A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 6380, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	2,107.00
5320		18.4R42 In. 148A8 R2 Radial (480/80R42 151A8 R2 Radial) in Single Wheel Configuration  Available in Goodyear only. Requires Code 6381.  Requires Code 5052 or 5057 (Rack & Pinion). Goodyear tires only available in US & Canada.	254.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 31 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion). Goodyear tires only available in US & Canada.	2,272.00
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion). Goodyear tires only available in US & Canada.	11,174.00
5101		380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion). Goodyear tires only available in US & Canada.	626.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion). Goodyear tires only available in US & Canada.	8,262.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5103		REAR WHEELS AND TIRESContinued 480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion). Goodyear tires only available in US & Canada.	888.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion). Goodyear tires only available in US & Canada.	8,726.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	888.00
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,726.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	2,454.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 5057, 5056, or 5049 (Rack and Pinion).	11,766.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion). Goodyear tires only available in US & Canada.	798.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion). Goodyear tires only available in US & Canada.	8,706.00
5145		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion). Not compatible with code 6104.	798.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion). Not compatible with code 6104.	8,706.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion). Goodyear tires only available in US & Canada.	2,198.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion). Goodyear tires only available in US & Canada.	11,386.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion). Goodyear tires only available in US & Canada.	2,872.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5508		REAR WHEELS AND TIRESContinued 520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion). Goodyear tires only available in US & Canada.	12,734.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion). Goodyear tires only available in US & Canada.	3,844.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion). Goodyear tires only available in US & Canada.	14,678.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	3,844.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5057,5056 or 5049 (Rack & Pinion).	14,678.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion). Goodyear tires only available in US & Canada.	5,260.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion). Goodyear tires only available in US & Canada.	17,490.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	5,260.00
5540		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	17,490.00
		B Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5321		480/80R42 In. 151B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 6378, 6376, or 6375. Requires Code 5052 or 5057 (Rack & Pinion Axle). Goodyear tires only available in US & Canada.	Same Price
5421		480/80R42 In. 151B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 6378, 6376, or 6375. Requires Code 5057 (Rack & Pinion Axle). Goodyear tires only available in US & Canada.	6,990.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5322		REAR WHEELS AND TIRESContinued 650/65R38 In. 157B R1W Radial in Single Wheel Configuration Available Michelin only. Requires Code 6380. Requires Code 5052 or 5057 (Rack & Pinion Axle).	2,107.00
		B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
		Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5113		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle). Goodyear tires only available in US & Canada.	1,432.00
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle). Goodyear tires only available in US & Canada.	9,814.00
5115		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	1,432.00
5515		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	9,814.00
5116		710/70R38 In. 171B R1W Radial in Single Wheel Configuration Available in Goodyear or Michelin. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle). Goodyear tires only available in US & Canada.	6,056.00
8501		<b>Dual Hubs</b> Dual Hubs Only Requires Code 5056, 5057 or 5049 (Rack and Pinion).	1,693.00
		FRONT AXLES	
6022		Adjustable Two Wheel Drive Front Axle (62.8 In86.8 In.) See Field Attachments for Extension to 98 In. Not compatible with Codes 1461, 1465, 1551, 1552 (IVT), 1500 (DirectDrive) and Code 5028 (High Crop Drop Axle).	-8,276.00
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS	3,959.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,380.00
		FRONT WHEELS AND TIRES	

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	- DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		TWO STEEL 2WD WHEELS: Requires Code 6022 (Two Wheel Drive):	
6165		11.00-16 ln. 12PR F2 Bias Available in Goodyear & Firestone. Goodyear tires only available in US & Canada.	-2,266.00
6166		11.00-20 In. 12PR F2 Bias Available in Titan only.	-1,978.00
6168		14L-16.1 In. 12PR F2 Bias Available in Firestone.	-1,940.00
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6043, 6063, or 6067):	
		RCI Group 41 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6375		320/85R34 In. 133A8 R1 Radial Available in Goodyear only. Goodyear tires only available in US & Canada.	400.00
6376		380/85R30 In. 135A8 R1 Radial Available in Goodyear and Firestone. Goodyear tires only available in US & Canada.	In Base Price
6377		380/85R30 In. 135A8 R1W Radial Available in Michelin only.	1,401.00
6378		420/85R28 In. 139A8 R1 Radial Available in Goodyear and Firestone. Goodyear tires only available in US & Canada.	298.00
6379		16.9R28 In. 136A8 R1W Radial Available in Goodyear. Goodyear tires only available in US & Canada.	608.00
6380		540/65R28 In. 142A8 R1W Radial Available in Michelin only.	1,945.00
6381		16.9R28 In. 136A8 R2 Radial Available in Goodyear only. Goodyear tires only available in US & Canada.	704.00
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Goodyear tires only available in US & Canada.	1,272.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear. Goodyear tires only available in US & Canada.	674.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	2,108.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6100		FRONT WHEELS AND TIRESContinued 420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear. Goodyear tires only available in US & Canada.	380.00
6101		420/90R30 ln. 147A8 R1W Radial Available in Michelin & Firestone.	1,456.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear. Goodyear tires only available in US & Canada.	1,026.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only. Goodyear tires only available in US & Canada.	1,124.00
6104		480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear. Not compatible with codes 5145 or 5545. Goodyear tires only available in US & Canada.	684.00
6110		600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear. Goodyear tires only available in US & Canada.	3,424.00
		TIRE PREFERENCE CODES	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Mitas / Continental Only	400.00
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	Same Price
0437		Spanish Operator's Manual	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8061		Ag Management Solutions:  JDLink Ultimate Promotion - 1 Year Subscription  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	1,430.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8062		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued  JDLink Ultimate Promotion - 3 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	2,630.00
8064		GreenStar Ready Wiring Harness with Implement Connector Required for tractor/implement communication through ISOBUS. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information.	814.00
8067		Requires Code 8742 (200 amp alternator).  GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac.  Required for tractor/implement communication through ISOBUS.  Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information.  Not compatible with Code 6022 (2WD) or 5028 (High Crop Drop Axle).  Requires Code 8742 (200 amp alternator).	4,618.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted)	35.00
878T		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	597.00
8276		Front and Rear Roller Blind	289.00
878U		Dual Beam Ground Speed Radar Sensor	910.00
8307		Bottom Guard for Fuel Tank	77.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner front roof work lights. Only available with 878T (Panorama Roof).	1,764.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873C		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner front roof work lights. Only available with 878T (Panorama Roof).	2,727.00
873F		Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,203.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	3,140.00
832L		Loader Packages: Return to Position (RTP) / Electronic Self Leveling (ESL) for H340/H360/H380 Loaders Requires either code 8340 or 834P. Only includes tractor components of RTP/ESL system (software, harness, etc). Loader components of system must be ordered through the loader price pages.	202.00
834B		2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, tractor half of single point hydraulic coupler, loader mounting frame, and hood guard.	4,506.00
		Note: This option is not compatible with Codes 1551 (IVT), 1552 (IVT) or 1500 (DirectDrive).	
		Note: Panorama Roof (Code 878T) recommended for improved visibility. Front weight support is recommended.	
		Note: Loader half of single point coupler is ordered with loader.	
		Note: This option is only compatible with a 2-function H360 loader. This loader loader ready package is not compatible with a H340 loader.	

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
834A		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, tractor half of single point hydraulic coupler, loader mounting frame, and hood guard.	5,187.00
		Note: This option is not compatible with Codes 1551 (IVT), 1552 (IVT), 1500 (DirectDrive), 2063 (Premium Cab) or 2067 (Premium Plus Cab).	
		Note: Panorama Roof (Code 878T) recommended for improved visibility. Front weight support is recommended.	
		Note: Loader half of single point coupler is ordered with loader.	
		Note: This option is only compatible with a 3-function H360 loader. This loader ready package is not compatible with a H340 loader.	
834O		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-function electronic joystick with activated speed shifting Buttons (activated speed shifting buttons not available with IVT transmissions) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, tractor half of single point hydraulic coupler, loader mounting frame, and hood guard.	5,220.00
		Note: Panorama Roof (Code 878T) recommended for improved visibility. Front weight support is recommended.	
		Note: Loader half of single point coupler is ordered with loader.	
		Note: This option is only compatible with a 2-function H360 loader. This loader loader ready package is not compatible with a H340 loader.	
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-function electronic joystick with activated speed shifting Buttons (activated speed shifting buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, tractor half of single point hydraulic coupler, loader mounting frame, and hood guard.	6,171.00
		Note: Panorama Roof (Code 878T) recommended for improved visibility. Front weight support is recommended.	
		Note: Loader half of single point coupler is ordered with loader.	
		Note: This option is only compatible with a 3-function H360 loader. This loader ready package is not compatible with a H340 loader.	
834N		3-Function Electrical Independent Control Valve Loader PREPARATION Package Includes: 3-function electronic joystick with activated speed shifting buttons (activated speed shifting buttons not available with IVT transmission) and activated rocker switch, 3-function electronic mid-mount independent control valve.	4,678.00
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	547.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8012		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility	851.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch</i> .	624.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	414.00
8448		Hitch and Drawbar: Quik-Coupler (Category 3N/3)	1,407.00
8428		Easy Guide Hydraulic Center Link (Category 3)	1,713.00
832J		Power Beyond for Rear SCV's	119.00
8300		Engine: Cold Start Package   Includes 174Ah battery, Engine Coolant Heater (110V), and Rear Window Defrost. Not compatible with Code 8301.	591.00
8301		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), Ground Fault Interrupter, Charge Pump Heater, Transmission Heater (110V), and Rear Window Defrost. No transmission heater with IVT Tractors. Not compatible with Code 8300.	750.00
8304		Fuel Heating System (12v)	141.00
8742		200 Amp Alternator Required for IVT and DirectDrive transmissions Codes 1500, 1551 or 1552, and SPECIAL EQUIPMENT-FACTORY INSTALLED Ag Management Solutions Codes 8064 or 8067.	263.00
8955		Quik-Tatch Front-End Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear.	377.00
8964		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear.	821.00
8956		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear.	1,043.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear.	1,265.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear.	1,488.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear.	1,710.00

#### 6150R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8960		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued  Quik-Tatch Weight Support with Fourteen Weights  Add 2310 Lbs. Front, Subtract 619 Lbs. Rear.	1,932.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear.	2,376.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
8974		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,162.00
8973		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,325.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Not compatible with Code 8501 (Duals).	
8975		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,162.00
8976		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,587.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted.	
8980		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.)	1,587.00
		ATTACHMENTS - ORDER AS DESIRED	
8550		Export Attachments: Skid for Duals	152.00
		FOR FRONT HITCH EQUIPMENT, CONTACT:  Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		ATTACHMENTS FOR FIELD CONVERSION	

Electrical:

AL207716 Battery Cut-Off Switch 690.80

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE278980	ATTACHMENTS FOR FIELD CONVERSIONContinued Radar with Dual Beam Sensor - NA Requires AL171547 Attaching Bracket Kit.	1,135.92
	AL204831	Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	AL207807	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	541.20
	AL207811	Cold Weather Starting Package, 110 V, IVT, 6 cyl.  Only compatible with IVT Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	541.20
	AL207809	Engine Block Heater, 6 cyl	188.10
	BL15206	Front Auxiliary Drive	1,189.10
	BL15012	Fuel Pre-Heater	178.20
	BL15062	Fenders: MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20
	BL15068	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,434.40
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15061	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	764.50
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	774.40
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	785.40
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	818.40
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	829.40
	BL15060	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	BL15018	Rear Fender Side Extension, 7.9 in. (200mm) Wide	470.80
	RE63147	Hitch and Drawbar: Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	316.80
	AL81349	Drawbar, Swinging with Hammerstrap Reference Installation Instructions. Not compatible with DirectDrive.	760.10
	BL15033	Hydraulic Stabilizer Also order software AL209297.	2,231.90
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50
	AL206323	Stabilizer Bar, Automatic (One) and Standard Economy Stabilizer Bar (One)	695.20
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts  May be used with either RH or LH. Not compatible with telescopic draft links.	341.00
	AL205878	Hydraulics: Control Lever SCV Position 3 and 4 Manual Selective Control Valve. Includes Mutifunction Lever, Cover, Cable and Mounting Hardware Only.	434.50
	AL204806	E-ICV 2-Function to 3-Function Upgrade Electronic Independent Control Valve. To convert from 2-Function to 3-Function. Also order software AL209347 through PDC.	776.60
	AL174410	E-ICV Control Lever (Joystick) 3 Function w/ CommandARM  Electronic Independent Control Valve. Compatible with Base, Deluxe, and Premium Cab  Packages (code 2050,2058,2063) with CommandArm.	1,467.40
	AL203673	E-ICV Control Lever (Joystick) 3 Function with Gear Shifting Electronic Independent Control Valve. Compatible with only Premium Plus Cab Package (code 2067) without CommandArm.	1,768.80

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174227	ATTACHMENTS FOR FIELD CONVERSIONContinued E-ICV Control Lever (Joystick) Without Gear Shifting Electronic Independent Control Valve. Compatible with Premium Plus Cab Package (code 2067) without CommandArm.	1,534.50
	AL203674	E-ICV Control Lever (Joystick) with Gear Shifting Electronic Independent Control Valve. Compatible with Base, Deluxe, and Premium Cab Package (code 2050,2058,2063) without CommandArm.	1,768.80
	AL179418	E-ICV Control Lever (Joystick) Without Gear Shifting Electronic Independent Control Valve. Compatible with Base, Deluxe, and Premium Cab Packages (code 2050,2058,2063) without CommandArm. Requires Hydraulic Lines (AL174935), Independent Control Valve (AL174933 or AL174934) and Electronic Control Kit (AL175230 or AL175231). Compatible with 2 or 3 Function Midmount ICV. If equipped with 2 Function E-ICV, the 3rd Function Rocker Switch is inactive.	1,534.50
	AL204801	E-ICV, 2-Function  Electronic Independent Control Valve. Reference installation instructions for also order information.	1,563.10
	BL15301	E-ICV, 2-Function  Electronic Independent Control Valve. Reference installation instructions for also order information.	1,563.10
	AL204802	E-ICV, 3-Function Electronic Independent Control Valve. Reference installation instructions for also order information.	2,202.20
	BL15302	E-ICV, 3-Function Electronic Independent Control Valve. Reference installation instructions for also order information.	2,202.20
	AL204811	E-SCV, 350 Series, Position 3 Electronic Selective Control Valve. Also requires software AL209281. Reference installation instructions.	1,069.20
	AL204812	E-SCV, 350 Series, Position 4 Electronic Selective Control Valve. Also requires software AL209280. Reference installation instructions.	1,069.20
	BL15298	E-SCV, 450 Series, Position 3 Electronic Selective Control Valve. Also requires software AL214520. Reference installation instructions.	1,282.60
	BL15299	E-SCV, 450 Series, Position 4 Electronic Selective Control Valve. Also requires software AL214517. Reference installation instructions.	1,282.60
	BL15377	Electronic Control Kit (for E-ICV) Electronic Independent Control Valve. Also requires Control Kit (AL214055), Bracket for Front Control Unit (L205151) and Bracket for Front Control Unit (L205153). Refer to MHM1534 Installation Instructions.	632.50
	RE228000	Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	201.30
	BL15252	ICV Oil Line Kit	286.00

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204805	ATTACHMENTS FOR FIELD CONVERSIONContinued M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function. Also order software AL209347 through PDC.	2,179.10
	AL205874	M-ICV Control Lever (Joystick) 3 Function Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	573.10
	AL204803	M-ICV, 2-Function Mecahnical Independent Control Valve. NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,221.00
	AL204804	M-ICV, 3-Function Mechanical Independent Control Valve. A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,882.10
	AL204807	M-SCV, 100 Series  Mechanical Selective Control Valve. Kit contains standard quick coupler and leak-off oil parts for dust protector housing.	576.40
	AL204808	M-SCV, 200 Series  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	AL204810	M-SCV, 350 Series  Mechanical Selevtice Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	920.70
	BL15297	M-SCV, Deluxe 450 Series  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	823.90
	AL205876	Position Kit, Position #3, M-SCVs Mechanical Selective Control Valve.	193.60
	AL205877	Position Kit, Position #4, M-SCVs Mechanical Selective Control Valve.	279.40
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense.  Kit does not contain Hydraulic Hoses.  Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	270.60
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	270.60
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	149.60

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204760	ATTACHMENTS FOR FIELD CONVERSIONContinued (2) HB3 Work Lights, Beltline Upright Mounted Also order bracket AL205884. Also order software AL217715.	290.40
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	200.20
	AL205913	2 HB3 Work Lights, adjustable, rear or front cab roof-mounted Also requires software, AL217723 (For middle worklights on front of roof) or software AL217725 (For inner worklights on rear of roof).	312.40
		Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position.	
	AL205912	2 HB3 Work Lights, roof-mounted, non-adjustable side mounted Also requires software AL217722 for side-facing worklights on rear of roof.	312.40
	AL204758	Beacon Light, LH Also requires software, AL217718.	250.80
	BL15022	Beacon Light, RH Also requires software, AL217720.	250.80
	AL205884	Bracket, Beltline Mounted Lights Not compatible on tractors with a loader.	23.10
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50
	AL205881	Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	AL204476	Turn Signal Light Additional also order parts required. See installation instructions.	1,689.60
	AL205909	Xenon Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	979.00
	AL205915	Xenon Work Lights, Roof Mounted, Adjustable Also requires software AL217723 (For middle worklights on front of roof) and AL217725 (For Inner roof lights on rear of roof).	1,779.80
		Roof-mounted, adjustable front at mid position or rear at inner position.	
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10153	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	BL15219	Return to Position (RTP) / Electronic Self Leveling (ESL), Wiring Harness Reference Installation Instructions for also order components. Requires software AL213096.	222.20
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	209.22
	AL204829	Tool Box	278.30
	AL175997	Operator Environment: 3-Pin Signal Socket C-Post	287.67
	AL203919	3-Terminal Socket	82.50
	AL208700	7-Pin Signal Socket	46.20
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	AL207633	Bottle Holder, Floor Mounted, LH	39.60
	BL15522	Bottle Holder, Floormat	46.20
	BRE10015	Cell Phone Mount Kit	59.40
	BL15092	Convenience Step for Front Axle	556.60
	AL174265	Field Office For tractors with a refrigerator already installed.	409.20
	AL174262	Field Office without Refrigerator For tractors without a refrigerator installed.	290.40
	AL204298	Instructional Seat, Unsuspended Includes seatbelt.	622.60
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20
	AL205898	Premium Radio For tractors upgrading from Bosch deluxe radio to Bosch premium radio. Only compatible on serial numbers 1RW6XXXRXXX002721 and above. Also order software AL211615.	998.80
	AL208653	Rear Electrically Telescoping Mirror	1,667.60
	AL205891	Rear Window Defrost Element	486.20
	BL15028	Refrigerator For tractors without Field Office.	775.50

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15029	ATTACHMENTS FOR FIELD CONVERSIONContinued Refrigerator For tractors with Field Office.	829.40
	AL205883	Remote Switch, PTO Also requires software, AL210796. See installation instructions. For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554.	154.00
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL205893	Sunshade Compatible in front and rear. Pull to unroll style.	189.20
	BRE10034	Tablet Mount Kit	75.90
	AL208658	Wiper/Washer, Rear	245.30
	AL208644	iTEC Headland Management System Also requires software kit AL209824.	29.70
	AL209345	<b>Software:</b> Diagnostic Software Kit, E-ICV, 2 Function <i>Electronic Independent Control Valve.</i>	10.90
	AL209346	Diagnostic Software Kit, E-ICV, 3 Function Electronic Independent Control Valve.	10.90
	AL174225	<b>Transmission:</b> Back-up Alarm For PowrQuad PLUS, AutoQuad and IVT Transmissions. Also requires software, AL178365.	574.20
	BL15046	Creeper Field Kit for Mechanical PowrQuad Transmissions Also requires software AL211821. Reference Installation Instructions.	5,669.40
	AL205866	Creeper, Cab Control Parts	260.70
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	AL210383	Vandal Protection, Lockable Fuel Tank Cap	31.36
	AL110170	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70

### 6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	R167153	Starter Weight, Wheel, 159 Lb. (72 Kg)	246.40
	T21689	Weight, Rear Wheel, 107 Lb. (49Kg)	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg)	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg)	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)	746.90
	R207782	Weight, Wheel, 452 Lb. (205 kg)	701.80
	L28228	Weight, Wheel, 120 Lb. (54Kg)	254.02
	BL15106	Wheel Equipment: Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	861.30
	BL15127	Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,111.00
	AL162738	Wheel Extension, 3.7in. (94mm) Reference installation instructions for additional compatibility information.	1,971.20
	AL179433	Wheel Extension, 8.5in. (219mm) Reference installation instructions for additional compatibility information.	2,581.70
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,100.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,305.70

#### 6150RH Cab Tractor

**Equipment for Base Machine** 

```
GreenStar 3 Application Capability
ENGINE:
John Deere PowerTech PVX Diesel
In-line 6-Cylinder Wet-Sleeve
                                                                       Activations Required
                                                                    Access Manager
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
150 Engine hp 97/68/EC @ Rated Speed
120 SAE PTO hp @ Rated Speed
High Pressure Common Rail
                                                                    Universal Performance Monitor
                                                                    Display Function Definable by Operator iTEC Tractor and Implement Function Control
                                                                  OPERATOR PROTECTIVE STRUCTURE
                                                                  ComfortView Cab with Air Conditioning
Variable Geometry Turbocharger and
                                                                    and Heater
Exhaust Gas Recirculation
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element
                                                                  One Panorama LH Door
                                                                  One Panorama RH Window
                                                                  Front Windshield Washer and Wiper
                                                                  Air Suspended Seat with Seat Belt
                                                                  Tilt/Telescopic Steering Column
Underhood AfterTreatment System with
  Deluxe Corner Post Exhaust
                                                                  Operational Controls Console Mounted
Self Priming and Bleeding Electronic Fuel Pump 80.5~\text{Gal}~(305~\text{L}) Fuel Tank Capacity
                                                                  Floor Mat
Foot Throttle Control
                                                                  Diff Lock Switch
Intelligent Power Management
                                                                  AM/FM Stereo Radio with Weatherband,
                                                                  Clock, Two Speakers and Antenna
Coat hook
TRANSMISSION:
16/16 PowrQuad PLUS; 19 mph (30km/h)
Electronic LH Reverser
Perma-Clutch II (Hydraulically Engaged
                                                                  Overhead Storage Bin
                                                                  Left Hand Storage Bin and Accessory Outlet
  Wet Disk Clutch)
                                                                  Overhead Courtesy Light
Speed Matching
                                                                  Rear View Mirror
                                                                  Cup Holder on RH console
Park Lock
Neutral Safety Start System
                                                                  Sun Visor
                                                                  Right Hand Steps and Hand Rail
STEERING, BRAKES, DIFFERENTIAL:
Hydrostatic Steering
                                                                  ELECTRICAL:
                                                                  Key Shutoff
12 Volt Electrical System
12 Volt Battery, 154 Ah (1230 Cold
Cranking Amps)
Wet-Disk Hydraulic Power Brakes
Hydraulically-Engaged Rear Axle Differential Lock
HYDRAULICS:
                                                                  120 Amp Alternator
Pressure and Flow Compensating Axial
                                                                  3 Pin Accessory Outlet
Multi-Power Outlet Sockets
   Piston Pump
30 GPM (114 L/min) Pump Output
26.4 GPM (100 L/min) Flow @ One SCV
Three 450 Series SCVs; Mechanical with
                                                                  7 Terminal Rear Implement
                                                                  Electrical Outlet Socket
12V Electrical Convenience
   ISO Breakaway Couplers
                                                                    Outlet on RH Console
REAR PTO:
540/1000 RPM, 1-3/8 In. Independent Rear PTO,
Reversible Shaft and PTO Master Shield
                                                                  LIGHTS:
                                                                  Four Front Grille Headlights
Electrohydraulic Activation
                                                                  Two Front Grille Worklights
Wet Multi-Disk Clutch
                                                                  Two Belt Line Mounted Lights
Neutral Start Safety System
                                                                  Four Front Roof Lights
Seat Activated PTO Warning
                                                                  Two Rear Roof Lights
                                                                  Four Roof Mounted Flashing
                                                                    Hazard Lights
ROCKSHAFT, HITCH AND DRAWBAR:
Electrohydraulic Hitch with Transport
                                                                  Two Rear Fender Tail Lights with
   Lock and External Remote Controls
                                                                    Brake Lights
   3-Point (Category 3/3N) Hitch
9,193 Lb Lift Capacity
                                                                  FRONT AXLE WHEELS AND TIRES:
Electronic Lower Link Draft Sensing
Telescopic Draft Links
                                                                  Steel Wheels
                                                                  Electrohydraulic MFWD Engagement
Sway Blocks
Category 2 Swinging Drawbar with Hammerstrap
                                                                  Two 320/90R46 In. 148A8 R2 Radial Tires
Secondary Implement Chain Support
Adjustable Center Link with Ball End
                                                                  REAR AXLE WHEELS AND TIRES:
                                                                  High Crop Drop Axle
Two Steel Wheels
INSTRUMENTATION:
Dashboard Instrument Panel Includes:
                                                                  Two 18.4R38 In. 141A8 R2 Radial Tires
   Tachometer
   Speedometer
                                                                  MISCELLANEOUS:
                                                                  JDLink Capable
   Hour Meter
   Fuel Gauge
                                                                  Operator's Manual (English) and Holder
   Engine Oil Pressure Indicator Light
                                                                  SMV Emblem
   Coolant Temperature
   PTO Engagement
   Engine Air Filter Restriction Indicator
   Alternator
   Directional Indicators
   Hazard Switch
CommandCenter Display Includes:
```

#### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
01S1RW		EX-WORKS Waterloo, Iowa 6150RH Cab Tractor	145,664.00
		DESTINATION	. 10,00
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR STATION	
2050		Base Cab Includes 1 LH Panorama door, RH Steps,Sun Visor,GS3 CommandCenter Display located on RH console,Front Windshield Washer and Wiper, Manual Temperature Controls, Air Seat, Coat hook,Two 3-Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, and JDLink Capable.	In Base Price
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.  Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, John Deere Section Control, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
2058		Deluxe Cab Includes in addition to Base Package: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat and Bottle Holder.	1,899.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, John Deere Section Control, and Pivot Pro will function on the CommandCenter display with activations and sold separately. Not compatible with video.	
2063		Premium Cab Includes in addition to Deluxe Cab Package: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control.	4,752.00
		Requires Electronic SCV's and 8276. Not compatible with Codes 3325 and 3332.	
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, John Deere Section Control and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	

#### 6150RH Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	In Base Price
		RADIO PACKAGES	
2660		Deluxe Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	345.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers  Not compatible with Premium (2063).	-1,205.00
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers  Not compatible with Premium (2063).	In Base Price
3331		Three Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers	1,528.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/8 In. shaft.	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/8 In. shaft. 540E is an economy mode that allows engine to run at lower RPM and save fuel.	889.00
		REAR ROCKSHAFT AND HITCH	
4034		9,193 Lb.(4170kg) Capacity 3-Point Hitch (Category 3/3N) with Telescopic Draft Links and Sway Blocks For quick-coupler also order code 8448.	In Base Price
		REAR AXLES	
5028		High Crop Drop Axle (60-88 In. Adjustment) Available only with Code 1437 (PowerQuad). High crop drawbar included.	In Base Price
		REAR WHEELS AND TIRES	
		For complete tire and wheel information refer to the Agricultural Sales Manual	

For complete tire and wheel information, refer to the Agricultural Sales Manual.

#### 6150RH Cab Tractor

Continued

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (STEEL):	
		A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 45 MFWD Front Tire with same tread type and brand preference.	
5301		18.4R38 In. 141A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6389. Goodyear tires only available in US & Canada.	In Base Price
		A Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 46 MFWD Front Tire with same tread type and brand preference.	
5302		320/90R50 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6390. Goodyear tires only available in US & Canada.	102.00
		FRONT AXLES	
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
		FRONT WHEELS AND TIRES	
6389		RCI Group 45 Size Tires Two Multi-Position Steel Wheels 320/90R46 In. 148A8 R2 Radial Available in Goodyear only. Goodyear tires only available in US & Canada.	In Base Price
6390		RCI Group 46 Size Tires Two Multi-Position Steel Wheels 320/90R50 In. 147A8 R1W Radial Available in Goodyear. Goodyear tires only available in US & Canada.	2,986.00
		TIRE PREFERENCE CODES	
5999		No Brand Preference	In Base Price
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	Same Price
0437		Spanish Operator's Manual	Same Price

#### **SPECIAL EQUIPMENT - FACTORY INSTALLED**

### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8061		Ag Management Solutions:  JDLink Ultimate Promotion - 1 Year Subscription  Includes JDLink hardware: integrated cab wiring harness, antenna, modular  telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate  activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select  features this includes machine utilization information, machine reports, machine diagnostics.  JDLink customer account must be created to access JDLink Ultimate data.  Annual subscription renewal required after first year of service for continued functionality.	1,430.00
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
8062		JDLink Ultimate Promotion - 3 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	2,630.00
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
8064		GreenStar Ready Wiring Harness with Implement Connector Required for tractor/implement communication through ISOBUS. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information.	814.00
		Requires Code 8742 (200 amp alternator).	
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted)	35.00
878T		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	597.00
8276		Front and Rear Roller Blind	289.00
8307		Bottom Guard for Fuel Tank	77.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner front roof work lights. Only available with 878T (Panorama Roof).	1,764.00

### 6150RH Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873C		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner front roof work lights. Only available with 878T (Panorama Roof).	2,727.00
873F		Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,203.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	3,140.00
8002		Chassis: Toolbox	77.00
8756		Hydraulic Trailer Brakes	414.00
8448		Hitch and Drawbar: Quik-Coupler (Category 3N/3)	1,407.00
8428		Easy Guide Hydraulic Center Link (Category 3)	1,713.00
832J		Power Beyond for Rear SCV's	119.00
8300		Engine: Cold Start Package   Includes 174Ah battery, Engine Coolant Heater (110V), and Rear Window Defrost. Not compatible with Code 8301.	591.00
8301		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), Ground Fault Interrupter, Charge Pump Heater, Transmission Heater (110V), and Rear Window Defrost. No transmission heater with IVT Tractors. Not compatible with Code 8300.	750.00
8304		Fuel Heating System (12v)	141.00
8742		200 Amp Alternator	263.00
8955		Quik-Tatch Front-End Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear.	377.00

### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8964		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued  Quik-Tatch Weight Support with Four Weights  Add 884 Lbs. Front, Subtract 229 Lbs. Rear.	821.00
8956		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear.	1,043.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear.	1,265.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear.	1,488.00
8959		Quik-Tatch Weight Support with Twelve Weights  Add 2026 Lbs. Front, Subtract 540 Lbs. Rear.	1,710.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear.	1,932.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear.	2,376.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
8974		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,162.00
8973		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only	2,325.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
8975		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,162.00
8976		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.)	1,587.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AL207716	Electrical: Battery Cut-Off Switch	690.80
	RE278980	Radar with Dual Beam Sensor - NA Requires AL171547 Attaching Bracket Kit.	1,135.92
	AL204831	Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60

### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL207807	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	541.20
	AL207811	Cold Weather Starting Package, 110 V, IVT, 6 cyl.  Only compatible with IVT Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	541.20
	AL207809	Engine Block Heater, 6 cyl	188.10
	BL15206	Front Auxiliary Drive	1,189.10
	BL15012	Fuel Pre-Heater	178.20
	RE63147	Hitch and Drawbar: Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	316.80
	AL81349	Drawbar, Swinging with Hammerstrap Reference Installation Instructions. Not compatible with DirectDrive.	760.10
	BL15033	Hydraulic Stabilizer Also order software AL209297.	2,231.90
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH. Not compatible with telescopic draft links.	341.00
	AL205878	Hydraulics: Control Lever SCV Position 3 and 4 Manual Selective Control Valve. Includes Mutifunction Lever, Cover, Cable and Mounting Hardware Only.	434.50
	AL204806	E-ICV 2-Function to 3-Function Upgrade Electronic Independent Control Valve. To convert from 2-Function to 3-Function. Also order software AL209347 through PDC.	776.60
	AL174410	E-ICV Control Lever (Joystick) 3 Function w/ CommandARM  Electronic Independent Control Valve. Compatible with Base, Deluxe, and Premium Cab Packages (code 2050,2058,2063) with CommandArm.	1,467.40
	AL203673	E-ICV Control Lever (Joystick) 3 Function with Gear Shifting Electronic Independent Control Valve. Compatible with only Premium Plus Cab Package (code 2067) without CommandArm.	1,768.80
	AL174227	E-ICV Control Lever (Joystick) Without Gear Shifting Electronic Independent Control Valve. Compatible with Premium Plus Cab Package (code 2067) without CommandArm.	1,534.50
	AL203674	E-ICV Control Lever (Joystick) with Gear Shifting Electronic Independent Control Valve. Compatible with Base, Deluxe, and Premium Cab Package (code 2050,2058,2063) without CommandArm.	1,768.80

#### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL179418	ATTACHMENTS FOR FIELD CONVERSIONContinued E-ICV Control Lever (Joystick) Without Gear Shifting Electronic Independent Control Valve. Compatible with Base, Deluxe, and Premium Cab Packages (code 2050,2058,2063) without CommandArm. Requires Hydraulic Lines (AL174935), Independent Control Valve (AL174933 or AL174934) and Electronic Control Kit (AL175230 or AL175231). Compatible with 2 or 3 Function Midmount ICV. If equipped with 2 Function E-ICV, the 3rd Function Rocker Switch is inactive.	1,534.50
	AL204801	E-ICV, 2-Function  Electronic Independent Control Valve. Reference installation instructions for also order information.	1,563.10
	BL15301	E-ICV, 2-Function  Electronic Independent Control Valve. Reference installation instructions for also order information.	1,563.10
	AL204802	E-ICV, 3-Function Electronic Independent Control Valve. Reference installation instructions for also order information.	2,202.20
	BL15302	E-ICV, 3-Function Electronic Independent Control Valve. Reference installation instructions for also order information.	2,202.20
	AL204811	E-SCV, 350 Series, Position 3 Electronic Selective Control Valve. Also requires software AL209281. Reference installation instructions.	1,069.20
	AL204812	E-SCV, 350 Series, Position 4 Electronic Selective Control Valve. Also requires software AL209280. Reference installation instructions.	1,069.20
	BL15298	E-SCV, 450 Series, Position 3 Electronic Selective Control Valve. Also requires software AL214520. Reference installation instructions.	1,282.60
	BL15299	E-SCV, 450 Series, Position 4 Electronic Selective Control Valve. Also requires software AL214517. Reference installation instructions.	1,282.60
	RE228000	Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	201.30
	BL15252	ICV Oil Line Kit	286.00
	AL204805	M-ICV 2-Function to 3-Function Upgrade  Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.  Also order software AL209347 through PDC.	2,179.10
	AL205874	M-ICV Control Lever (Joystick) 3 Function  Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	573.10
	AL204803	M-ICV, 2-Function Mecahnical Independent Control Valve. NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,221.00

#### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204804	ATTACHMENTS FOR FIELD CONVERSIONContinued M-ICV, 3-Function Mechanical Independent Control Valve. A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,882.10
	AL204807	M-SCV, 100 Series  Mechanical Selective Control Valve. Kit contains standard quick coupler and leak-off oil parts for dust protector housing.	576.40
	AL204808	M-SCV, 200 Series  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	AL204810	M-SCV, 350 Series  Mechanical Selevtice Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	920.70
	BL15297	M-SCV, Deluxe 450 Series Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	823.90
	AL205876	Position Kit, Position #3, M-SCVs Mechanical Selective Control Valve.	193.60
	AL205877	Position Kit, Position #4, M-SCVs  Mechanical Selective Control Valve.	279.40
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense.  Kit does not contain Hydraulic Hoses.  Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	270.60
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	270.60
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	149.60
	AL204760	(2) HB3 Work Lights, Beltline Upright Mounted Also order bracket AL205884. Also order software AL217715.	290.40
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	200.20

#### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205913	ATTACHMENTS FOR FIELD CONVERSIONContinued 2 HB3 Work Lights, adjustable, rear or front cab roof-mounted Also requires software, AL217723 (For middle worklights on front of roof) or software AL217725 (For inner worklights on rear of roof).	312.40
		Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position.	
	AL205912	2 HB3 Work Lights, roof-mounted, non-adjustable side mounted Also requires software AL217722 for side-facing worklights on rear of roof.	312.40
	AL204758	Beacon Light, LH Also requires software, AL217718.	250.80
	BL15022	Beacon Light, RH Also requires software, AL217720.	250.80
	AL205884	Bracket, Beltline Mounted Lights Not compatible on tractors with a loader.	23.10
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50
	AL205881	Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	AL204476	Turn Signal Light Additional also order parts required. See installation instructions.	1,689.60
	AL205909	Xenon Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	979.00
	AL205915	Xenon Work Lights, Roof Mounted, Adjustable Also requires software AL217723 (For middle worklights on front of roof) and AL217725 (For Inner roof lights on rear of roof).	1,779.80
		Roof-mounted, adjustable front at mid position or rear at inner position.	
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	BL15219	Return to Position (RTP) / Electronic Self Leveling (ESL), Wiring Harness Reference Installation Instructions for also order components. Requires software AL213096.	222.20
	AL204829	Tool Box	278.30

#### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL175997	Operator Environment: 3-Pin Signal Socket C-Post	287.67
	AL203919	3-Terminal Socket	82.50
	AL208700	7-Pin Signal Socket	46.20
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	AL207633	Bottle Holder, Floor Mounted, LH	39.60
	BRE10015	Cell Phone Mount Kit	59.40
	BL15092	Convenience Step for Front Axle	556.60
	AL174265	Field Office For tractors with a refrigerator already installed.	409.20
	AL174262	Field Office without Refrigerator For tractors without a refrigerator installed.	290.40
	AL204298	Instructional Seat, Unsuspended Includes seatbelt.	622.60
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20
	AL205898	Premium Radio For tractors upgrading from Bosch deluxe radio to Bosch premium radio. Only compatible on serial numbers 1RW6XXXRXXX002721 and above. Also order software AL211615.	998.80
	AL208653	Rear Electrically Telescoping Mirror	1,667.60
	AL205891	Rear Window Defrost Element	486.20
	BL15028	Refrigerator For tractors without Field Office.	775.50
	BL15029	Refrigerator For tractors with Field Office.	829.40
	AL205883	Remote Switch, PTO Also requires software, AL210796. See installation instructions. For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554.	154.00
	AL205893	Sunshade Compatible in front and rear. Pull to unroll style.	189.20
	BRE10034	Tablet Mount Kit	75.90
	AL208658	Wiper/Washer, Rear	245.30

#### 6150RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL208644	ATTACHMENTS FOR FIELD CONVERSIONContinued iTEC Headland Management System Also requires software kit AL209824.	29.70
	AL209345	Software: Diagnostic Software Kit, E-ICV, 2 Function Electronic Independent Control Valve.	10.90
	AL209346	Diagnostic Software Kit, E-ICV, 3 Function Electronic Independent Control Valve.	10.90
	AL174225	<b>Transmission:</b> Back-up Alarm For PowrQuad PLUS, AutoQuad and IVT Transmissions. Also requires software, AL178365.	574.20
	BL15046	Creeper Field Kit for Mechanical PowrQuad Transmissions Also requires software AL211821. Reference Installation Instructions.	5,669.40
	AL205866	Creeper, Cab Control Parts	260.70
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	AL211572	Vandal Protection, Lockable DEF Cap	42.44
	AL210383	Vandal Protection, Lockable Fuel Tank Cap	31.36
	AL110170	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70

# AGRICULTURAL PRODUCTS

# JOHN DEERE TRACTORS 6150RH Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 6145R Cab Tractor

#### **Equipment for Base Machine**

```
ENGINE: Tier 4 Emissions Compliant
                                                          Required
                                                            Video Capability with Tractor Function Activated
John Deere PowerTech PVS Diesel
  In-line 6-Cylinder Wet-Sleeve
                                                          Triggers
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
145 Engine hp 97/68/EC @ Rated Speed
                                                            Access Manager
                                                            Universal Machine and Work Monitor
                                                            Reconfigurable Display Function Definable by
                                                          Operator
111 SAE PTO hp @ Rated Speed
                                                            iTEC Tractor and Implement Function Control
Variable Geometry Turbocharger and
  Exhaust Gas Recirculation
Dual Temp Cooling System
                                                          OPERATOR PROTECTIVE STRUCTURE
PowerCore G2 Air Filtration System with
                                                          ComfortView Cab with Air Conditioning
  Permanent Pre-Cleaning and Safety Element
                                                            and Heater
                                                          One Panorama LH Door
Deluxe Corner Post Exhaust
                                                          One Panorama RH Window
Self Priming and Bleeding Electronic Fuel Pump
76.6 Gal. (290 L) Fuel Tank Capacity 4.2 Gal. (16 L) DEF Tank Size Capacity
                                                          Front Windshield Washer and Wiper
                                                          Air Suspended Seat with Seat Belt
                                                          Tilt/Telescopic Steering Column
Intelligent Power Management
                                                          Operational Controls Console Mounted
TRANSMISSION:
                                                          Floor Mat
                                                          Foot Throttle Control
Diff Lock Switch
20/20 AutoQuad PLUS ECO; 25 mph (40km/h)
  Reduced engine rpm's at max transport speed
Electronic LH Reverser
                                                          AM/FM Stereo Radio with Weatherband,
Perma-Clutch II (Hydraulically Engaged Wet Disk
                                                            Clock, Two Speakers and Antenna
                                                          Coat. hook
Clutch)
                                                          Overhead Storage Bin
Speed Matching
                                                          Left Hand Storage Bin and Accessory Outlet Overhead Courtesy Light
Park Lock
Neutral Safety Start System
                                                          Rear View Mirror
STEERING, BRAKES, DIFFERENTIAL:
                                                          Cup Holder on RH console
Hydrostatic Steering
                                                          Sun Visor
Wet-Disk Hydraulic Power Brakes
                                                          Right Hand Steps and Hand Rail
Hydraulically-Engaged Rear Axle Differential Lock
                                                          ELECTRICAL:
                                                          Key Shutoff
12 Volt Electrical System
HYDRAULICS:
Pressure and Flow Compensating Axial
                                                          12 Volt Battery, 154 Ah (1230 Cold Cranking Amps)
  Piston Pump
30 GPM (114 L/min) Pump Output
26.4 GPM (100 L/min) Flow @ One SCV
                                                          200 Amp Alternator
Three 450 Series SCVs; Mechanical with ISO
                                                          3 Pin Accessory Outlet
                                                          Multi-Power Outlet Sockets
  Breakaway Couplers
                                                          7 Terminal Rear Implement
                                                            Electrical Outlet Socket
REAR PTO:
540/1000 RPM, 1-3/8 In. Independent Rear PTO,
Reversible Shaft and PTO Master Shield
                                                          12V Electrical Convenience
                                                            Outlet on RH Console
Electrohydraulic Activation
Wet Multi-Disk Clutch
                                                          LIGHTS:
Neutral Start Safety System
                                                          Four Front Grille Headlights
Seat Activated PTO Warning
                                                          Two Front Grille Worklights
                                                          Two Belt Line Mounted Lights
ROCKSHAFT, HITCH AND DRAWBAR:
                                                          Four Front Roof Lights
Electrohydraulic Hitch with Transport
                                                          Two Rear Roof Lights
  Lock and External Remote Controls
                                                          Four Roof Mounted Flashing
  3-Point (Category 3/3N) Hitch
                                                            Hazard Lights
8,199 Lb. Lift Capacity
                                                          Two Rear Fender Tail Lights with
Electronic Lower Link Draft Sensing
                                                            Brake Lights
Telescopic Draft Links
Sway Blocks
                                                          FRONT AXLE WHEELS AND TIRES:
Category 2 Swinging Drawbar with Hammerstrap
                                                          MFWD
Secondary Implement Chain Support
                                                          Steel Wheels
                                                          Electrohydraulic MFWD Engagement
Adjustable Center Link with Ball End
                                                          Two 380/85R30 In. 135A8 R1 Radial Tires
INSTRUMENTATION:
Dashboard Instrument Panel Includes:
                                                          REAR AXLE WHEELS AND TIRES:
  Tachometer
                                                          Rack and Pinion Axle;
  Speedometer
                                                          100 In. Length x 3.622 In. (92 mm) Diameter
  Hour Meter
                                                          Two Cast Wheels
  Fuel Gauge
                                                          Two 480/80R42 In. 151A8 R1 Radial Tires
  Diesel Exhaust Fluid Gauge
  Engine Oil Pressure Indicator Light
                                                          MISCELLANEOUS:
  Coolant Temperature
                                                          JDLink Capable
  PTO Engagement
                                                          Operator's Manual (English) and Holder
  Engine Air Filter Restriction Indicator
                                                          SMV Emblem
  Alternator
  Directional Indicators
  Hazard Switch
CommandCenter 7 In. Display with 4100 Processor
Includes:
```

Generation 4 AutoTrac Capability - Activation

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
01B0RW		6145R Cab Tractor	137,795.00
		DECTIVATION	
0202		DESTINATION United States	In Base Price
0202		Offiled States	III base Filce
0184		Canada	Same Price
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0443		Spanish Operator's Manual	Same Price
0445		French Operator's Manual	Same Price
		OPERATOR STATION	
2051		Economy Cab with RH Console Includes: 1 LH Panorama Door, RH Steps, Generation 4 CommandCenter Display located on RH Console, Front Windshield Washer and Wiper, Front Sun Visor, Manual Temperature Controls, Air Seat (Sears), Overhead Storage Bin, Cup Holder in RH Console, Overhead Reading Light, Coat Hook, Inner Rear View Mirror, Multi Power Outlet Strip, 7-Pin Signal Interface Socket, Two 3-Pin Plugs, and iTec.  Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	In Base Price
2061		Standard Cab with RH Console Includes in addition to Economy Cab package: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat and Bottle Holder.  Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	1,899.00
2062		Standard Cab with CommandARM Same as Standard Cab with RH Console except: CommandARM.	1,899.00
		Requires Electronic SCV's.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions).	
2065		Premium Cab with RH Console Includes in addition to Standard Cab with RH Console package: RH Openable Door, Wide Angle Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control.	4,752.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2066		Premium Cab with CommandARM Same as Premium Cab with RH Console except: CommandARM.	4,752.00

#### 6145R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
2069		Premium Cab with RH Console and Cab Suspension Includes in addition to Premium Cab with RH Console package: Adaptive Hydraulic Cab Suspension Plus.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2070		Premium Cab with CommandARM and Cab Suspension Same as Premium Cab with RH Console and Cab Suspension package except: CommandARM.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,121.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2wd front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6064 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders). Not compatible with Code 6022 (2wd front axle).	Same Price
1530		DirectDrive ECO Transmission (25 mph/40 kmh) 24F/24R Includes CommandARM Console. Requires Code 8743 (240 amp alternator). Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	6,324.00
1551		Infinitely Variable Transmission (25 mph/40 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
		Requires Code 6064 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders).	
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	

In Base Price

1945

4100 Processor

# 6145R Cab Tractor

	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Continued	
		Requires Code 1823 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input.	
		CommandCenter AutoTrac Activation Capable only.	
		Use of GS3 activations will require a GS3 2630 display.	
1946		4600 Processor	1,500.00
		Requires Code 1822 -10 In. CommandCenter Display.	
		Includes tractor CommandCenter controls and 4 video inputs.  CommandCenter AutoTrac Activation Capable.	
		Upgradeable to future CommandCenter software activations, when available.	
		Use of GS3 activations will require a GS3 2630 display.	
		Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS	
		All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more	
		information.	
		Option availability limited by specific geographical regions.	
1823		Single 7 In. CommandCenter Display	In Base Price
1822		Single 10 In. CommandCenter Display	495.00
.022		Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations,	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages.  Warranty on all Activations will be handled by AMS and will carry normal AMS warranty	
1845		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions.	In Base Price
1845 1851		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.  Less Activations  CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor).	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.  Less Activations  CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor). Requires order Code 1832 AutoTrac Ready.	1,000.00
1851		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.  Less Activations  CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor). Requires order Code 1832 AutoTrac Ready.  Includes Non-transferrable, AutoTrac functionality on the CommandCenter.  CommandCenter AutoTrac Activation - 4600 Processor	1,000.00
1851		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.  Less Activations  CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor).  Requires order Code 1832 AutoTrac Ready.  Includes Non-transferrable, AutoTrac functionality on the CommandCenter.  CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 (4600 Processor).	In Base Price 1,000.00

#### 6145R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued  Tractor includes deluxe receiver mounting bracket only.  StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracyRTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.	
		GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only. Note: When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab.	7,195.00

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

 $Options\ with\ JDLink\ Connect\ include\ (insert\ the\ options\ that\ apply\ from\ the\ list\ below):$ 

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).

- 1 Ethernet harness routed from the MTG to the optional display port
- Antenna wiring harness for the Machine Communication Radio (MCR)
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink Ultimate features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG).

Subscription length of contract varies; Subscription renewal required after term of service for continued functionality.

Option availability limited by specific geographical regions. Please refer to region specific

#### 6145R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness Requires field kit installation, activation, and subscription for JDLink functionality. Not Compatible with Code 8063 (Ethernet Switch).	In Base Price
1881		JDLink Connect - Subscription Not Included Includes JDLink hardware, and (1 or 2) Ethernet harness(es) (and Machine Communication Radio antenna harness. Does not include JDLink Connect 1 Year Subscription, Machine Communication Radio and antenna. Not available in United States, Canada, Australia, New Zealand.	1,430.00
188J		JDLink Connect - 1 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 1 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	1,430.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
188K		JDLink Connect - 3 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 3 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	2,630.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable RE556567 (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	

GREENSTAR AND AUTOTR	AC
----------------------	----

1834 No GreenStar Ready In Base Price

1830 GreenStar Ready/ISOBUS Ready

Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness
and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for
tractor/implement communication through ISOBUS.

Requires Code 8743 (240 amp alternator).

# 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION  GREENSTAR AND AUTOTRACContinued	SUGGESTED LIST PRICE USD (\$)
1832		AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2wd front axle).  Requires Code 8743 (240 amp alternator).	4,618.00
2660		RADIO PACKAGES  Standard Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand. *Not available for Android phones until September 2015.	352.00
		HYDRAULIC PUMP	
3223		Hydraulic Pump- 144 L/min, 45ccm, PFC System	In Base Price
3332		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES  Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Codes 2065, 2066, 2069, or 2070 cab packages.	In Base Price
3331		Three Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	1,528.00
3341		Four Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	2,391.00
3351		Five Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).	3,254.00
3361		Six Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions). Not compatible with Code 832.I (Power Beyond). Not compatible with codes 8911, 8916, 8917, 8924, or 8926 (Loader Packages).	4,117.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/8 In. shaft.	In Base Price
3833		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/8 In. shaft. 540E is an economy mode that allows engine to run at lower RPM and	889.00

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE-OFFContinued save fuel.	
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End Category 3N/3	In Base Price
		CENTER LINK	
4213		Center Link with Ball End Category 3	In Base Price
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
		REAR AXLES	
5041		Rack and Pinion 3.62 In. (92mm) Diameter by 100.4 In. Length	In Base Price
5051		Rack and Pinion 3.62 In. (92mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	494.00
		WHEELS AND HUBS	
5091		Adjustable Cast Wheels	In Base Price
		REAR WHEELS AND TIRES	
		For complete tire and wheel information, refer to the Agricultural Sales Manual.	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 40 MFWD Front Tire with same tread type and brand preference.	
5303		480/80R38 In. 149A8 R1 Radial in Single Wheel Configuration (18.4R38 In. 149A8 R1 Radial)  Available in Goodyear and Firestone.  Requires Code 5041 or 5051 (Rack & Pinion).	-1,588.00
5403		480/80R38 In. 149A8 R1 Radial in Dual Wheel Configuration (18.4R38 In. 149A8 R1 Radial)  Available in Goodyear and Firestone.  Requires Code 5051 (Rack & Pinion).	3,795.00

# 6145R Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		A Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference.	
5310		320/90R50 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041 or 5051 (Rack & Pinion).	226.00
5410		320/90R50 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051 (Rack & Pinion).	7,655.00
5311		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Firestone only. Requires Code 5041 or 5051 (Rack & Pinion).	-529.00
5411		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Firestone only. Requires Code 5051 (Rack & Pinion).	6,386.00
5312		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041 or 5051 (Rack & Pinion).	-529.00
5412		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051 (Rack & Pinion).	6,386.00
5313		420/80R46 In. 151A8 R1 Radial in Single Wheel Configuration Available in Firestone and Goodyear. Requires Code 5041 or 5051 (Rack & Pinion).	276.00
5413		420/80R46 In. 151A8 R1 Radial in Dual Wheel Configuration Available in Firestone and Goodyear. Requires Code 5051 (Rack & Pinion).	7,616.00
5315		18.4R42 In. 148A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5041 or 5051 (Rack & Pinion).	568.00
5415		18.4R42 In. 148A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051 (Rack & Pinion).	8,338.00
5316		480/80R42 In. 151A8 R1 Radial in Single Wheel Configuration (18.4R42 In. 151A8 R1 Radial)  Available in Goodyear and Firestone.  Requires Code 5041 or 5051 (Rack & Pinion).	In Base Price
5416		480/80R42 In. 151A8 R1 Radial in Dual Wheel Configuration (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 5051 (Rack & Pinion).	7,202.00
5317		480/80R42 In. 151A8 R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires Code 5041 or 5051 (Rack & Pinion).	822.00

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5417		REAR WHEELS AND TIRESContinued 480/80R42 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 5051 (Rack & Pinion).	8,296.00
5318		520/85R38 In. 155A8 R1 Radial in Single Wheel Configuration (20.8R38 In. 155A8 R1 Radial)  Available in Goodyear and Firestone.  Requires Code 5041 or 5051 (Rack & Pinion).	10.00
5319		650/65R38 In. 157A8 R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires Code 5041 or 5051 (Rack & Pinion).	2,296.00
5320		18.4R42 In. 148A8 R2 Radial (480/80R42 151A8 R2 Radial) in Single Wheel Configuration Available in Goodyear only. Requires Code 5041 or 5051 (Rack & Pinion).	254.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference. Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5321		480/80R42 In. 151B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041 or 5051 (Rack & Pinion Axle).	Same Price
5421		480/80R42 In. 151B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051 (Rack & Pinion Axle).	7,202.00
5322		650/65R38 In. 157B R1W Radial in Single Wheel Configuration Available Michelin only.  Requires Code 5041 or 5051 (Rack & Pinion Axle).	2,296.00
		FRONT AXLES	
6022		Adjustable 2WD Front Axle (62.8 ln86.8 ln.) See Field Attachments for Extension to 98 In. Requires Code 1437 (PowrQuad PLUS 30K transmission).	-8,276.00
6040		MFWD Front Axle	In Base Price
6060		MFWD Front Axle and Triple Link Suspension PLUS	3,959.00
6064		MFWD Front Axle and Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,380.00
		FRONT WHEELS AND TIRES	

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		TWO STEEL 2WD WHEELS: Requires Code 6022 (2wd front axle):	
6165		11.00-16 ln. 12PR F2 Bias Available in Goodyear & Firestone.	-2,601.00
6166		11.00-20 ln. 12PR F2 Bias Available in Titan only.	-2,272.00
6168		14L-16.1 ln. 12PR F2 Bias Available in Firestone.	-2,109.00
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6040, 6060, or 6064):	
		RCI Group 40 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6370		380/85R28 In. 133A8 R1 Radial Available in Goodyear and Firestone.	-152.00
6371		16.9R26 In. 135A8 R1 Radial <i>Available in Firestone.</i>	-238.00
		RCI Group 41 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6375		320/85R34 In. 133A8 R1 Radial Available in Goodyear only.	413.00
6376		380/85R30 In. 135A8 R1 Radial Available in Goodyear and Firestone.	In Base Price
6377		380/85R30 In. 135A8 R1W Radial Available in Michelin only.	1,808.00
6378		420/85R28 In. 139A8 R1 Radial Available in Goodyear and Firestone.	416.00
6379		16.9R28 In. 136A8 R1W Radial Available in Goodyear.	726.00
6380		540/65R28 In. 142A8 R1W Radial Available in Michelin only.	2,352.00
6381		16.9R28 In. 136A8 R2 Radial Available in Goodyear only.	822.00
		TIRE BRAND PREFERENCE	
5999		No Brand Preference	In Base Price

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5901		TIRE BRAND PREFERENCEContinued Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Mitas / Continental Only	400.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8063		Ag Management Solutions: Ethernet Switch Not compatible with Code 1885 (JDLink Capable). Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	591.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted) Not compatible with Code 1830 (GreenStar Ready) or Code 1832 (AutoTrac Ready).	35.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package) and Code 8276 (Roller Blind). Note: Economy and Standard Cab Packages ordered with Panorama Roof do not include a Sun Visor.	597.00
8276		Front and Rear Roller Blind	289.00
8274		Rear Window Defrost	457.00
878U		Dual Beam Ground Speed Radar Sensor	910.00
8307		Bottom Guard for Fuel Tank	77.00
873A		Lighting Packages: Standard Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	1,764.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 LED Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	2,727.00

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Standard Light Package 2 LED Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,203.00
873E		Premium Light Package 2 LED Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 LED Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	3,140.00
891G		Loader Packages: Loader ready - Electrical Midstack SCV 2 functions Includes: 2 function electrical midstack control valve, electronic joystick (connected to the valve), wiring harness, electronic joystick with 5 buttons and rocker switch for tractor functions, loader mounting frames for R-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.	5,234.00
		Compatible with Return to position (code 8905).  Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.	
891F		Loader ready - Mechanical Midstack SCV 3 function Includes: 3-function mechanical midstack control valve, 3-function mechanical Joystick with activated Speed Shifting Buttons, activated rocker switch, loader suspension button, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, R-Series Loader Mounting Frame, and Hood Guard.	5,187.00
		Note: Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended.  Not compatible with Codes 1530, 1551, or 1552 (DirectDrive and IVT transmissions).  Loader mounting frames not compatible with H340 Loader.	
891H		Loader ready - Electrical Midstack SCV 3 function Includes: 3-function electrical midstack control valve, 3-function electronic Joystick with five reconfigurable buttons and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, R-Series Loader Mounting Frame, and Hood Guard.	6,294.00
		Note: Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Loader mounting frames not compatible with H340 Loader.	
8924		Loader Preparation- Mechanical Independent Control Valve 3 Function Includes: 3-function mechanical midstack control valve, 3-function mechanical Joystick with activated Speed Shifting Buttons, activated rocker switch, and loader suspension button. Requires PowrQuad or AutoQuad Transmission.	3,238.00

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8925		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Loader Preparation - Mechanical Independent Control Valve 2 Function Includes 2 function mechanical independent control valve, mechanical joystick (handle connected to the valve), plus wiring harnesses, joystick button for front loader suspension, joystick button for Rocker Switch for the 3rd function (rocker switch not connected) plus wiring harnesses. Gearshifting buttons (code 8214) included in base. To be ordered separately: Loader mounting frames, hood guard and hydraulic connections from valve to front loader coupling point.	2,687.00
8926		Loader Preparation- Electrical Independent Control Valve 3 Function Includes: 3-function electrical midstack control valve, 3-function electrical Joystick with five reconfigurable buttons and activated rocker switch.	4,678.00
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	547.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility.	851.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	624.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for Codes 1465 and 1552 (50K transmission).	414.00
8434		Hitch and Drawbar: Swinging Drawbar with Hammerstrap and Chainholder	In Base Price
8448		Quik-Coupler (Category 3N/3)	In Base Price
832J		Power Beyond for Rear SCV's Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank return and drain. All couplers are flatface coupler. Includes pressure free return.  Not compatible with Code 3361 (6th SCV).	582.00
8300		Engine: Cold Start Package I Includes 174Ah battery and Engine Coolant Heater (110V). Not compatible with Code 8301. Not available for Australia, New Zealand, or Israel.	591.00

#### 6145R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8301		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Cold Start Package II Includes 174Ah battery, engine block heater (110V), ground fault interrupter, charge pump heater, and transmission oil pump heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 8300. Not available for Australia, New Zealand, or Israel.	750.00
8743		240 Amp Alternator Required for Code 1530 (DirectDrive transmission) and Ag Management Solutions Codes 1830 (GreenStar Ready) or 1832 (AutoTrac Ready).	187.00
878B		Battery Circuit Breaker Located at top of left hand steps.	143.00
8951		Quik-Tatch Front-End Weight Packages: Front Weight Support (110 kg / 242 Lb.) Holds up to 18 Front Weights.	377.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lb. Front, Subtract 384 Lb. Rear.	1,265.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lb. Front, Subtract 463 Lb. Rear.	1,488.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lb. Front, Subtract 540 Lb. Rear.	1,710.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lb. Front, Subtract 619 Lb. Rear.	1,932.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lb. Front, Subtract 774 Lb. Rear.	2,376.00
8971		<b>Rear Wheel Weights</b> Rear Wheel Weights- 410 kg (904 Lb.), Inside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.	1,162.00
8970		Rear Wheel Weights- 820 kg (1,808 Lb.), Inside/Drive Wheel 4 x 205 kg, 820 kg total weight, split on both sides.  Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,325.00
8975		Rear Wheel Weights- 410 kg (904 Lb.), Outside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides. Not compatible with duals.	1,162.00
8976		Rear Wheel Weights- $554 \text{ kg}$ (1,221 Lb.), Outside/Drive Wheel $2 \times 72 \text{ kg} \& 2 \times 205 \text{ kg}$ , $554 \text{ kg}$ total weight, split on both sides. Not compatible with duals.	1,587.00
8980		Rear wheel weights - 554 kg (1,221 Lb.), Outside/Outer $2 \times 72 \text{ kg } \& 2 \times 205 \text{ kg}$ , 554 kg total weight, split on both sides. To be mounted outside dual wheel.	1,587.00

#### **ATTACHMENTS - ORDER AS DESIRED**

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8550		Export Attachments: Skid for Duals	152.00
		FOR FRONT HITCH EQUIPMENT, CONTACT:	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15537	Engine: DEF Tank Filler Neck Heater	106.70
	BL15539	Fuel Pre-Heater	178.20
		Fenders:	
	AL208650	Fender Mud Guard	123.20
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20
	BL15068	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BLI5059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15061	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders, Fixed, 14.5 ln. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	764.50
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	774.40
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	785.40
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	818.40
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	829.40
	BL15060	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	BL15017	Rear Fender Side Extension, 4.3 In. (110mm) Wide	572.00
	BL15018	Rear Fender Side Extension, 7.9 in. (200mm) Wide	470.80
	BL15554	Guards: Fuel Tank Bottom Guard 93 US Gal. (355L)	250.80
	AL206323	Hitch and Drawbar: Stabilizer Bar, Automatic (One) and Standard Economy Stabilizer Bar (One)	695.20
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH. Not compatible with telescopic draft links.	341.00
	BL15617	Hydraulics: Control Lever SCV Position 3 and 4 Manual Selective Control Valve. Includes Mutifunction Lever, Cover, Cable and Mounting Hardware Only.	434.50
	BL15368	E-ICV Control Lever (Joystick) 3 Function with CommandARM only Electronic Independent Control Valve. Also requires software, AL216476. Contains 5 reconfigurable buttons.	1,467.40
	BL15366	E-ICV Control Lever (Joystick) with Gear Shifting with RH Console Electronic Independent Control Valve. Also requires software, AL216476. Only compatible with premium cab with cab suspension (code 2069).	1,467.40
	BL15566	E-SCV, 450 SERIES, Position 4 Electronic Selective Control Valve. Also requires software, AL216739.	1,392.60
	BL15565	E-SCV, 450 Series, Position 3 Electronic SelectiveControl Valve. Also requires software AL216738. Reference installation instructions.	1,282.60
	BL15567	E-SCV, 450 Series, Position 5 Electronic Selective Control Valve. Also requires software AL216740. Reference installation instructions.	1,502.60

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15620	ATTACHMENTS FOR FIELD CONVERSIONContinued M-ICV Control Lever (Joystick) 3 Function Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	573.10
	BL15563	M-SCV, 200 Series And 450 Series Position 3  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	BL15564	M-SCV, 200 Series And 450 Series Position 4  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	BL15465	Midstack, E-ICV Upgrade Kit from 2 to 3 SCVs Electronic Independent Control Valve. Also requires software, AL216747. Additional also order parts are required. See installation instructions.	825.00
	BL15572	Midstack, E-ICV, 2 Function Electronic Independent Control Valve. Also requires software, AL216743. Additional also order parts are required. See installation instructions.	1,563.10
	BL15573	Midstack, E-ICV, 3 Function Electronic Independent Control Valve. Also requires software, AL216745. Additional also order parts are required. See installation instructions.	2,202.20
	BL15464	Midstack, M-ICV Upgrade Kit from 2 to 3 SCVs with Control Lever (Joystick)  Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	548.90
	BL15570	Midstack, M-ICV, 2 Function Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,221.00
	BL15571	Midstack, M-ICV, 3 Function Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,882.10
	BL15435	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	270.60
	BL15432	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm), Flat Face Power Beyond Connectors, Class II, ISO 17567 Also requires Power Beyond Return Coupler, BL15433. Additional also order parts are required. See installation instructions.	396.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	270.60
	BL15436	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	291.50
	BL15433	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Free Oil Return, ISO 17567-class 2 Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	396.00

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	149.60
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	200.20
	AL205913	2 HB3 Work Lights, adjustable, rear or front cab roof-mounted Also requires software, AL217723 (For middle worklights on front of roof) or software AL217725 (For inner worklights on rear of roof).	312.40
		Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position.	
	AL205912	2 HB3 Work Lights, roof-mounted, non-adjustable side mounted Also requires software AL217722 for side-facing worklights on rear of roof.	312.40
	AL204758	Beacon Light, LH Also requires software, AL217718.	250.80
	BL15022	Beacon Light, RH Also requires software, AL217720.	250.80
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50
	AL205881	Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	BL15601	<b>Miscellaneous:</b> Return to Position (RTP) / Electronic Self Leveling (ESL), Wiring Harness Reference Installation Instructions for also order components. Requires software AL219005.	222.20
	AL204829	Tool Box	278.30
	AL208700	Operator Environment: 7-Pin Signal Socket	46.20
	BL15157	Accessory Mounting Bracket	71.50
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	AL207633	Bottle Holder, Floor Mounted, LH	39.60

#### 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15522	ATTACHMENTS FOR FIELD CONVERSIONContinued Bottle Holder, Floormat	46.20
	BRE10015	Cell Phone Mount Kit	59.40
	BRE10147	CommandARM Bracket Not compatible with joystick or GS3 2630 display. Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	AL174265	Field Office For tractors with a refrigerator already installed.	409.20
	AL174262	Field Office without Refrigerator For tractors without a refrigerator installed.	290.40
	AL205894	Internal Rear View Mirror, Front Window Mounted	38.50
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20
	AL208653	Rear Electrically Telescoping Mirror	1,667.60
	AL205891	Rear Window Defrost Element	486.20
	BL15028	Refrigerator For tractors without Field Office.	775.50
	BL15029	Refrigerator For tractors with Field Office.	829.40
	AL205883	Remote Switch, PTO Also requires software, AL210796. See installation instructions. For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554.	154.00
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL205893	Sunshade Compatible in front and rear. Pull to unroll style.	189.20
	BRE10034	Tablet Mount Kit	75.90
	BL15382	Wiper/Washer, Rear Also requires software, AL216470.	245.30
	BL15374	iTEC Headland Management System Also requires software kit AL209824.	29.70
	AL174225	<b>Transmission:</b> Back-up Alarm For PowrQuad PLUS, AutoQuad and IVT Transmissions. Also requires software, AL178365.	574.20

# 6145R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205866	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper, Cab Control Parts	260.70
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	BL15106	Wheel Equipment: Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	861.30
	BL15127	Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,111.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,100.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,305.70
	AL155035	Wheel Reinforcements, Rear For models with 10.8in. (275 mm) bolt circle diameter.	643.50

# 6145R Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 6155R Cab Tractor

#### **Equipment for Base Machine**

```
ENGINE: Tier 4 Emissions Compliant
                                                              Required
John Deere PowerTech PVS Diesel
                                                              Video Capability with Tractor Function Activated
  In-line 6-Cylinder Wet-Sleeve
                                                              Triggers
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
155 Engine hp 97/68/EC @ Rated Speed
121 SAE PTO hp @ Rated Speed
                                                              Access Manager
                                                              Universal Machine and Work Monitor
                                                              Reconfigurable Display Function Definable by
                                                              Operator
                                                              iTEC Tractor and Implement Function Control
Variable Geometry Turbocharger and
                                                           OPERATOR PROTECTIVE STRUCTURE
  Exhaust Gas Recirculation
                                                           ComfortView Cab with Air Conditioning
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
                                                             and Heater
  Permanent Pre-Cleaning and Safety Element
                                                           One Panorama LH Door
                                                           One Panorama RH Window
Deluxe Corner Post Exhaust
Self Priming and Bleeding Electronic Fuel Pump 76.6 Gal. (290 L) Fuel Tank Capacity 4.2 Gal. (16 L) DEF Tank Size Capacity
                                                           Front Windshield Washer and Wiper
                                                           Air Suspended Seat with Seat Belt
                                                           Tilt/Telescopic Steering Column
                                                           Operational Controls Console Mounted
Intelligent Power Management
                                                           Floor Mat
Foot Throttle Control
TRANSMISSION:
20/20 AutoQuad PLUS ECO; 25 mph (40km/h)
                                                           Diff Lock Switch
  Reduced engine rpm's at max transport speed
                                                           AM/FM Stereo Radio with Weatherband,
Electronic LH Reverser
                                                             Clock, Two Speakers and Antenna
Perma-Clutch II (Hydraulically Engaged
                                                            Coat hook
                                                           Overhead Storage Bin
  Wet Disk Clutch)
Speed Matching
                                                           Left Hand Storage Bin and Accessory Outlet
                                                           Overhead Courtesy Light
Park Lock
Neutral Safety Start System
                                                           Rear View Mirror
                                                           Cup Holder on RH console
STEERING, BRAKES, DIFFERENTIAL:
                                                           Sun Visor
Hydrostatic Steering
                                                           Right Hand Steps and Hand Rail
Wet-Disk Hydraulic Power Brakes
Hydraulically-Engaged Rear Axle Differential Lock
                                                           ELECTRICAL:
                                                           Key Shutoff
                                                            12 Volt Electrical System
HYDRAULICS:
                                                           12 Volt Battery, 154 Ah (1230 Cold
Pressure and Flow Compensating Axial
  Piston Pump
                                                              Cranking Amps)
30 GPM (114 L/min) Pump Output
                                                            200 Amp Alternator
26.4 GPM (100 L/min) Flow @ One SCV
Three 450 Series SCVs; Mechanical with
                                                            3 Pin Accessory Outlet
                                                           Multi-Power Outlet Sockets
  ISO Breakaway Couplers
                                                            7 Terminal Rear Implement
Electrical Outlet Socket
                                                            12V Electrical Convenience
REAR PTO:
540/1000 RPM, 1-3/8 In. Independent Rear PTO,
Reversible Shaft and PTO Master Shield
                                                              Outlet on RH Console
Electrohydraulic Activation
                                                           LIGHTS:
Wet Multi-Disk Clutch
                                                           Four Front Grille Headlights
Neutral Start Safety System
                                                           Two Front Grille Worklights
Seat Activated PTO Warning
                                                            Two Belt Line Mounted Lights
                                                           Four Front Roof Lights
                                                            Two Rear Roof Lights
ROCKSHAFT, HITCH AND DRAWBAR:
Electrohydraulic Hitch with Transport
                                                           Four Roof Mounted Flashing
  Lock and External Remote Controls
                                                             Hazard Lights
  3-Point (Category 3/3N) Hitch
                                                           Two Rear Fender Tail Lights with
9,193 Lb. Lift Capacity
                                                             Brake Lights
Electronic Lower Link Draft Sensing
Telescopic Draft Links
                                                           FRONT AXLE WHEELS AND TIRES:
Sway Blocks
Category 2 Swinging Drawbar with Hammerstrap
                                                            Steel Wheels
Secondary Implement Chain Support
                                                           Electrohydraulic MFWD Engagement
Adjustable Center Link with Ball End
                                                           Two 380/85R30 In. 135A8 R1 Radial Tires
INSTRUMENTATION:
                                                           REAR AXLE WHEELS AND TIRES:
Dashboard Instrument Panel Includes:
                                                           Rack and Pinion Axle;
  Tachometer
                                                            100 In. Length x 3.622 In. (92 mm) Diameter
  Speedometer
                                                           Two Cast Wheels
                                                           Two 480/80R42 In. 151A8 R1 Radial Tires
  Hour Meter
  Fuel Gauge
  Diesel Exhaust Fluid Gauge
                                                           MISCELLANEOUS:
  Engine Oil Pressure Indicator Light
                                                           JDLink Capable
  Coolant Temperature
                                                           Operator's Manual (English) and Holder
  PTO Engagement
                                                           SMV Emblem
  Engine Air Filter Restriction Indicator
  Alternator
  Directional Indicators
  Hazard Switch
CommandCenter 7 In. Display with 4100 Processor
Includes:
  Generation 4 AutoTrac Capability - Activation
```

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
08K0RW		6155R Cab Tractor	144,560.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0443		Spanish Operator's Manual	Same Price
0445		French Operator's Manual	Same Price
		OPERATOR STATION	
2051		Economy Cab with RH Console Includes: 1 LH Panorama Door, RH Steps, Generation 4 CommandCenter Display located on RH Console, Front Windshield Washer and Wiper, Front Sun Visor, Manual Temperature Controls, Air Seat (Sears), Overhead Storage Bin, Cup Holder in RH Console, Overhead Reading Light, Coat Hook, Inner Rear View Mirror, Multi Power Outlet Strip, 7-Pin Signal Interface Socket, Two 3-Pin Plugs, and iTec.	In Base Price
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2061		Standard Cab with RH Console Includes in addition to Economy Cab package: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat and Bottle Holder.	1,899.00
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2062		Standard Cab with CommandARM Same as Standard Cab with RH Console except: CommandARM.	1,899.00
		Requires Electronic SCV's.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions).	
2065		Premium Cab with RH Console Includes in addition to Standard Cab with RH Console package: RH Openable Door, Wide Angle Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control.	4,752.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2066		Premium Cab with CommandARM Same as Premium Cab with RH Console except: CommandARM.	4,752.00

#### 6155R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
2069		Premium Cab with RH Console and Cab Suspension Includes in addition to Premium Cab with RH Console package: Adaptive Hydraulic Cab Suspension Plus.	9,336.0
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2070		Premium Cab with CommandARM and Cab Suspension Same as Premium Cab with RH Console and Cab Suspension package except: CommandARM.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,121.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2wd front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6064 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders). Not compatible with Code 6022 (2wd front axle).	Same Price
1530		DirectDrive ECO Transmission (25 mph/40 kmh) 24F/24R Includes CommandARM Console. Requires Code 8743 (240 amp alternator). Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	6,324.00
1551		Infinitely Variable Transmission (25 mph/40 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
		Requires Code 6064 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders).	
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	

In Base Price

1945

4100 Processor

# 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		GENERATION 4 COMMANDCENTER - PROCESSORContinued Requires Code 1823 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input. CommandCenter AutoTrac Activation Capable only. Use of GS3 activations will require a GS3 2630 display.	
1946		4600 Processor Requires Code 1822 -10 In. CommandCenter Display. Includes tractor CommandCenter controls and 4 video inputs. CommandCenter AutoTrac Activation Capable. Upgradeable to future CommandCenter software activations, when available. Use of GS3 activations will require a GS3 2630 display.	1,500.00
		Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS  All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more information.  Option availability limited by specific geographical regions.	
1823		Single 7 In. CommandCenter Display	In Base Price
1822		Single 10 In. CommandCenter Display Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	495.00
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less Activations	In Base Price
1851		CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor). Requires order Code 1832 AutoTrac Ready.	1,000.00
		Includes Non-transferrable, AutoTrac functionality on the CommandCenter.	
1852		CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 (4600 Processor). Requires order Code 1832 AutoTrac Ready.	1,000.00
		Includes Non-transferrable, AutoTrac functionality on the CommandCenter.	
		RECEIVER	

#### 6155R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued  Tractor includes deluxe receiver mounting bracket only.  StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracyRTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.	
		GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only. Note: When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab.	7,195.00

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

 $Options\ with\ JDLink\ Connect\ include\ (insert\ the\ options\ that\ apply\ from\ the\ list\ below):$ 

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).

- 1 Ethernet harness routed from the MTG to the optional display port
- Antenna wiring harness for the Machine Communication Radio (MCR)
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink Ultimate features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG).

Subscription length of contract varies; Subscription renewal required after term of service for continued functionality.

Option availability limited by specific geographical regions. Please refer to region specific

#### 6155R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness Requires field kit installation, activation, and subscription for JDLink functionality. Not Compatible with Code 8063 (Ethernet Switch).	In Base Price
1881		JDLink Connect - Subscription Not Included Includes JDLink hardware, and (1 or 2) Ethernet harness(es) (and Machine Communication Radio antenna harness. Does not include JDLink Connect 1 Year Subscription, Machine Communication Radio and antenna. Not available in United States, Canada, Australia, New Zealand.	1,430.00
188J		JDLink Connect - 1 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 1 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	1,430.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
188K		JDLink Connect - 3 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 3 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	2,630.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable RE556567 (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	

1834	No GreenStar Ready	In Base Price
1830	GreenStar Ready/ISOBUS Ready Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.	814.00

Requires Code 8743 (240 amp alternator).

# 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION  GREENSTAR AND AUTOTRACContinued	SUGGESTED LIST PRICE USD (\$)
1832		AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2wd front axle).  Requires Code 8743 (240 amp alternator).	4,618.00
2660		RADIO PACKAGES  Standard Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand. *Not available for Android phones until September 2015.	352.00
		HYDRAULIC PUMP	
3223		Hydraulic Pump- 144 L/min, 45ccm, PFC System	In Base Price
3332		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES  Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Codes 2065, 2066, 2069, or 2070 cab packages.	In Base Price
3331		Three Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	1,528.00
3341		Four Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	2,391.00
3351		Five Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).	3,254.00
3361		Six Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).  Not compatible with Code 832.1 (Power Beyond).  Not compatible with codes 8911, 8916, 8917, 8924, or 8926 (Loader Packages).	4,117.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/8 In. shaft.	In Base Price
3833		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/8 In. shaft. 540E is an economy mode that allows engine to run at lower RPM and	889.00

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE-OFFContinued save fuel.	
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End Category 3N/3	In Base Price
		CENTER LINK	
4213		Center Link with Ball End Category 3	In Base Price
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
		REAR AXLES	
5041		Rack and Pinion 3.62 In. (92mm) Diameter by 100.4 In. Length	In Base Price
5051		Rack and Pinion 3.62 In. (92mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	494.00
		WHEELS AND HUBS	
5091		Adjustable Cast Wheels	In Base Price
		REAR WHEELS AND TIRES	
		For complete tire and wheel information, refer to the Agricultural Sales Manual.	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference.	
5310		320/90R50 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041 or 5051 (Rack & Pinion).	226.00
5410		320/90R50 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only.  Requires Code 5051 (Rack & Pinion).	7,655.00
5311		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Firestone only. Requires Code 5041 or 5051 (Rack & Pinion).	-529.00
5411		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Firestone only. Requires Code 5051 (Rack & Pinion).	6,386.00

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5312		REAR WHEELS AND TIRESContinued  14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration  Available in Goodyear only.  Requires Code 5041 or 5051 (Rack & Pinion).	-529.00
5412		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Goodyear only.  Requires Code 5051 (Rack & Pinion).	6,386.00
5313		420/80R46 In. 151A8 R1 Radial in Single Wheel Configuration Available in Firestone and Goodyear. Requires Code 5041 or 5051 (Rack & Pinion).	276.00
5413		420/80R46 In. 151A8 R1 Radial in Dual Wheel Configuration Available in Firestone and Goodyear. Requires Code 5051 (Rack & Pinion).	7,616.00
5315		18.4R42 In. 148A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5041 or 5051 (Rack & Pinion).	568.00
5415		18.4R42 In. 148A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051 (Rack & Pinion).	8,338.00
5316		480/80R42 In. 151A8 R1 Radial in Single Wheel Configuration (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 5041 or 5051 (Rack & Pinion).	In Base Price
5416		480/80R42 In. 151A8 R1 Radial in Dual Wheel Configuration (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 5051 (Rack & Pinion).	7,202.00
5317		480/80R42 In. 151A8 R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires Code 5041 or 5051 (Rack & Pinion).	822.00
5417		480/80R42 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Michelin only.  Requires Code 5051 (Rack & Pinion).	8,296.00
5318		520/85R38 In. 155A8 R1 Radial in Single Wheel Configuration (20.8R38 In. 155A8 R1 Radial)  Available in Goodyear and Firestone.  Requires Code 5041 or 5051 (Rack & Pinion).	10.00
5319		650/65R38 In. 157A8 R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires Code 5041 or 5051 (Rack & Pinion).	2,296.00
5320		18.4R42 In. 148A8 R2 Radial (480/80R42 151A8 R2 Radial) in Single Wheel Configuration Available in Goodyear only. Requires Code 5041 or 5051 (Rack & Pinion).	254.00

#### 6155R Cab Tractor

CODE	ATTACHMENIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041, 5051(Rack and Pinion).	2,141.00
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051 (Rack & Pinion).	11,485.00
5101		380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041, 5051 (Rack and Pinion).	620.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only.  Requires Code 5051 (Rack and Pinion).	8,443.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5051 Rack and Pinion).	852.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051 (Rack and Pinion).	8,768.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5051 (Rack and Pinion).	852.00
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5051 (Rack and Pinion).	8,768.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires Code 5041, 5051 (Rack and Pinion).	2,637.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only.  Requires Code 5051 (Rack and Pinion).	11,776.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear.  Requires Code 5041, 5051 (Rack and Pinion).	798.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear.  Requires Code 5051 (Rack and Pinion).	8,918.00

#### 6155R Cab Tractor

CODE	ATTACHMEN'	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5145		REAR WHEELS AND TIRESContinued 520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041, 5051 (Rack and Pinion).	798.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051 (Rack & Pinion).	8,918.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5041, 5051 (Rack and Pinion).	2,198.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5051 (Rack & Pinion).	11,598.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5041, 5051 (Rack and Pinion).	3,844.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5051 (Rack & Pinion).	14,890.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041,5051 (Rack and Pinion).	3,844.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5051 (Rack & Pinion).	14,890.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5041, 5051 (Rack and Pinion).	5,160.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5051 (Rack & Pinion).	17,490.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5051 (Rack and Pinion).	5,160.00
5540		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5051 Rack & Pinion).	17,490.00
		B Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference. Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5321		480/80R42 In. 151B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041 or 5051 (Rack & Pinion Axle).	Same Price

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5421		REAR WHEELS AND TIRESContinued 480/80R42 In. 151B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051 (Rack & Pinion Axle).	7,202.00
5322		650/65R38 In. 157B R1W Radial in Single Wheel Configuration Available Michelin only.  Requires Code 5041 or 5051 (Rack & Pinion Axle).	2,296.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference. Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5113		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	1,751.00
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051, 5047, or 5064 (Rack & Pinion).	11,004.00
5115		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	1,751.00
5515		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051, 5047, or 5064 (Rack & Pinion).	11,004.00
5116		710/70R38 In. 171B R1W Radial in Single Wheel Configuration Available in Goodyear or Michelin. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	6,530.00
		FRONT AXLES	
6022		Adjustable 2WD Front Axle (62.8 ln86.8 ln.) See Field Attachments for Extension to 98 In. Requires Code 1437 (PowrQuad PLUS 30K transmission).	-8,276.00
6040		MFWD Front Axle	In Base Price
6060		MFWD Front Axle and Triple Link Suspension PLUS	3,959.00
6064		MFWD Front Axle and Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,380.00
		FRONT WHEELS AND TIRES	

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		TWO STEEL 2WD WHEELS: Requires Code 6022 (2wd front axle):	
6165		11.00-16 In. 12PR F2 Bias Available in Goodyear & Firestone.	-2,601.00
6166		11.00-20 In. 12PR F2 Bias Available in Titan only.	-2,272.00
6168		14L-16.1 ln. 12PR F2 Bias Available in Firestone.	-2,109.00
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6040, 6060, or 6064):	
		RCI Group 41 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6375		320/85R34 In. 133A8 R1 Radial Available in Goodyear only.	413.00
6376		380/85R30 In. 135A8 R1 Radial Available in Goodyear and Firestone.	In Base Price
6377		380/85R30 In. 135A8 R1W Radial Available in Michelin only.	1,808.00
6378		420/85R28 In. 139A8 R1 Radial Available in Goodyear and Firestone.	416.00
6379		16.9R28 In. 136A8 R1W Radial Available in Goodyear.	726.00
6380		540/65R28 In. 142A8 R1W Radial Available in Michelin only.	2,352.00
6381		16.9R28 In. 136A8 R2 Radial Available in Goodyear only.	822.00
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only.	1,405.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear.	687.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	2,409.00

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6100		FRONT WHEELS AND TIRESContinued 420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear.	498.00
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin and Firestone.	1,574.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear.	1,140.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only.	1,242.00
6104		480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear.	802.00
6110		600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear.	3,542.00
		TIRE BRAND PREFERENCE	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Mitas / Continental Only	400.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8063		Ag Management Solutions: Ethernet Switch Not compatible with Code 1885 (JDLink Capable). Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	591.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted) Not compatible with Code 1830 (GreenStar Ready) or Code 1832 (AutoTrac Ready).	35.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package) and Code 8276 (Roller Blind). Note: Economy and Standard Cab Packages ordered with Panorama Roof do not include a Sun Visor.	597.00
8276		Front and Rear Roller Blind	289.00
8274		Rear Window Defrost	457.00
878U		Dual Beam Ground Speed Radar Sensor	910.00

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8307		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Bottom Guard for Fuel Tank	77.00
873A		Lighting Packages: Standard Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	1,764.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 LED Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	2,727.00
873F		Standard Light Package 2 LED Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,203.00
873E		Premium Light Package  2 LED Front roof mounted adjustable worklights.  2 HB3 Halogen Front roof mounted adjustable worklights.  2 LED Rear roof mounted adjustable worklights.  2 HB3 Halogen Side roof mounted fixed worklights.  2 HB3 Rear fender mounted adjustable worklights.  1 Beacon light.	3,140.00
891G		Loader Packages: Loader ready - Electrical Midstack SCV 2 functions Includes: 2 function electrical midstack control valve, electronic joystick (connected to the valve), wiring harness, electronic joystick with 5 buttons and rocker switch for tractor functions, loader mounting frames for R-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.  Compatible with Return to position (code 8905).	5,234.00
		Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.	
891F		Loader ready - Mechanical Midstack SCV 3 function Includes: 3-function mechanical midstack control valve, 3-function mechanical Joystick with activated Speed Shifting Buttons, activated rocker switch, loader suspension button, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, R-Series Loader Mounting Frame, and Hood Guard.	5,187.00
		Note: Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Codes 1530, 1551, or 1552 (DirectDrive and IVT transmissions). Loader mounting frames not compatible with H340 Loader.	

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
891H		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Loader ready - Electrical Midstack SCV 3 function Includes: 3-function electrical midstack control valve, 3-function electronic Joystick with five reconfigurable buttons and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, R-Series Loader Mounting Frame, and Hood Guard.	6,294.00
		Note: Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Loader mounting frames not compatible with H340 Loader.	
8924		Loader Preparation- Mechanical Independent Control Valve 3 Function Includes: 3-function mechanical midstack control valve, 3-function mechanical Joystick with activated Speed Shifting Buttons, activated rocker switch, and loader suspension button. Requires PowrQuad or AutoQuad Transmission.	3,238.00
8925		Loader Preparation - Mechanical Independent Control Valve 2 Function Includes 2 function mechanical independent control valve, mechanical joystick (handle connected to the valve), plus wiring harnesses, joystick button for front loader suspension, joystick button for Rocker Switch for the 3rd function (rocker switch not connected) plus wiring harnesses. Gearshifting buttons (code 8214) included in base. To be ordered separately: Loader mounting frames, hood guard and hydraulic connections from valve to front loader coupling point.	2,687.00
8926		Loader Preparation- Electrical Independent Control Valve 3 Function Includes: 3-function electrical midstack control valve, 3-function electrical Joystick with five reconfigurable buttons and activated rocker switch.	4,678.00
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	547.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility.	851.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	624.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for Codes 1465 and 1552 (50K transmission).	414.00
8434		Hitch and Drawbar: Swinging Drawbar with Hammerstrap and Chainholder	In Base Price
8448		Quik-Coupler (Category 3N/3)	In Base Price

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
832J		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Power Beyond for Rear SCV's Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank return and drain. All couplers are flatface coupler. Includes pressure free return.	582.00
		Not compatible with Code 3361 (6th SCV).	
8300		Engine: Cold Start Package I Includes 174Ah battery and Engine Coolant Heater (110V). Not compatible with Code 8301. Not available for Australia, New Zealand, or Israel.	591.00
8301		Cold Start Package II Includes 174Ah battery, engine block heater (110V), ground fault interrupter, charge pump heater, and transmission oil pump heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 8300. Not available for Australia, New Zealand, or Israel.	750.00
8743		240 Amp Alternator Required for Code 1530 (DirectDrive transmission) and Ag Management Solutions Codes 1830 (GreenStar Ready) or 1832 (AutoTrac Ready).	187.00
878B		Battery Circuit Breaker Located at top of left hand steps.	143.00
8951		Quik-Tatch Front-End Weight Packages: Front Weight Support (110 kg / 242 Lb.) Holds up to 18 Front Weights.	377.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lb. Front, Subtract 384 Lb. Rear.	1,265.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lb. Front, Subtract 463 Lb. Rear.	1,488.00
8959		Quik-Tatch Weight Support with Twelve Weights  Add 2026 Lb. Front, Subtract 540 Lb. Rear.	1,710.00
8960		Quik-Tatch Weight Support with Fourteen Weights  Add 2310 Lb. Front, Subtract 619 Lb. Rear.	1,932.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lb. Front, Subtract 774 Lb. Rear.	2,376.00
8971		<b>Rear Wheel Weights</b> Rear Wheel Weights- 410 kg (904 Lb.), Inside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.	1,162.00
8970		Rear Wheel Weights- 820 kg (1,808 Lb.), Inside/Drive Wheel 4 x 205 kg, 820 kg total weight, split on both sides.  Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,325.00

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8975		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Rear Wheel Weights- 410 kg (904 Lb.), Outside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides. Not compatible with duals.	1,162.00
8976		Rear Wheel Weights- $554 \text{ kg}$ (1,221 Lb.), Outside/Drive Wheel $2 \times 72 \text{ kg} \& 2 \times 205 \text{ kg}$ , $554 \text{ kg}$ total weight, split on both sides. Not compatible with duals.	1,587.00
8980		Rear wheel weights - 554 kg (1,221 Lb.), Outside/Outer 2 x 72 kg & 2 x 205 kg, 554 kg total weight, split on both sides. To be mounted outside dual wheel.	1,587.00
		ATTACHMENTS - ORDER AS DESIRED	
8550		Export Attachments: Skid for Duals	152.00
		FOR FRONT HITCH EQUIPMENT, CONTACT:	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15537	Engine: DEF Tank Filler Neck Heater	106.70
	BL15539	Fuel Pre-Heater	178.20
	AL208650	Fenders: Fender Mud Guard	123.20
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15066	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20
	BL15068	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90
	BL15061	MFWD Front Fenders, Fixed, 14.5 ln. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	764.50
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	774.40
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	785.40
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	818.40
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	829.40
	BL15060	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	BL15017	Rear Fender Side Extension, 4.3 In. (110mm) Wide	572.00
	BL15018	Rear Fender Side Extension, 7.9 in. (200mm) Wide	470.80
	BL15554	Guards: Fuel Tank Bottom Guard 93 US Gal. (355L)	250.80
	AL206323	Hitch and Drawbar: Stabilizer Bar, Automatic (One) and Standard Economy Stabilizer Bar (One)	695.20
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts  May be used with either RH or LH. Not compatible with telescopic draft links.	341.00
	BL15617	Hydraulics: Control Lever SCV Position 3 and 4 Manual Selective Control Valve. Includes Mutifunction Lever, Cover, Cable and Mounting Hardware Only.	434.50

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15368	ATTACHMENTS FOR FIELD CONVERSIONContinued E-ICV Control Lever (Joystick) 3 Function with CommandARM only Electronic Independent Control Valve. Also requires software, AL216476. Contains 5 reconfigurable buttons.	1,467.40
	BL15366	E-ICV Control Lever (Joystick) with Gear Shifting with RH Console Electronic Independent Control Valve. Also requires software, AL216476. Only compatible with premium cab with cab suspension (code 2069).	1,467.40
	BL15566	E-SCV, 450 SERIES, Position 4 Electronic Selective Control Valve. Also requires software, AL216739.	1,392.60
	BL15565	E-SCV, 450 Series, Position 3 <i>Electronic SelectiveControl Valve. Also requires software AL216738. Reference installation instructions.</i>	1,282.60
	BL15567	E-SCV, 450 Series, Position 5 Electronic Selective Control Valve. Also requires software AL216740. Reference installation instructions.	1,502.60
	BL15620	M-ICV Control Lever (Joystick) 3 Function  Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	573.10
	BL15563	M-SCV, 200 Series And 450 Series Position 3  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	BL15564	M-SCV, 200 Series And 450 Series Position 4  Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	745.80
	BL15465	Midstack, E-ICV Upgrade Kit from 2 to 3 SCVs Electronic Independent Control Valve. Also requires software, AL216747. Additional also order parts are required. See installation instructions.	825.00
	BL15572	Midstack, E-ICV, 2 Function Electronic Independent Control Valve. Also requires software, AL216743. Additional also order parts are required. See installation instructions.	1,563.10
	BL15573	Midstack, E-ICV, 3 Function Electronic Independent Control Valve. Also requires software, AL216745. Additional also order parts are required. See installation instructions.	2,202.20
	BL15464	Midstack, M-ICV Upgrade Kit from 2 to 3 SCVs with Control Lever (Joystick)  Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	548.90
	BL15570	Midstack, M-ICV, 2 Function Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,221.00
	BL15571	Midstack, M-ICV, 3 Function Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,882.10
	BL15435	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	270.60

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15432	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm), Flat Face Power Beyond Connectors, Class II, ISO 17567 Also requires Power Beyond Return Coupler, BL15433. Additional also order parts are required. See installation instructions.	396.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	270.60
	BL15436	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	291.50
	BL15433	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Free Oil Return, ISO 17567-class 2 Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	396.00
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	149.60
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	200.20
	AL205913	2 HB3 Work Lights, adjustable, rear or front cab roof-mounted Also requires software, AL217723 (For middle worklights on front of roof) or software AL217725 (For inner worklights on rear of roof).  Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position.	312.40
	AL205912	2 HB3 Work Lights, roof-mounted, non-adjustable side mounted Also requires software AL217722 for side-facing worklights on rear of roof.	312.40
	AL204758	Beacon Light, LH Also requires software, AL217718.	250.80
	BL15022	Beacon Light, RH Also requires software, AL217720.	250.80
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50
	AL205881	Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	BL15601	<b>Miscellaneous:</b> Return to Position (RTP) / Electronic Self Leveling (ESL), Wiring Harness Reference Installation Instructions for also order components. Requires software AL219005.	222.20

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204829	ATTACHMENTS FOR FIELD CONVERSIONContinued Tool Box	278.30
	AL208700	Operator Environment: 7-Pin Signal Socket	46.20
	BL15157	Accessory Mounting Bracket	71.50
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	AL207633	Bottle Holder, Floor Mounted, LH	39.60
	BL15522	Bottle Holder, Floormat	46.20
	BRE10015	Cell Phone Mount Kit	59.40
	BRE10147	CommandARM Bracket Not compatible with joystick or GS3 2630 display. Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	AL174265	Field Office For tractors with a refrigerator already installed.	409.20
	AL174262	Field Office without Refrigerator For tractors without a refrigerator installed.	290.40
	AL205894	Internal Rear View Mirror, Front Window Mounted	38.50
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20
	AL208653	Rear Electrically Telescoping Mirror	1,667.60
	AL205891	Rear Window Defrost Element	486.20
	BL15028	Refrigerator For tractors without Field Office.	775.50
	BL15029	Refrigerator For tractors with Field Office.	829.40
	AL205883	Remote Switch, PTO Also requires software, AL210796. See installation instructions. For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554.	154.00
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00

#### 6155R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205893	ATTACHMENTS FOR FIELD CONVERSIONContinued Sunshade Compatible in front and rear. Pull to unroll style.	189.20
	BRE10034	Tablet Mount Kit	75.90
	BL15382	Wiper/Washer, Rear Also requires software, AL216470.	245.30
	BL15374	iTEC Headland Management System Also requires software kit AL209824.	29.70
	AL174225	<b>Transmission:</b> Back-up Alarm For PowrQuad PLUS, AutoQuad and IVT Transmissions. Also requires software, AL178365.	574.20
	AL205866	Creeper, Cab Control Parts	260.70
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	BL15106	<b>Wheel Equipment:</b> Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	861.30
	BL15127	Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,111.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,100.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,305.70
	AL155035	Wheel Reinforcements, Rear For models with 10.8in. (275 mm) bolt circle diameter.	643.50

# 6155R Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 6155RH Cab Tractor

**Equipment for Base Machine** 

```
ENGINE: Tier 4 Emissions Compliant
                                                                Required
John Deere PowerTech PVS Diesel
                                                                Video Capability with Tractor Function Activated
  In-line 6-Cylinder Wet-Sleeve
                                                                Triggers
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
155 Engine hp 97/68/EC @ Rated Speed
121 SAE PTO hp @ Rated Speed
                                                                Access Manager
                                                                Universal Machine and Work Monitor
                                                                Reconfigurable Display Function Definable by
                                                                Operator
                                                                iTEC Tractor and Implement Function Control
Variable Geometry Turbocharger and
  Exhaust Gas Recirculation
                                                              OPERATOR PROTECTIVE STRUCTURE
                                                              ComfortView Cab with Air Conditioning
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
                                                                and Heater
  Permanent Pre-Cleaning and Safety Element
                                                              One Panorama LH Door
                                                              One Panorama RH Window
Deluxe Corner Post Exhaust
Self Priming and Bleeding Electronic Fuel Pump 76.6 Gal. (290 L) Fuel Tank Capacity 4.2 Gal. (16 L) DEF Tank Size Capacity
                                                              Front Windshield Washer and Wiper
                                                              Air Suspended Seat with Seat Belt
                                                              Tilt/Telescopic Steering Column
Intelligent Power Management
                                                              Operational Controls Console Mounted
                                                              Floor Mat
Foot Throttle Control
TRANSMISSION:
16/16 PowrQuad PLUS; 19 mph (30km/h) Electronic LH Reverser
                                                              Diff Lock Switch
                                                              AM/FM Stereo Radio with Weatherband,
Perma-Clutch II (Hydraulically Engaged Wet Disk Clutch)
                                                                Clock, Two Speakers and Antenna
                                                              Coat hook
Speed Matching
                                                              Overhead Storage Bin
                                                              Left Hand Storage Bin and Accessory Outlet
Park Lock
                                                              Overhead Courtesy Light
Neutral Safety Start System
                                                              Rear View Mirror
STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering
                                                              Cup Holder on RH console
                                                              Sun Visor
                                                              Right Hand Steps and Hand Rail
Wet-Disk Hydraulic Power Brakes
Hydraulically-Engaged Rear Axle Differential Lock
                                                              ELECTRICAL:
                                                              Key Shutoff
HYDRAULICS:
                                                              12 Volt Electrical System
Pressure and Flow Compensating Axial
  Piston Pump
                                                              12 Volt Battery, 154 Ah (1230 Cold
30 GPM (114 L/min) Pump Output
                                                                Cranking Amps)
26.4 GPM (100 L/min) Flow @ One SCV
                                                              200 Amp Alternator
Three 450 Series SCVs; Mechanical with ISO Breakaway Couplers
                                                              3 Pin Accessory Outlet
                                                              Multi-Power Outlet Sockets
                                                              7 Terminal Rear Implement
Electrical Outlet Socket
540/1000 RPM, 1-3/8 In. Independent Rear PTO,
Reversible Shaft and PTO Master Shield
                                                              12V Electrical Convenience
                                                                Outlet on RH Console
Electrohydraulic Activation
Wet Multi-Disk Clutch
                                                              LIGHTS:
Neutral Start Safety System
Seat Activated PTO Warning
                                                              Four Front Grille Headlights
                                                              Two Front Grille Worklights
                                                              Two Belt Line Mounted Lights
ROCKSHAFT, HITCH AND DRAWBAR:
                                                              Four Front Roof Lights
Electrohydraulic Hitch with Transport
                                                              Two Rear Roof Lights
  Lock and External Remote Controls
                                                              Four Roof Mounted Flashing
  3-Point (Category 3/3N) Hitch
                                                                Hazard Lights
9,193 Lb. Lift Capacity
                                                              Two Rear Fender Tail Lights with
Electronic Lower Link Draft Sensing
                                                                Brake Lights
Telescopic Draft Links
Swav Blocks
                                                              FRONT AXLE WHEELS AND TIRES:
Category 2 Swinging Drawbar with Hammerstrap
Secondary Implement Chain Support
                                                              MFWD
                                                              Steel Wheels
Adjustable Center Link with Ball End
                                                              Electrohydraulic MFWD Engagement
                                                              Two 320/90R46 In. 148A8 R2 Radial Tires
INSTRUMENTATION:
Dashboard Instrument Panel Includes:
                                                              REAR AXLE WHEELS AND TIRES:
                                                              High Crop Drop Axle
Two Steel Wheels
  Tachometer
  Speedometer
  Hour Meter
                                                              Two 18.4R38 In. 141A8 R2 Radial Tires
  Fuel Gauge
  Diesel Exhaust Fluid Gauge
                                                              MISCELLANEOUS:
  Engine Oil Pressure Indicator Light
                                                              JDLink Capable
  Coolant Temperature
                                                              Operator's Manual (English) and Holder
  PTO Engagement
                                                              SMV Emblem
  Engine Air Filter Restriction Indicator
  Alternator
  Directional Indicators
  Hazard Switch
CommandCenter 7 In. Display with 4100 Processor
Includes:
  Generation 4 AutoTrac Capability - Activation
```

#### 6155RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE  EX-WORKS Waterloo, Iowa	
08X0RW		6155RH Cab Tractor	153,530.00
00/10/11/1			100,000.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0443		Spanish Operator's Manual	Same Price
0445		French Operator's Manual	Same Price
		OPERATOR STATION	
2051		Economy Cab with RH Console Includes: 1 LH Panorama Door, RH Steps, Generation 4 CommandCenter Display located on RH Console, Front Windshield Washer and Wiper, Front Sun Visor, Manual Temperature Controls, Air Seat (Sears), Overhead Storage Bin, Cup Holder in RH Console, Overhead Reading Light, Coat Hook, Inner Rear View Mirror, Multi Power Outlet Strip, 7-Pin Signal Interface Socket, Two 3-Pin Plugs, and iTec.	In Base Price
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2061		Standard Cab with RH Console Includes in addition to Economy Cab package: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat and Bottle Holder.	1,899.00
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2065		Premium Cab with RH Console Includes in addition to Standard Cab with RH Console package: RH Openable Door, Wide Angle Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control.	4,752.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	In Base Price

#### 6155RH Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1945		4100 Processor Requires Code 1823 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input. CommandCenter AutoTrac Activation Capable only. Use of GS3 activations will require a GS3 2630 display.	In Base Price
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS	
		All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more information.  Option availability limited by specific geographical regions.	
1823		Single 7 In. CommandCenter Display	In Base Price
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.	
		GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.	
		Field installed activations are available through the AMS prices pages.  Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions.  Please refer to region specific price pages for appropriate ordering codes.	
1845		Less Activations	In Base Price
		RECEIVER	

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracy.

-RTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover,

and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for

appropriate ordering codes.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at

www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

1835 Less StarFire 3000 Receiver In Base Price

#### 6155RH Cab Tractor

Continued

#### ATTACHMENT CODE IDENTIFIER

#### **DESCRIPTION**

SUGGESTED LIST PRICE USD (\$)

#### RECEIVER ... Continued...

Tractor includes deluxe receiver mounting bracket only.

Note: When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to

retrofit an iTČ Receiver.

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Options with JDLink Connect include (insert the options that apply from the list below):

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor
- 1 Ethernet harness routed from the MTG to the optional display port
- Antenna wiring harness for the Machine Communication Radio (MCR)
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink Ultimate features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG)

Subscription length of contract varies; Subscription renewal required after term of service for continued functionality.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1885 JDLink Capable

In Base Price

Includes cab wiring harness

Requires field kit installation, activation, and subscription for JDLink functionality.

Not Compatible with Code 8063 (Ethernet Switch).

1881

JDLink Connect - Subscription Not Included

1,430.00

Includes JDLink hardware, and (1 or 2) Ethernet harness(es) (and Machine Communication

 $Radio\ antenna\ harness.$ 

Does not include JDLink Connect 1 Year Subscription, Machine Communication

Radio and antenna.

Not available in United States, Canada, Australia, New Zealand.

188J

JDLink Connect - 1 Year Subscription Included

1,430.00

Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 1 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna

harness

Does not include the Machine Communication Radio and antenna.

Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.

188K JDLink Connect - 3 Year Subscription Included

2,630.00

#### 6155RH Cab Tractor

3820		540/1000 RPM Rear Reversible PTO	In Base Price
		POWER TAKE-OFF	
3331		Three Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	1,528.00
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers  Not compatible with Code 2065.	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3223		Hydraulic Pump- 144 L/min, 45ccm, PFC System	In Base Price
		HYDRAULIC PUMP	
		Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna.  Not available for Australia or New Zealand.  *Not available for Android phones until September 2015.	
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3	352.00
2660		Standard Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
		RADIO PACKAGES	
		Requires Code 8743 (240 amp alternator).	
1830		GreenStar Ready/ISOBUS Ready Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.	814.00
1834		No GreenStar Ready	
1924		GREENSTAR AND AUTOTRAC	In Base Price
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable RE556567 (order from Service parts) is required to connect Display to MTG.	
		Does not include the Machine Communication Radio and antenna.	
		<b>MACHINE CONNECTIVITYContinued</b> Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 3 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
	ATTACHMENT		SUGGESTED LIST PRICE

#### 6155RH Cab Tractor

POWER TAKE-OFFContinued  Includes 1-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base I  CENTER LINK  4213 Center Link with Ball End Category 3  In Base I  STABILIZERS  4410 Sway Control Blocks In Base I  REAR AXLES  High Crop Drop Axle (60-88 In. Adjustment)  Available only with Code 1/437 (PowerQuad PLUS 30K), High crop drawbar included.  WHEELS AND HUBS  5090 Adjustable Sizel Wheels  Requires Code 3028.  REAR WHEELS AND TIRES  For complete tire and wheel information, refer to the Agricultural Sales Manual.  REAR WHEELS AND TIRES:  A Speed Rated RCI Group 45 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 45 MFWD Front Tire with same tread type and brand preference.  5301 18.4R38 In. 14148 R2 Radial in Single Wheel Configuration  Available in Goodyear only. Requires Code 6389.  Requires Code 5028 (High Crop Drop Axle).  A Speed Rated RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 MFWD Front Tire with same tread type and brand preference.	6040	MFWD Front Axle	In Base Price
POWER TAKE-OFFContinued  Includes 1-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base I  CENTER LINK  4213 Center Link  4214 Center Link With Ball End Category 3 In Base I  STABILIZERS  4410 Sway Control Blocks In Base I  REAR AXLES  High Crop Drop Axle (60-88 In. Adjustment)  Available only with Code 1437 (PowerQuad PLUS 30K). High crop drawbar included.  WHEELS AND HUBS  5090 Adjustable Steel Wheels  Requires Code 5028.  REAR WHEELS AND TIRES  For complete tire and wheel information, refer to the Agricultural Sales Manual.  REAR WHEELS AND TIRES:  A Speed Rated RCI Group 45 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 45 MFWD From Tire with same tread type and brand preference.  1301 18.4R38 In. 141A8 R2 Radial in Single Wheel Configuration  Available in Goodyear only. Requires Code 6389.  Requires Code 5028 (High Crop Drop Axle).  A Speed Rated RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  Use with the proper RCI Group 46 Size Tires  Listed Narrowest to Widest  A Speed Rated RCI Group 46 Size Tires  Listed Narrowest to Widest  A Speed Rated RCI Group 46 Size Tires  Lis			
POWER TAKE-OFFContinued Includes I-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base I  CENTER LINK  4213 Center Link with Ball End Category 3 In Base I  STABILIZERS  4410 Sway Control Blocks In Base I  REAR AXLES  5028 High Crop Drop Axle (60-88 In. Adjustment) Available only with Code I 437 (PowerQuad PLUS 30K). High crop drawbar included.  WHEELS AND HUBS  5090 Adjustable Steel Wheels Requires Code 5028.  REAR WHEELS AND TIRES  For complete tire and wheel information, refer to the Agricultural Sales Manual.  REAR WHEELS AND TIRES:  A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 45 MFWD Front Tire with same tread type and brand preference.  5301 18 AR38 In. 141A8 R2 Radial in Single Wheel Configuration Available in Goodyear only, Requires Code 6389. Requires Code 5028 (High Crop Drop Axle).  A Speed Rated RCI Group 46 MFWD Front Tire with same tread type and brand Available in Goodyear only, Requires Code 6389. Requires Code 5028 (High Crop Drop Axle).	5302	Available in Goodyear only. Requires Code 6390.	110.00
POWER TAKE-OFFContinued Includes 1-3/8 In. shaft.  DRAFT LINKS  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base I  CENTER LINK  4213 Center Link with Ball End Category 3 In Base I  STABILIZERS  4410 Sway Control Blocks In Base I  REAR AXLES  5028 High Crop Drop Axle (60-88 In. Adjustment) Available only with Code 1437 (PowerQuad PLUS 30K). High crop drawbar included.  WHEELS AND HUBS  5090 Adjustable Steel Wheels Requires Code 5028. In Base I  REAR WHEELS AND TIRES  For complete tire and wheel information, refer to the Agricultural Sales Manual.  REAR WHEELS AND TIRES:  A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 45 MFWD From Tire with same tread type and brand preference.  5301 18.4R38 In. 141A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6389.		Listed Narrowest to Widest Use with the proper RCI Group 46 MFWD Front Tire with same tread type and brand	
POWER TAKE-OFFContinued Includes 1-3/8 In. shaft.  DRAFT LINKS  1121 Draft Links with Telescopic Ball End Category 3N/3 In Base I  CENTER LINK  4213 Center Link with Ball End Category 3 In Base I  STABILIZERS  4410 Sway Control Blocks In Base I  REAR AXLES  1028 High Crop Drop Axle (60-88 In. Adjustment) Available only with Code 1437 (PowerQuad PLUS 30K). High crop drawbar included.  WHEELS AND HUBS  5090 Adjustable Steel Wheels Requires Code 5028.  REAR WHEELS AND TIRES  For complete tire and wheel information, refer to the Agricultural Sales Manual.  REAR WHEELS AND TIRES:  A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 45 MFWD Front Tire with same tread type and brand	5301	Available in Goodyear only. Requires Code 6389.	In Base Price
POWER TAKE-OFFContinued Includes 1-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base I  CENTER LINK  4213 Center Link with Ball End Category 3 In Base I  STABILIZERS  4410 Sway Control Blocks In Base I  REAR AXLES  5028 High Crop Drop Axle (60-88 In. Adjustment) Available only with Code 1437 (PowerQuad PLUS 30K). High crop drawbar included.  WHEELS AND HUBS  5090 Adjustable Steel Wheels Requires Code 5028.  REAR WHEELS AND TIRES		A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 45 MFWD Front Tire with same tread type and brand	
POWER TAKE-OFFContinued  Includes 1-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base In Bas			
POWER TAKE-OFFContinued Includes 1-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base In Center Link with Ball End Category 3 In Base In Stabilizers  STABILIZERS  4410 Sway Control Blocks In Base In Rear AXLES  High Crop Drop Axle (60-88 In. Adjustment) In Base	5090	Adjustable Steel Wheels	In Base Price
POWER TAKE-OFFContinued Includes 1-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base	5028	High Crop Drop Axle (60-88 In. Adjustment)	In Base Price
POWER TAKE-OFFContinued Includes 1-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base F  CENTER LINK  4213 Center Link with Ball End Category 3 In Base F	4410	Sway Control Blocks	In Base Price
POWER TAKE-OFFContinued Includes 1-3/8 In. shaft.  DRAFT LINKS  4121 Draft Links with Telescopic Ball End Category 3N/3 In Base	4213		In Base Price
POWER TAKE-OFFContinued Includes 1-3/8 In. shaft.  DRAFT LINKS		CENTER LINK	
POWER TAKE-OFFContinued	4121		In Base Price
	CODE		LIST PRICE USD (\$)

#### 6155RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRES	
6389		RCI Group 45 Size Tires Two Multi-Position Steel Wheels 320/90R46 In. 148A8 R2 Radial Available in Goodyear only.	In Base Price
6390		RCI Group 46 Size Tires Two Multi-Position Steel Wheels 320/90R50 In. 147A8 R1W Radial Available in Goodyear.	2,986.00
		TIRE BRAND PREFERENCE	
5999		No Brand Preference	In Base Price
8063		Ag Management Solutions: Ethernet Switch Not compatible with Code 1885 (JDLink Capable). Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	591.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted) Not compatible with Code 1830 (GreenStar Ready) or Code 1832 (AutoTrac Ready).	35.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package) and Code 8276 (Roller Blind). Note: Economy and Standard Cab Packages ordered with Panorama Roof do not include a Sun Visor.	597.00
8276		Front and Rear Roller Blind	289.00
8274		Rear Window Defrost	457.00
8307		Bottom Guard for Fuel Tank	77.00
873A		Lighting Packages: Standard Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	1,764.00

#### 6155RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873C		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued  Premium Panorama Roof Light Package  2 Xenon Front roof mounted adjustable worklights.  2 LED Rear roof mounted adjustable worklights.  2 HB3 Halogen Side roof mounted fixed worklights.  2 HB3 Rear fender mounted adjustable worklights.  1 Beacon light.  Includes base lighting less 2 inner front roof work lights.  Only available with 878W (Panorama Roof).	2,727.00
873F		Standard Light Package 2 LED Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,203.00
873E		Premium Light Package 2 LED Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 LED Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	3,140.00
8002		Chassis: Toolbox	77.00
8756		Hydraulic Trailer Brakes	414.00
8435		Hitch and Drawbar: High Clearance Drawbar with Hammerstrap and Chainholder Only available with High Crop.	In Base Price
8448		Quik-Coupler (Category 3N/3)	In Base Price
832J		Power Beyond for Rear SCV's	582.00
8300		Engine: Cold Start Package   Includes 174Ah battery and Engine Coolant Heater (110V). Not compatible with Code 8301. Not available for Australia, New Zealand, or Israel.	591.00
8301		Cold Start Package II Includes 174Ah battery, engine block heater (110V), ground fault interrupter, charge pump heater, and transmission oil pump heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 8300. Not available for Australia, New Zealand, or Israel.	750.00
8743		240 Amp Alternator Required for Code 1530 (DirectDrive transmission) and Ag Management Solutions Codes 1830 (GreenStar Ready) or 1832 (AutoTrac Ready).	187.00
878B		Battery Circuit Breaker Located at top of left hand steps.	143.00

#### 6155RH Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8951		Quik-Tatch Front-End Weight Packages: Front Weight Support (110 kg / 242 Lb.) Holds up to 18 Front Weights.	377.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lb. Front, Subtract 384 Lb. Rear.	1,265.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lb. Front, Subtract 463 Lb. Rear.	1,488.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lb. Front, Subtract 540 Lb. Rear.	1,710.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lb. Front, Subtract 619 Lb. Rear.	1,932.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lb. Front, Subtract 774 Lb. Rear.	2,376.00
8971		Rear Wheel Weights Rear Wheel Weights- 410 kg (904 Lb.), Inside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.	1,162.00
8970		Rear Wheel Weights- 820 kg (1,808 Lb.), Inside/Drive Wheel 4 x 205 kg, 820 kg total weight, split on both sides.  Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,325.00
8975		Rear Wheel Weights- 410 kg (904 Lb.), Outside/Drive Wheel $2 \times 205 \text{ kg}$ , $410 \text{ kg}$ total weight, split on both sides. Not compatible with duals.	1,162.00
8976		Rear Wheel Weights- $554 \text{ kg}$ (1,221 Lb.), Outside/Drive Wheel $2 \times 72 \text{ kg} \& 2 \times 205 \text{ kg}$ , $554 \text{ kg}$ total weight, split on both sides. Not compatible with duals.	1,587.00

# AGRICULTURAL PRODUCTS

# JOHN DEERE TRACTORS 6155RH Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 6175R Cab Tractor

#### **Equipment for Base Machine**

```
ENGINE: Tier 4 Emissions Compliant
                                                            Required
John Deere PowerTech PVS Diesel
                                                            Video Capability with Tractor Function Activated
  In-line 6-Cylinder Wet-Sleeve
                                                            Triggers
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
175 Engine hp 97/68/EC @ Rated Speed
                                                            Access Manager
                                                            Universal Machine and Work Monitor
                                                            Reconfigurable Display Function Definable by
                                                            Operator
140 SAE PTO hp @ Rated Speed
                                                          iTEC Tractor and Implement Function Control
Variable Geometry Turbocharger and
                                                          OPERATOR PROTECTIVE STRUCTURE
  Exhaust Gas Recirculation
                                                          ComfortView Cab with Air Conditioning
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
                                                            and Heater
  Permanent Pre-Cleaning and Safety Element
                                                          One Panorama LH Door
                                                          One Panorama RH Window
Deluxe Corner Post Exhaust
Self Priming and Bleeding Electronic Fuel Pump 88.5 Gal. (335L) Fuel Tank Capacity 5.3 Gal. (20 L) DEF Tank Size Capacity
                                                          Front Windshield Washer and Wiper
                                                          Air Suspended Seat with Seat Belt
                                                          Tilt/Telescopic Steering Column
Intelligent Power Management
                                                          Operational Controls Console Mounted
                                                          Floor Mat
Foot Throttle Control
TRANSMISSION:
20/20 AutoQuad PLUS ECO; 25 mph (40km/h)
                                                          Diff Lock Switch
  Reduced engine rpm's at max transport speed
                                                          AM/FM Stereo Radio with Weatherband,
Electronic LH Reverser
                                                            Clock, Two Speakers and Antenna
Perma-Clutch II (Hydraulically Engaged
                                                          Coat hook
                                                          Overhead Storage Bin
  Wet Disk Clutch)
Speed Matching
                                                          Left Hand Storage Bin and Accessory Outlet
                                                          Overhead Courtesy Light
Park Lock
Neutral Safety Start System
                                                          Rear View Mirror
                                                          Cup Holder on RH console
STEERING, BRAKES, DIFFERENTIAL:
                                                          Sun Visor
Hydrostatic Steering
                                                          Right Hand Steps and Hand Rail
Wet-Disk Hydraulic Power Brakes
Hydraulically-Engaged Rear Axle Differential Lock
                                                          ELECTRICAL:
                                                          Key Shutoff
                                                          12 Volt Electrical System
HYDRAULICS:
                                                          12 Volt Battery, 154 Ah (1230 Cold
Pressure and Flow Compensating Axial
  Piston Pump
                                                            Cranking Amps)
41 GPM (155 L/min) Pump Output
                                                          200 Amp Alternator
                                                          3 Pin Accesory Outlet
Multi-Power Outlet Sockets
26.4 GPM (100 L/min) Flow @ One SCV
Three 450 Series SCVs; Mechanical with ISO
                                                          7 Terminal Rear Implement
  Breakaway Couplers
                                                            Electrical Outlet Socket
                                                          12V Electrical Convenience
REAR PTO:
540/1000 RPM, 1-3/8 In. Independent Rear PTO,
Reversible Shaft and PTO Master Shield
                                                            Outlet on RH Console
Electrohydraulic Activation
                                                          LIGHTS:
Wet Multi-Disk Clutch
                                                          Four Front Grille Headlights
Neutral Start Safety System
                                                          Two Front Grille Worklights
Seat Activated PTO Warning
                                                          Two Belt Line Mounted Lights
                                                          Four Front Roof Lights
                                                          Two Rear Roof Lights
ROCKSHAFT, HITCH AND DRAWBAR:
Electrohydraulic Hitch with Transport
                                                          Four Roof Mounted Flashing
  Lock and External Remote Controls
                                                            Hazard Lights
  3-Point (Category 3/3N) Hitch
                                                          Two Rear Fender Tail Lights with
10,697 Lb. Lift Capacity
                                                            Brake Lights
Electronic Lower Link Draft Sensing
Telescopic Draft Links
                                                          FRONT AXLE WHEELS AND TIRES:
Sway Blocks
Category 2 Swinging Drawbar with Hammerstrap
                                                          Steel Wheels
Secondary Implement Chain Support
                                                          Electrohydraulic MFWD Engagement
Adjustable Center Link with Ball End
                                                          Two 420/90R30 In. 142A8 R1 Radial Tires
INSTRUMENTATION:
                                                          REAR AXLE WHEELS AND TIRES:
Dashboard Instrument Panel Includes:
                                                          Rack and Pinion Axle;
  Tachometer
                                                          100.4 In. Length x 3.937 In. (100 mm) Diameter
  Speedometer
                                                          Two Cast Wheels
                                                          Two 480/80R46 In. 158A8 R1 Radial Tires
  Hour Meter
  Fuel Gauge
  Diesel Exhaust Fluid Gauge
                                                          MISCELLANEOUS:
  Engine Oil Pressure Indicator Light
                                                          JDLink Capable
  Coolant Temperature
                                                          Operator's Manual (English) and Holder
  PTO Engagement
                                                          SMV Emblem
  Engine Air Filter Restriction Indicator
  Alternator
  Directional Indicators
  Hazard Switch
CommandCenter 7 In. Display with 4100 Processor
Includes:
  Generation 4 AutoTrac Capability - Activation
```

#### 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
-		EX-WORKS Waterloo, Iowa	
08L0RW		6175R Cab Tractor	158,044.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0443		Spanish Operator's Manual	Same Price
0445		French Operator's Manual	Same Price
		OPERATOR STATION	
2051		Economy Cab with RH Console Includes: 1 LH Panorama Door, RH Steps, Generation 4 CommandCenter Display located on RH Console, Front Windshield Washer and Wiper, Front Sun Visor, Manual Temperature Controls, Air Seat (Sears), Overhead Storage Bin, Cup Holder in RH Console, Overhead Reading Light, Coat Hook, Inner Rear View Mirror, Multi Power Outlet Strip, 7-Pin Signal Interface Socket, Two 3-Pin Plugs, and iTec.	In Base Price
2061		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).  Standard Cab with RH Console Includes in addition to Economy Cab package: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat and Bottle Holder.	1,899.00
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2062		Standard Cab with CommandARM Same as Standard Cab with RH Console except: CommandARM.	1,899.00
		Requires Electronic SCV's.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions).	
2065		Premium Cab with RH Console Includes in addition to Standard Cab with RH Console package: RH Openable Door, Wide Angle Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control.	4,752.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2066		Premium Cab with CommandARM Same as Premium Cab with RH Console except: CommandARM.	4,752.00

#### 6175R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
2069		Premium Cab with RH Console and Cab Suspension Includes in addition to Premium Cab with RH Console package: Adaptive Hydraulic Cab Suspension Plus.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2070		Premium Cab with CommandARM and Cab Suspension Same as Premium Cab with RH Console and Cab Suspension package except: CommandARM.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,121.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2wd front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function.  Requires Code 6064 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders). Not compatible with Code 6022 (2wd front axle).	Same Price
1530		DirectDrive ECO Transmission (25 mph/40 kmh) 24F/24R Includes CommandARM Console. Requires Code 8743 (240 amp alternator). Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	6,324.00
1551		Infinitely Variable Transmission (25 mph/40 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
		Requires Code 6064 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders).	
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	

In Base Price

1945

4100 Processor

#### 6175R Cab Tractor

	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Continued	
		Requires Code 1823 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input.	
		CommandCenter AutoTrac Activation Capable only.	
		Use of GS3 activations will require a GS3 2630 display.	
1946		4600 Processor	1,500.00
		Requires Code 1822 -10 In. CommandCenter Display.	
		Includes tractor CommandCenter controls and 4 video inputs.  CommandCenter AutoTrac Activation Capable.	
		Upgradeable to future CommandCenter software activations, when available.	
		Use of GS3 activations will require a GS3 2630 display.	
		Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS	
		All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more	
		information.	
		Option availability limited by specific geographical regions.	
1823		Single 7 In. CommandCenter Display	In Base Price
1822		Single 10 In. CommandCenter Display	495.00
.022		Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	.00.00
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS  CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages.  Warranty on all Activations will be handled by AMS and will carry normal AMS warranty	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages.	
1845		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions.	In Base Price
1845 1851		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages.  Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions.  Please refer to region specific price pages for appropriate ordering codes.  Less Activations  CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor).	
		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.  Less Activations  CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor). Requires order Code 1832 AutoTrac Ready.	1,000.00
1851		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.  Less Activations  CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor). Requires order Code 1832 AutoTrac Ready.  Includes Non-transferrable, AutoTrac functionality on the CommandCenter.  CommandCenter AutoTrac Activation - 4600 Processor	In Base Price 1,000.00
1851		CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.  Less Activations  CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor).  Requires One 1832 AutoTrac functionality on the CommandCenter.  CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 (4600 Processor).	1,000.00

#### 6175R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued  Tractor includes deluxe receiver mounting bracket only.  StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracyRTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.	
		GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only. Note: When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab.	7,195.00

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

 $Options\ with\ JDLink\ Connect\ include\ (insert\ the\ options\ that\ apply\ from\ the\ list\ below):$ 

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).

- 1 Ethernet harness routed from the MTG to the optional display port
- Antenna wiring harness for the Machine Communication Radio (MCR)
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink Ultimate features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG).

Subscription length of contract varies; Subscription renewal required after term of service for continued functionality.

Option availability limited by specific geographical regions. Please refer to region specific

#### 6175R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness Requires field kit installation, activation, and subscription for JDLink functionality. Not Compatible with Code 8063 (Ethernet Switch).	In Base Price
1881		JDLink Connect - Subscription Not Included Includes JDLink hardware, and (1 or 2) Ethernet harness(es) (and Machine Communication Radio antenna harness. Does not include JDLink Connect 1 Year Subscription, Machine Communication Radio and antenna. Not available in United States, Canada, Australia, New Zealand.	1,430.00
188J		JDLink Connect - 1 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 1 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	1,430.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
188K		JDLink Connect - 3 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 3 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	2,630.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable RE556567 (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	

GREENST	AR AND	) AUTOTE	CAC
---------	--------	----------	-----

1834	No GreenStar Ready	In Base Price
1830	GreenStar Ready/ISOBUS Ready Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.	814.00

 $Requires\ Code\ 8743\ (240\ amp\ alternator).$ 

#### 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION  GREENSTAR AND AUTOTRACContinued	SUGGESTED LIST PRICE USD (\$)
1832		AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2wd front axle).  Requires Code 8743 (240 amp alternator).	4,618.00
		RADIO PACKAGES	
2660		Standard Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand. *Not available for Android phones until September 2015.	352.00
		HYDRAULIC PUMP	
3240		Hydraulic Pump- 155 L/min, 60ccm, PFC System	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions).  Not compatible with Codes 2065, 2066, 2069, or 2070 cab packages.	In Base Price
3331		Three Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	1,528.00
3341		Four Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	2,391.00
3351		Five Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).	3,254.00
3361		Six Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).  Not compatible with Code 832J (Power Beyond).  Not compatible with codes 8911, 8916, 8917, 8924, or 8926 (Loader Packages).	4,117.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/8 In. shaft.	In Base Price
3833		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. and 1-3/8 In. shafts. 540E is an economy mode that allows engine to run at	889.00

#### 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE-OFFContinued lower RPM and save fuel.	
3822		3-Speed 540E/1000/1000E Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. and 1-3/8 In. shafts. 540E and 1000E are economy modes that allows engine to run at lower RPM and save fuel. Not available with 30K transmission.	889.00
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End Category 3N/3	In Base Price
		CENTER LINK	
4213		Center Link with Ball End Category 3	In Base Price
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
5063		REAR AXLES  Rack and Pinion 3.94 In. (100mm) Diameter by 100.4 In. Length	In Base Price
5005		· · · · · · · · · · · · · · · · · · ·	III base Filce
5047		Rack and Pinion 3.94 In. (100mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	494.00
5064		Rack and Pinion 3.94 In. (100mm) Diameter by 118.5 In. Length <i>Includes extremity lights</i> .	729.00
		WHEELS AND HUBS	
5091		Adjustable Cast Wheels	In Base Price
		REAR WHEELS AND TIRES	
		For complete tire and wheel information, refer to the Agricultural Sales Manual.	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration  Available in Goodyear only.	1,440.00
		Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only.	10,783.00
		Requires Code 5051,5047 or 5064 (Rack & Pinion).	

#### 6175R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5101		REAR WHEELS AND TIRESContinued 380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	-231.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051,5047 or 5064 (Rack & Pinion).	7,742.00
5102		18.4R46 In. 155A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	531.00
5502		18.4R46 In. 155A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051,5047 or 5064 (Rack & Pinion).	10,902.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	In Base Price
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,066.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	Same Price
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,066.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	1,785.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only.  Requires Code 5051, 5047, or 5064 (Rack and Pinion).	11,074.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	96.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,217.00
5145		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	96.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,217.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	1,346.00

#### 6175R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5506		REAR WHEELS AND TIRESContinued 520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	10,897.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	2,020.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	2,992.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	14,189.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion)	2,992.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5051,5047 or 5064 (Rack & Pinion).	14,189.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion).	4,459.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	16,821.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion).	4,459.00
5540		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051,5047 or 5064 (Rack & Pinion).	16,821.00
		A Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6040, 6060, or 6064.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,824.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5047 or 5064 (Rack & Pinion).	11,551.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,623.00

## 6175R Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5601		REAR WHEELS AND TIRESContinued 480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5047 or 5064 (Rack & Pinion).	11,450.00
5231		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	2,323.00
5631		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Michelin. Requires Code 5047 or 5064 (Rack & Pinion).	12,150.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin, or Mitas / Continental. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,483.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,751.00
5224		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Mitas / Continental. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	4,267.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	4,924.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	5,814.00
5237		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	5,264.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
		Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5113		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	1,199.00
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051, 5047, or 5064 (Rack & Pinion).	10,302.00
5115		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	1,199.00

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5515		REAR WHEELS AND TIRESContinued 480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051, 5047, or 5064 (Rack & Pinion).	10,302.00
5116		710/70R38 In. 171B R1W Radial in Single Wheel Configuration Available in Goodyear or Michelin. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	5,829.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5210		480/80R50 In. 159B R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	2,649.00
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Requires Code 5047 or 5064 (Rack & Pinion).	13,502.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	5,249.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	6,640.00
		FRONT AXLES	
6040		MFWD Front Axle	In Base Price
6060		MFWD Front Axle and Triple Link Suspension PLUS	3,959.00
6064		MFWD Front Axle and Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,380.00
		FRONT WHEELS AND TIRES	

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6040, 6060, or 6064):	
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only.	875.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear.	307.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	2,029.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only.	1,894.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear.	764.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only.	862.00
6104		480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear.	422.00
6110		600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear.	3,162.00
		RCI Group 43 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, or Michelin.	1,441.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone & Goodyear.	1,409.00
6204		480/70R34 In. 143A8 R1W Radial Available in Mitas / Continental.	1,335.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone & Goodyear.	2,269.00
6206		480/70R34 In. 146A8 R1W Radial Available in Michelin.	2,729.00
6246		480/70R34 In. 146A8 R2 Radial Available in Goodyear.	1,191.00

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TIRE BRAND PREFERENCE	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Mitas / Continental Only	400.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8063		Ag Management Solutions: Ethernet Switch Not compatible with Code 1885 (JDLink Capable). Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	591.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted) Not compatible with Code 1830 (GreenStar Ready) or Code 1832 (AutoTrac Ready).	35.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package) and Code 8276 (Roller Blind). Note: Economy and Standard Cab Packages ordered with Panorama Roof do not include a Sun Visor.	597.00
8276		Front and Rear Roller Blind	289.00
8274		Rear Window Defrost	457.00
878U		Dual Beam Ground Speed Radar Sensor	910.00
8307		Bottom Guard for Fuel Tank	77.00
873A		Lighting Packages: Standard Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	1,764.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 LED Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	2,727.00

## 6175R Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Standard Light Package 2 LED Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,203.00
873E		Premium Light Package  2 LED Front roof mounted adjustable worklights.  2 HB3 Halogen Front roof mounted adjustable worklights.  2 LED Rear roof mounted adjustable worklights.  2 HB3 Halogen Side roof mounted fixed worklights.  2 HB3 Rear fender mounted adjustable worklights.  1 Beacon light.	3,140.00
8916		Loader Packages: Loader ready - Electronical Midstack SCV 2 functions Includes: 2 function electrical midstack control valve, electronic joystick (connected to the valve), wiring harness, electronic joystick with 5 buttons and rocker switch for tractor functions, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.	5,234.00
		Compatible with Return to position (code 8905).  Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.	
8911		Loader ready - Mechanical Midstack SCV 3 functions Includes: 3 function mechanical independent control valve, mechanical joystick (connected to the valve) plus wiring harnesses, joystick button for front loader suspension, joystick button for one rocker switch for the 3rd function, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.	5,187.00
		Gear shifting (code 8214) included in base.  Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.  Requires PowrQuad Plus or AutoQuad Plus.	
8917		Loader ready - Electrical Midstack SCV 3 functions Includes: 3 function electrical independent control valve, electrical joystick (connected to the valve) plus wiring harnesses, electronic joystick with 5 buttons and rocker switch for tractor functions, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.  Compatible with Return to position (code 8905)	6,294.00
		Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.	
8924		Loader Preparation- Mechanical Independent Control Valve 3 Function Includes: 3-function mechanical midstack control valve, 3-function mechanical Joystick with activated Speed Shifting Buttons, activated rocker switch, and loader suspension button. Requires PowrQuad or AutoQuad Transmission.	3,238.00
8926		Loader Preparation- Electrical Independent Control Valve 3 Function Includes: 3-function electrical midstack control valve, 3-function electrical Joystick with five reconfigurable buttons and activated rocker switch.	4,678.00

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	SUGGESTED LIST PRICE USD (\$)
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	547.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility.	851.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	624.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for Codes 1465 and 1552 (50K transmission).	414.00
8434		Hitch and Drawbar: Swinging Drawbar with Hammerstrap and Chainholder	In Base Price
8448		Quik-Coupler (Category 3N/3)	1,407.00
832J		Power Beyond for Rear SCV's Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank return and drain. All couplers are flatface coupler. Includes pressure free return.  Not compatible with Code 3361 (6th SCV).	582.00
8300		Engine: Cold Start Package I Includes 174Ah battery and Engine Coolant Heater (110V). Not compatible with Code 8301. Not available for Australia, New Zealand, or Israel.	591.00
8301		Cold Start Package II Includes 174Ah battery, engine block heater (110V), ground fault interrupter, charge pump heater, and transmission oil pump heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 8300. Not available for Australia, New Zealand, or Israel.	750.00
8304		Fuel Heating System Equipped with a 12V fuel heating system attached to the fuel filter.	141.00
8743		240 Amp Alternator Required for Code 1530 (DirectDrive transmission) and Ag Management Solutions Codes 1830 (GreenStar Ready) or 1832 (AutoTrac Ready).	187.00
878B		Battery Circuit Breaker	143.00

### 6175R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8951		Quik-Tatch Front-End Weight Packages: Front Weight Support (110 kg / 242 Lb.) Holds up to 18 Front Weights.	377.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lb. Front, Subtract 384 Lb. Rear.	1,265.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lb. Front, Subtract 463 Lb. Rear.	1,488.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lb. Front, Subtract 540 Lb. Rear.	1,710.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lb. Front, Subtract 619 Lb. Rear.	1,932.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lb. Front, Subtract 774 Lb. Rear.	2,376.00
8971		Rear Wheel Weights Rear Wheel Weights- 410 kg (904 Lb.), Inside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.	1,162.00
8970		Rear Wheel Weights- 820 kg (1,808 Lb.), Inside/Drive Wheel 4 x 205 kg, 820 kg total weight, split on both sides.  Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,325.00
8975		Rear Wheel Weights- 410 kg (904 Lb.), Outside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.  Not compatible with duals.	1,162.00
8976		Rear Wheel Weights- 554 kg (1,221 Lb.), Outside/Drive Wheel 2 x 72 kg & 2 x 205 kg, 554 kg total weight, split on both sides.  Not compatible with duals.	1,587.00
8980		Rear wheel weights - 554 kg (1,221 Lb.), Outside/Outer 2 x 72 kg & 2 x 205 kg, 554 kg total weight, split on both sides. To be mounted outside dual wheel.	1,587.00
		ATTACHMENTS - ORDER AS DESIRED	
8550		Export Attachments: Skid for Duals	152.00

### FOR FRONT HITCH EQUIPMENT, CONTACT:

Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15365	<b>Brakes:</b> Hydraulic Trailer Brake Kit Requires AL207639 Priority 2 valve.	682.00
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15467	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,036.20
	BL15469	Cold Weather Starting Package, 110 V, 6 cyl. <i>Includes engine block heater, charge pump heater and all required hardware. Only compatible with IVT transmission.</i>	878.90
	BL15470	Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with DirectDrive ECO Transmission.	1,036.20
	BL15473	Cold Weather Starting Package, 110 V, 6cyl.  Includes engine block heater and all required hardware.	429.00
	BL15536	DEF Tank Filler Neck Heater	106.70
	BL15206	Front Auxiliary Drive	1,189.10
	BL15533	Fuel Pre-Heater	178.20
	BL15383	Stainless Steel Exhaust	907.50
	AL208650	Fenders: Fender Mud Guard Also order parts are required. See installation instructions. For Tractors without suspended cab.	123.20
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20

## 6175R Cab Tractor

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
	BL15068	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,434.40
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90
	BL15060	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	BL15018	Rear Fender Side Extension, 7.9 in. (200mm) Wide	470.80
	AL208071	Hitch and Drawbar: Drawbar Drop Down Kit Category 2	321.20
	AL208070	Drawbar Drop Down Kit Category 3	344.30
	BL15503	Hydraulics: Additional Oil Reservoir Additional also order parts are required. See installation instructions. Increases the existing oil capacity by 14.5 gallons (55 liters).	799.70
	BL15617	Control Lever SCV Position 3 and 4  Manual Selective Control Valve. Includes Mutifunction Lever, Cover, Cable and Mounting Hardware Only.	434.50
	BL15368	E-ICV Control Lever (Joystick) 3 Function with CommandARM only Electronic Independent Control Valve. Also requires software, AL216476. Contains 5 reconfigurable buttons.	1,467.40
	BL15367	E-ICV Control Lever (Joystick) Multi-Functional Controller Only compatible with PowrQuad or AutoQuad transmission. Mounts to armrest. Not compatible with option code 2069 (suspended cab).	1,768.80
	BL15366	E-ICV Control Lever (Joystick) with Gear Shifting with RH Console Electronic Independent Control Valve. Also requires software, AL216476. Only compatible with premium cab with cab suspension (code 2069).	1,467.40
	BL15457	E-SCV, 450 SERIES, Position 4 Electronic Suction Control Valve. Also requires software, AL216739.	1,392.60
	BL15459	E-SCV, 450 SERIES, Position 6 Electronic SelectiveControl Valve. Also requires software, AL216741. Additional also order parts are required. See installation instructions.	1,612.60
	BL15527	ICV Oil Line Kit	286.00

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15620	ATTACHMENTS FOR FIELD CONVERSIONContinued M-ICV Control Lever (Joystick) 3 Function Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	573.10
	BL15465	Midstack, E-ICV Upgrade Kit from 2 to 3 SCVs Electronic Independent Control Valve. Also requires software, AL216747. Additional also order parts are required. See installation instructions.	825.00
	BL15462	Midstack, E-ICV, 2 Function Electronic Independent Control Valve. Also requires software, AL216743. Additional also order parts are required. See installation instructions.	1,563.10
	BL15463	Midstack, E-ICV, 3 Function Electronic Independent Control Valve. Also requires software, AL216745. Additional also order parts are required. See installation instructions.	2,202.20
	BL15464	Midstack, M-ICV Upgrade Kit from 2 to 3 SCVs with Control Lever (Joystick)  Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	548.90
	BL15460	Midstack, M-ICV, 2 Function Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,221.00
	BL15461	Midstack, M-ICV, 3 Function  Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,882.10
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	270.60
	BL15435	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	270.60
	BL15432	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm), Flat Face Power Beyond Connectors, Class II, ISO 17567 Also requires Power Beyond Return Coupler, BL15433. Additional also order parts are required. See installation instructions.	396.00
	BL15434	Power Beyond Pressure Coupler, 3/4-Inch (20 mm) Also requires Power Beyond Return Coupler, BL15436. Additional also order parts are required. See installation instructions.	291.50
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	270.60
	BL15436	Power Beyond Return Coupler 3/4-Inch (20 mm)  Also requires Power Beyond Pressure Coupler, BL15434.  Additional also order parts are required. See installation instructions.	291.50
	BL15433	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Free Oil Return, ISO 17567-class 2 Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	396.00

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	149.60
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	200.20
	AL205913	2 HB3 Work Lights, adjustable, rear or front cab roof-mounted Also requires software, AL217723 (For middle worklights on front of roof) or software AL217725 (For inner worklights on rear of roof).	312.40
		Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position.	
	AL205912	2 HB3 Work Lights, roof-mounted, non-adjustable side mounted Also requires software AL217722 for side-facing worklights on rear of roof.	312.40
	AL204758	Beacon Light, LH Also requires software, AL217718.	250.80
	BL15022	Beacon Light, RH Also requires software, AL217720.	250.80
	AL205884	Bracket, Beltline Mounted Lights Not compatible on tractors with a loader.	23.10
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50
	AL205881	Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	AL204476	Turn Signal Light Additional also order parts required. See installation instructions.	1,689.60
	AL205909	Xenon Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	979.00
	AL205915	Xenon Work Lights, Roof Mounted, Adjustable Also requires software AL217723 (For middle worklights on front of roof) and AL217725 (For Inner roof lights on rear of roof).	1,779.80
		Roof-mounted, adjustable front at mid position or rear at inner position.	
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10153	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	209.22
	AL204829	Tool Box	278.30
	AL203919	Operator Environment: 3-Terminal Socket	82.50
	AL208700	7-Pin Signal Socket	46.20
	BL15157	Accessory Mounting Bracket	71.50
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	AL207633	Bottle Holder, Floor Mounted, LH	39.60
	BL15522	Bottle Holder, Floormat	46.20
	BRE10015	Cell Phone Mount Kit	59.40
	BRE10147	CommandARM Bracket Not compatible with joystick or GS3 2630 display. Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	BL15092	Convenience Step for Front Axle	556.60
	BL15387	Deluxe Radio Also order software varies by model, see installation instructions for complete list.	385.00
		Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	
	AL174265	Field Office For tractors with a refrigerator already installed.	409.20
	AL174262	Field Office without Refrigerator For tractors without a refrigerator installed.	290.40
	AL205894	Internal Rear View Mirror, Front Window Mounted	38.50
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15388	ATTACHMENTS FOR FIELD CONVERSIONContinued  Premium Radio Also order software, AL216786 (For Tractors with cab switch modules) or software AL217619 (For Tractors with CommandARM).  Also order (1) Radio Button - BL15585. Reference installation instructions for more information.  Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3	998.80
		Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna.  Not available for Australia or New Zealand.	
	AL208653	Rear Electrically Telescoping Mirror	1,667.60
	AL205891	Rear Window Defrost Element	486.20
	BL15028	Refrigerator For tractors without Field Office.	775.50
	BL15029	Refrigerator For tractors with Field Office.	829.40
	AL205883	Remote Switch, PTO Also requires software, AL210796. See installation instructions. For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554.	154.00
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL205893	Sunshade Compatible in front and rear. Pull to unroll style.	189.20
	BRE10034	Tablet Mount Kit	75.90
	BL15382	Wiper/Washer, Rear Also requires software, AL216470.	245.30
	BL15374	iTEC Headland Management System Also requires software kit AL209824.	29.70
	AL174225	<b>Transmission:</b> Back-up Alarm For PowrQuad PLUS, AutoQuad and IVT Transmissions. Also requires software, AL178365.	574.20
	AL71345	<b>Vandal Protection:</b> Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80

## 6175R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15362	ATTACHMENTS FOR FIELD CONVERSIONContinued Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	630.52

#### 6195R Cab Tractor

#### **Equipment for Base Machine**

```
Generation 4 AutoTrac Capability - Activation
ENGINE: Tier 4 Emissions Compliant
John Deere PowerTech PSS Diesel
                                                              Required
  In-line 6-Cylinder Wet-Sleeve
                                                              Video Capability with Tractor Function Activated
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
195 Engine hp 97/68/EC @ Rated Speed
158 SAE PTO hp @ Rated Speed
Variable Common Typheshamer and
                                                              Triggers
                                                              Access Manager
                                                              Universal Machine and Work Monitor
                                                              Reconfigurable Display Function Definable by
                                                              Operator
Variable Geometry Turbocharger and
                                                              iTEC Tractor and Implement Function Control
  Exhaust Gas Recirculation
                                                            OPERATOR PROTECTIVE STRUCTURE
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
                                                            ComfortView Cab with Air Conditioning
  Permanent Pre-Cleaning and Safety Element
                                                              and Heater
                                                            One Panorama LH Door
Deluxe Corner Post Exhaust
Self Priming and Bleeding Electronic Fuel Pump 88.5 Gal. (335L) Fuel Tank Capacity 5.3 Gal. (20 L) DEF Tank Size Capacity
                                                            One Panorama RH Window
                                                            Front Windshield Washer and Wiper
                                                            Air Suspended Seat with Seat Belt
                                                            Tilt/Telescopic Steering Column
Intelligent Power Management
                                                            Operational Controls Console Mounted
TRANSMISSION:
                                                            Floor Mat
                                                            Foot Throttle Control
Diff Lock Switch
20/20 AutoQuad PLUS ECO; 25 mph (40km/h)
  Reduced engine rpm's at max transport speed
Electronic LH Reverser
                                                            AM/FM Stereo Radio with Weatherband,
Perma-Clutch II (Hydraulically Engaged
                                                              Clock, Two Speakers and Antenna
  Wet Disk Clutch)
                                                            Coat, hook
Speed Matching
                                                            Overhead Storage Bin
                                                            Left Hand Storage Bin and Accessory Outlet
Overhead Courtesy Light
Park Lock
Neutral Safety Start System
                                                            Rear View Mirror
STEERING, BRAKES, DIFFERENTIAL:
                                                            Cup Holder on RH console
Hydrostatic Steering
                                                            Sun Visor
Wet-Disk Hydraulic Power Brakes
Hydraulically-Engaged Rear Axle
                                                            Right Hand Steps and Hand Rail
  Differential Lock
                                                            ELECTRICAL:
                                                            Key Engine Shutoff
                                                            12 Volt Electrical System
HYDRAIILICS:
                                                            12 Volt Battery, 154 Ah (1230 Cold Cranking Amps)
Pressure and Flow Compensating Axial
  Piston Pump
41 GPM (155 L/min) Pump Output
                                                            200 Amp Alternator
26.4 GPM (100 L/min) Flow @ One SCV
                                                            3 Pin Accessory Outlet
                                                            Multi-Power Outlet Sockets
Three 450 Series SCVs; Mechanical with ISO
                                                            7 Terminal Rear Implement Electrical
  Breakaway Couplers
                                                              Outlet Socket
REAR PTO:
                                                            12V Electrical Convenience Outlet
540/1000 RPM, 1-3/8 In. and 1-3/4 In.
Independent Rear PTO, Reversible Shaft
                                                              on RH Console
  and PTO Master Shield
                                                            LIGHTS:
Electrohydraulic Activation
                                                            Four Front Grill Headlights
Wet Multi-Disk Clutch
                                                            Two Front Grill Worklights
Neutral Start Safety System
                                                            Two Belt Line Mounted Lights
Seat Activated PTO Warning
                                                            Four Front Roof Lights
                                                            Two Rear Roof Lights
ROCKSHAFT, HITCH AND DRAWBAR:
                                                            Four Roof Mounted Flashing
Electrohydraulic Hitch with Transport
                                                              Hazard Lights
  Lock and External Remote Controls
                                                            Two Rear Fender Tail Lights with
  3-Point (Category 3/3N) Hitch
                                                              Brake Lights
  10,697 Lb. Lift Capacity
Electronic Lower Link Draft Sensing
                                                            FRONT AXLE WHEELS AND TIRES:
Telescopic Draft Links
                                                            MFWD
Sway Blocks
                                                            Steel Wheels
                                                            Electrohydraulic MFWD Engagement
Category 3 Swinging Drawbar with Hammerstrap
Secondary Implement Chain Support
                                                            Two 420/90R30 In. 142A8 R1 Radial Tires
Adjustable Center Link with Ball End
                                                            REAR AXLE WHEELS AND TIRES:
INSTRUMENTATION:
                                                            Rack and Pinion Axle;
Dashboard Instrument Panel Includes:
                                                            100.4 In. Length x 3.937 In. (100 mm) Diameter
                                                            Two Cast Wheels
  Tachometer
  Speedometer
                                                            Two 480/80R46 In. 158A8 R1 Radial Tires
  Hour Meter
  Fuel Gauge
                                                            MISCELLANEOUS:
  Diesel Exhaust Fluid Gauge
                                                            JDLink Capable
  Engine Oil Pressure Indicator Light
                                                            Operator's Manual (English) and Holder
  Coolant Temperature
                                                            SMV Emblem
  PTO Engagement
  Engine Air Filter Restriction Indicator
  Alternator
  Directional Indicators
  Hazard Switch
CommandCenter 7 In. Display with 4100 Processor
Includes:
```

### 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
08N0RW		6195R Cab Tractor	166,954.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	Same Price
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0443		Spanish Operator's Manual	Same Price
0445		French Operator's Manual	Same Price
		OPERATOR STATION	
2051		Economy Cab with RH Console Includes: 1 LH Panorama Door, RH Steps, Generation 4 CommandCenter Display located on RH Console, Front Windshield Washer and Wiper, Front Sun Visor, Manual Temperature Controls, Air Seat (Sears), Overhead Storage Bin, Cup Holder in RH Console, Overhead Reading Light, Coat Hook, Inner Rear View Mirror, Multi Power Outlet Strip, 7-Pin Signal Interface Socket, Two 3-Pin Plugs, and iTec.	In Base Price
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2061		Standard Cab with RH Console Includes in addition to Economy Cab package: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat and Bottle Holder.	1,899.00
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2062		Standard Cab with CommandARM Same as Standard Cab with RH Console except: CommandARM.	1,899.00
		Requires Electronic SCV's.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions).	
2065		Premium Cab with RH Console Includes in addition to Standard Cab with RH Console package: RH Openable Door, Wide Angle Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control.	4,752.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2066		Premium Cab with CommandARM Same as Premium Cab with RH Console except: CommandARM.	4,752.00

### 6195R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATION Continued Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
2069		Premium Cab with RH Console and Cab Suspension Includes in addition to Premium Cab with RH Console package: Adaptive Hydraulic Cab Suspension Plus.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2070		Premium Cab with CommandARM and Cab Suspension Same as Premium Cab with RH Console and Cab Suspension package except: CommandARM.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,121.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2wd front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6064 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders). Not compatible with Code 6022 (2wd front axle).	Same Price
1530		DirectDrive ECO Transmission (25 mph/40 kmh) 24F/24R Includes CommandARM Console. Requires Code 8743 (240 amp alternator). Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	6,324.00
1551		Infinitely Variable Transmission (25 mph/40 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
		Requires Code 6064 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders).	
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	

In Base Price

1945

4100 Processor

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		GENERATION 4 COMMANDCENTER - PROCESSORContinued Requires Code 1823 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input. CommandCenter AutoTrac Activation Capable only. Use of GS3 activations will require a GS3 2630 display.	
1946		4600 Processor Requires Code 1822 -10 In. CommandCenter Display. Includes tractor CommandCenter controls and 4 video inputs. CommandCenter AutoTrac Activation Capable. Upgradeable to future CommandCenter software activations, when available. Use of GS3 activations will require a GS3 2630 display.	1,500.00
		Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS	
		All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more	
		information.  Option availability limited by specific geographical regions.	
		opnon aranaomy immed by specific geographical regions.	
1823		Single 7 In. CommandCenter Display	In Base Price
1822		Single 10 In. CommandCenter Display Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	495.00
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS  CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays. Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.	
		Field installed activations are available through the AMS prices pages.  Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less Activations	In Base Price
		CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor).	1,000.00
1851		Requires order Code 1832 AutoTrac Ready.	
1851			
1851		Requires order Code 1832 AutoTrac Ready.	1,000.00
		Requires order Code 1832 AutoTrac Ready.  Includes Non-transferrable, AutoTrac functionality on the CommandCenter.  CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 (4600 Processor).	1,000.00

### 6195R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued  Tractor includes deluxe receiver mounting bracket only.  StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracyRTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.	
		GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only. Note: When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab.	7,195.00

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

 $Options\ with\ JDLink\ Connect\ include\ (insert\ the\ options\ that\ apply\ from\ the\ list\ below):$ 

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).

- 1 Ethernet harness routed from the MTG to the optional display port
- Antenna wiring harness for the Machine Communication Radio (MCR)
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink Ultimate features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG).

Subscription length of contract varies; Subscription renewal required after term of service for continued functionality.

Option availability limited by specific geographical regions. Please refer to region specific

### 6195R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness Requires field kit installation, activation, and subscription for JDLink functionality. Not Compatible with Code 8063 (Ethernet Switch).	In Base Price
1881		JDLink Connect - Subscription Not Included Includes JDLink hardware, and (1 or 2) Ethernet harness(es) (and Machine Communication Radio antenna harness. Does not include JDLink Connect 1 Year Subscription, Machine Communication Radio and antenna. Not available in United States, Canada, Australia, New Zealand.	1,430.00
188J		JDLink Connect - 1 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 1 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	1,430.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
188K		JDLink Connect - 3 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 3 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	2,630.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable RE556567 (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	

GREENS	IAK AND	AUIO	RAC
--------	---------	------	-----

1834 No GreenStar Ready In Base Price

1830 GreenStar Ready/ISOBUS Ready 814.00

Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for tractor/implement communication through ISOBUS.

Requires Code 8743 (240 amp alternator).

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION  GREENSTAR AND AUTOTRACContinued	SUGGESTED LIST PRICE USD (\$)
1832		AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2wd front axle).	4,618.00
		Requires Code 8743 (240 amp alternator).	
		RADIO PACKAGES	
2660		Standard Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand. *Not available for Android phones until September 2015.	352.00
		HYDRAULIC PUMP	
3240		Hydraulic Pump- 155 L/min, 60ccm, PFC System	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions).  Not compatible with Codes 2065, 2066, 2069, or 2070 cab packages.	In Base Price
3331		Three Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	1,528.00
3341		Four Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	2,391.00
3351		Five Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).	3,254.00
3361		Six Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).  Not compatible with Code 832J (Power Beyond).  Not compatible with codes 8911, 8916, 8917, 8924, or 8926 (Loader Packages).	4,117.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/4 In. & 1-3/8 In. shafts.	In Base Price
3833		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. and 1-3/8 In. shafts. 540E is an economy mode that allows engine to run at	889.00

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE-OFFContinued lower RPM and save fuel.	
3822		3-Speed 540E/1000/1000E Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. and 1-3/8 In. shafts. 540E and 1000E are economy modes that allows engine to run at lower RPM and save fuel. Not available with 30K transmission.	889.00
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End Category 3N/3	In Base Price
		CENTER LINK	
4213		Center Link with Ball End Category 3	In Base Price
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
		REAR AXLES	
5063		Rack and Pinion 3.94 In. (100mm) Diameter by 100.4 In. Length	In Base Price
5047		Rack and Pinion 3.94 In. (100mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	494.00
5064		Rack and Pinion 3.94 In. (100mm) Diameter by 118.5 In. Length <i>Includes extremity lights</i> .	729.00
		WHEELS AND HUBS	
5091		Adjustable Cast Wheels	In Base Price
		REAR WHEELS AND TIRES	
		For complete tire and wheel information, refer to the Agricultural Sales Manual.	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	1,440.00
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration	10,783.00
		Available in Goodyear only. Requires Code 5051,5047 or 5064 (Rack & Pinion).	
		Requires Code 5051,5047 or 5064 (Rack & Pinion).	

## 6195R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5101		REAR WHEELS AND TIRESContinued 380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	-231.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051,5047 or 5064 (Rack & Pinion).	7,742.00
5102		18.4R46 In. 155A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	531.00
5502		18.4R46 In. 155A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5051,5047 or 5064 (Rack & Pinion).	10,902.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	In Base Price
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,066.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	Same Price
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,066.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	1,785.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 5051, 5047, or 5064 (Rack and Pinion).	11,074.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	96.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,217.00
5145		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	96.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,217.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	1,346.00

## 6195R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5506		REAR WHEELS AND TIRESContinued 520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	10,897.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	2,020.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	2,992.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	14,189.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion)	2,992.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5051,5047 or 5064 (Rack & Pinion).	14,189.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion).	4,459.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	16,821.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion).	4,459.00
5540		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051,5047 or 5064 (Rack & Pinion).	16,821.00
		A Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6040, 6060, or 6064.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,824.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear.  Requires Code 5047 or 5064 (Rack & Pinion).	11,551.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,623.00

## 6195R Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5601		REAR WHEELS AND TIRESContinued  480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration  Available in Firestone & Goodyear.  Requires Code 5047 or 5064 (Rack & Pinion).	11,450.00
5231		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	2,323.00
5631		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Michelin. Requires Code 5047 or 5064 (Rack & Pinion).	12,150.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin, or Mitas / Continental. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,483.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,751.00
5224		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Mitas / Continental. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	4,267.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only.  Requires Code 5063, 5047, or 5064 (Rack and Pinion).	4,924.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	5,814.00
5237		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	5,264.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
		Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5113		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	1,199.00
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051, 5047, or 5064 (Rack & Pinion).	10,302.00
5115		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	1,199.00

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5515		REAR WHEELS AND TIRESContinued 480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051, 5047, or 5064 (Rack & Pinion).	10,302.00
5116		710/70R38 In. 171B R1W Radial in Single Wheel Configuration Available in Goodyear or Michelin. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	5,829.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5210		480/80R50 In. 159B R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	2,649.00
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Requires Code 5047 or 5064 (Rack & Pinion).	13,502.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	5,249.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	6,640.00
		FRONT AXLES	
6040		MFWD Front Axle	In Base Price
6060		MFWD Front Axle and Triple Link Suspension PLUS	3,959.00
6064		MFWD Front Axle and Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,380.00
		FRONT WHEELS AND TIRES	

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6040, 6060, or 6064):	
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only.	875.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear.	307.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	2,029.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only.	1,894.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear.	764.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only.	862.00
6104		480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear.	422.00
6110		600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear.	3,162.00
		RCI Group 43 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, or Michelin.	1,441.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone & Goodyear.	1,409.00
6204		480/70R34 In. 143A8 R1W Radial Available in Mitas / Continental.	1,335.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone & Goodyear.	2,269.00
6206		480/70R34 In. 146A8 R1W Radial Available in Michelin.	2,729.00
6246		480/70R34 In. 146A8 R2 Radial Available in Goodyear.	1,191.00

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TIRE BRAND PREFERENCE	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Mitas / Continental Only	400.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8063		Ag Management Solutions: Ethernet Switch Not compatible with Code 1885 (JDLink Capable). Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	591.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted) Not compatible with Code 1830 (GreenStar Ready) or Code 1832 (AutoTrac Ready).	35.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package) and Code 8276 (Roller Blind). Note: Economy and Standard Cab Packages ordered with Panorama Roof do not include a Sun Visor.	597.00
8276		Front and Rear Roller Blind	289.00
8274		Rear Window Defrost	457.00
878U		Dual Beam Ground Speed Radar Sensor	910.00
8307		Bottom Guard for Fuel Tank	77.00
873A		Lighting Packages: Standard Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	1,764.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 LED Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	2,727.00

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Standard Light Package 2 LED Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,203.00
873E		Premium Light Package  2 LED Front roof mounted adjustable worklights.  2 HB3 Halogen Front roof mounted adjustable worklights.  2 LED Rear roof mounted adjustable worklights.  2 HB3 Halogen Side roof mounted fixed worklights.  2 HB3 Rear fender mounted adjustable worklights.  1 Beacon light.	3,140.00
8916		Loader Packages: Loader ready - Electronical Midstack SCV 2 functions Includes: 2 function electrical midstack control valve, electronic joystick (connected to the valve), wiring harness, electronic joystick with 5 buttons and rocker switch for tractor functions, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.	5,234.00
		Compatible with Return to position (code 8905).  Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road	
8911		Loader ready - Mechanical Midstack SCV 3 functions Includes: 3 function mechanical independent control valve, mechanical joystick (connected to the valve) plus wiring harnesses, joystick button for front loader suspension, joystick button for one rocker switch for the 3rd function, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.	5,187.00
		Gear shifting (code 8214) included in base.  Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.  Requires PowrQuad Plus or AutoQuad Plus.	
8917		Loader ready - Electrical Midstack SCV 3 functions Includes: 3 function electrical independent control valve, electrical joystick (connected to the valve) plus wiring harnesses, electronic joystick with 5 buttons and rocker switch for tractor functions, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.	6,294.00
		Compatible with Return to position (code 8905)  Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.	
8924		Loader Preparation- Mechanical Independent Control Valve 3 Function Includes: 3-function mechanical midstack control valve, 3-function mechanical Joystick with activated Speed Shifting Buttons, activated rocker switch, and loader suspension button. Requires PowrQuad or AutoQuad Transmission.	3,238.00
8926		Loader Preparation- Electrical Independent Control Valve 3 Function Includes: 3-function electrical midstack control valve, 3-function electrical Joystick with five reconfigurable buttons and activated rocker switch.	4,678.00

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	SUGGESTED LIST PRICE USD (\$)
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	547.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility.	851.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	624.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for Codes 1465 and 1552 (50K transmission).	414.00
8434		Hitch and Drawbar: Swinging Drawbar with Hammerstrap and Chainholder	In Base Price
8448		Quik-Coupler (Category 3N/3)	1,407.00
832J		Power Beyond for Rear SCV's Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank return and drain. All couplers are flatface coupler. Includes pressure free return.  Not compatible with Code 3361 (6th SCV).	582.00
8300		Engine: Cold Start Package I Includes 174Ah battery and Engine Coolant Heater (110V). Not compatible with Code 8301. Not available for Australia, New Zealand, or Israel.	591.00
8301		Cold Start Package II Includes 174Ah battery, engine block heater (110V), ground fault interrupter, charge pump heater, and transmission oil pump heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 8300. Not available for Australia, New Zealand, or Israel.	750.00
8304		Fuel Heating System Equipped with a 12V fuel heating system attached to the fuel filter.	141.00
8743		240 Amp Alternator Required for Code 1530 (DirectDrive transmission) and Ag Management Solutions Codes 1830 (GreenStar Ready) or 1832 (AutoTrac Ready).	187.00
878B		Battery Circuit Breaker	143.00

### 6195R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8951		Quik-Tatch Front-End Weight Packages: Front Weight Support (110 kg / 242 Lb.) Holds up to 18 Front Weights.	377.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lb. Front, Subtract 384 Lb. Rear.	1,265.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lb. Front, Subtract 463 Lb. Rear.	1,488.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lb. Front, Subtract 540 Lb. Rear.	1,710.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lb. Front, Subtract 619 Lb. Rear.	1,932.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lb. Front, Subtract 774 Lb. Rear.	2,376.00
8971		Rear Wheel Weights Rear Wheel Weights- 410 kg (904 Lb.), Inside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.	1,162.00
8970		Rear Wheel Weights- 820 kg (1,808 Lb.), Inside/Drive Wheel 4 x 205 kg, 820 kg total weight, split on both sides.  Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,325.00
8975		Rear Wheel Weights- 410 kg (904 Lb.), Outside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.  Not compatible with duals.	1,162.00
8976		Rear Wheel Weights- 554 kg (1,221 Lb.), Outside/Drive Wheel 2 x 72 kg & 2 x 205 kg, 554 kg total weight, split on both sides.  Not compatible with duals.	1,587.00
8980		Rear wheel weights - 554 kg (1,221 Lb.), Outside/Outer 2 x 72 kg & 2 x 205 kg, 554 kg total weight, split on both sides. To be mounted outside dual wheel.	1,587.00
		ATTACHMENTS - ORDER AS DESIRED	
8550		Export Attachments: Skid for Duals	152.00

### FOR FRONT HITCH EQUIPMENT, CONTACT:

Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15365	<b>Brakes:</b> Hydraulic Trailer Brake Kit Requires AL207639 Priority 2 valve.	682.00
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15467	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,036.20
	BL15469	Cold Weather Starting Package, 110 V, 6 cyl. <i>Includes engine block heater, charge pump heater and all required hardware. Only compatible with IVT transmission.</i>	878.90
	BL15470	Cold Weather Starting Package, 110 V, 6 cyl.  Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with DirectDrive ECO Transmission.	1,036.20
	BL15473	Cold Weather Starting Package, 110 V, 6cyl.  Includes engine block heater and all required hardware.	429.00
	BL15536	DEF Tank Filler Neck Heater	106.70
	BL15206	Front Auxiliary Drive	1,189.10
	BL15533	Fuel Pre-Heater	178.20
	BL15383	Stainless Steel Exhaust	907.50
	AL208650	Fenders: Fender Mud Guard Also order parts are required. See installation instructions. For Tractors without suspended cab.	123.20
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15068	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,434.40
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90
	BL15060	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	BL15018	Rear Fender Side Extension, 7.9 in. (200mm) Wide	470.80
	AL208071	Hitch and Drawbar: Drawbar Drop Down Kit Category 2	321.20
	AL208070	Drawbar Drop Down Kit Category 3	344.30
	BL15503	Hydraulics: Additional Oil Reservoir Additional also order parts are required. See installation instructions. Increases the existing oil capacity by 14.5 gallons (55 liters).	799.70
	BL15617	Control Lever SCV Position 3 and 4 Manual Selective Control Valve. Includes Mutifunction Lever, Cover, Cable and Mounting Hardware Only.	434.50
	BL15368	E-ICV Control Lever (Joystick) 3 Function with CommandARM only Electronic Independent Control Valve. Also requires software, AL216476. Contains 5 reconfigurable buttons.	1,467.40
	BL15367	E-ICV Control Lever (Joystick) Multi-Functional Controller Only compatible with PowrQuad or AutoQuad transmission. Mounts to armrest. Not compatible with option code 2069 (suspended cab).	1,768.80
	BL15366	E-ICV Control Lever (Joystick) with Gear Shifting with RH Console Electronic Independent Control Valve. Also requires software, AL216476. Only compatible with premium cab with cab suspension (code 2069).	1,467.40
	BL15457	E-SCV, 450 SERIES, Position 4 Electronic Suction Control Valve. Also requires software, AL216739.	1,392.60
	BL15459	E-SCV, 450 SERIES, Position 6 Electronic SelectiveControl Valve. Also requires software, AL216741. Additional also order parts are required. See installation instructions.	1,612.60
	BL15527	ICV Oil Line Kit	286.00

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15620	ATTACHMENTS FOR FIELD CONVERSIONContinued M-ICV Control Lever (Joystick) 3 Function Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	573.10
	BL15465	Midstack, E-ICV Upgrade Kit from 2 to 3 SCVs Electronic Independent Control Valve. Also requires software, AL216747. Additional also order parts are required. See installation instructions.	825.00
	BL15462	Midstack, E-ICV, 2 Function Electronic Independent Control Valve. Also requires software, AL216743. Additional also order parts are required. See installation instructions.	1,563.10
	BL15463	Midstack, E-ICV, 3 Function Electronic Independent Control Valve. Also requires software, AL216745. Additional also order parts are required. See installation instructions.	2,202.20
	BL15464	Midstack, M-ICV Upgrade Kit from 2 to 3 SCVs with Control Lever (Joystick) Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	548.90
	BL15460	Midstack, M-ICV, 2 Function Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,221.00
	BL15461	Midstack, M-ICV, 3 Function  Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,882.10
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	270.60
	BL15435	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	270.60
	BL15432	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm), Flat Face Power Beyond Connectors, Class II, ISO 17567 Also requires Power Beyond Return Coupler, BL15433. Additional also order parts are required. See installation instructions.	396.00
	BL15434	Power Beyond Pressure Coupler, 3/4-Inch (20 mm) Also requires Power Beyond Return Coupler, BL15436. Additional also order parts are required. See installation instructions.	291.50
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	270.60
	BL15436	Power Beyond Return Coupler 3/4-Inch (20 mm)  Also requires Power Beyond Pressure Coupler, BL15434.  Additional also order parts are required. See installation instructions.	291.50
	BL15433	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Free Oil Return, ISO 17567-class 2 Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	396.00

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	149.60
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	200.20
	AL205913	2 HB3 Work Lights, adjustable, rear or front cab roof-mounted Also requires software, AL217723 (For middle worklights on front of roof) or software AL217725 (For inner worklights on rear of roof).	312.40
		Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position.	
	AL205912	2 HB3 Work Lights, roof-mounted, non-adjustable side mounted Also requires software AL217722 for side-facing worklights on rear of roof.	312.40
	AL204758	Beacon Light, LH Also requires software, AL217718.	250.80
	BL15022	Beacon Light, RH Also requires software, AL217720.	250.80
	AL205884	Bracket, Beltline Mounted Lights Not compatible on tractors with a loader.	23.10
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50
	AL205881	Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	AL204476	Turn Signal Light Additional also order parts required. See installation instructions.	1,689.60
	AL205909	Xenon Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	979.00
	AL205915	Xenon Work Lights, Roof Mounted, Adjustable Also requires software AL217723 (For middle worklights on front of roof) and AL217725 (For Inner roof lights on rear of roof).	1,779.80
		Roof-mounted, adjustable front at mid position or rear at inner position.	
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70

## 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10153	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	209.22
	AL204829	Tool Box	278.30
	AL203919	Operator Environment: 3-Terminal Socket	82.50
	AL208700	7-Pin Signal Socket	46.20
	BL15157	Accessory Mounting Bracket	71.50
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	AL207633	Bottle Holder, Floor Mounted, LH	39.60
	BL15522	Bottle Holder, Floormat	46.20
	BRE10015	Cell Phone Mount Kit	59.40
	BRE10147	CommandARM Bracket Not compatible with joystick or GS3 2630 display. Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	BL15092	Convenience Step for Front Axle	556.60
	BL15387	Deluxe Radio Also order software varies by model, see installation instructions for complete list.	385.00
		Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	
	AL174265	Field Office For tractors with a refrigerator already installed.	409.20
	AL174262	Field Office without Refrigerator For tractors without a refrigerator installed.	290.40
	AL205894	Internal Rear View Mirror, Front Window Mounted	38.50
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20

### 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15388	ATTACHMENTS FOR FIELD CONVERSIONContinued Premium Radio Also order software, AL216786 (For Tractors with cab switch modules) or software AL217619 (For Tractors with CommandARM).  Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	998.80
		Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	
	AL208653	Rear Electrically Telescoping Mirror	1,667.60
	AL205891	Rear Window Defrost Element	486.20
	BL15028	Refrigerator For tractors without Field Office.	775.50
	BL15029	Refrigerator For tractors with Field Office.	829.40
	AL205883	Remote Switch, PTO Also requires software, AL210796. See installation instructions. For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554.	154.00
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL205893	Sunshade Compatible in front and rear. Pull to unroll style.	189.20
	BRE10034	Tablet Mount Kit	75.90
	BL15382	Wiper/Washer, Rear Also requires software, AL216470.	245.30
	BL15374	iTEC Headland Management System Also requires software kit AL209824.	29.70
	AL174225	<b>Transmission:</b> Back-up Alarm For PowrQuad PLUS, AutoQuad and IVT Transmissions. Also requires software, AL178365.	574.20
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80

### 6195R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15362	ATTACHMENTS FOR FIELD CONVERSIONContinued Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	630.52

#### 6215R Cab Tractor

#### **Equipment for Base Machine**

```
ENGINE: Tier 4 Emissions Compliant
                                                             Required
John Deere PowerTech PSS Diesel
                                                             Video Capability with Tractor Function Activated
  In-line 6-Cylinder Wet-Sleeve
                                                             Triggers
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
215 Engine hp 97/68/EC @ Rated Speed
                                                             Access Manager
                                                             Universal Machine and Work Monitor
                                                             Reconfigurable Display Function Definable by
                                                             Operator
176 SAE PTO hp @ Rated Speed
                                                             iTEC Tractor and Implement Function Control
Variable Geometry Turbocharger and
                                                           OPERATOR PROTECTIVE STRUCTURE
  Exhaust Gas Recirculation
                                                           ComfortView Cab with Air Conditioning
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
                                                             and Heater
  Permanent Pre-Cleaning and Safety Element
                                                           One Panorama LH Door
                                                           One Panorama RH Window
Deluxe Corner Post Exhaust
Self Priming and Bleeding Electronic Fuel Pump 88.5 Gal. (335L) Fuel Tank Capacity 5.3 Gal. (20 L) DEF Tank Size Capacity
                                                           Front Windshield Washer and Wiper
                                                           Air Suspended Seat with Seat Belt
                                                           Tilt/Telescopic Steering Column
Intelligent Power Management
                                                           Operational Controls Console Mounted
                                                           Floor Mat
Foot Throttle Control
TRANSMISSION:
20/20 AutoQuad PLUS ECO; 25 mph (40km/h)
                                                           Diff Lock Switch
  Reduced engine rpm's at max transport speed
                                                           AM/FM Stereo Radio with Weatherband,
Electronic LH Reverser
                                                             Clock, Two Speakers and Antenna
Perma-Clutch II (Hydraulically Engaged
                                                           Coat hook
                                                           Overhead Storage Bin
  Wet Disk Clutch)
Speed Matching
                                                           Left Hand Storage Bin and Accessory Outlet
                                                           Overhead Courtesy Light
Park Lock
Neutral Safety Start System
                                                           Rear View Mirror
                                                           Cup Holder on RH console
STEERING, BRAKES, DIFFERENTIAL:
                                                           Sun Visor
Hydrostatic Steering
                                                           Right Hand Steps and Hand Rail
Wet-Disk Hydraulic Power Brakes
Hydraulically-Engaged Rear Axle Differential Lock
                                                           ELECTRICAL:
                                                           Key Engine Shutoff
                                                           12 Volt Electrical System
12 Volt Battery, 154 Ah (1230 Cold
HYDRAULICS:
Pressure and Flow Compensating Axial
  Piston Pump
                                                             Cranking Amps)
41 GPM (155 L/min) Pump Output
                                                           200 Amp Alternator
26.4 GPM (100 L/min) Flow @ One SCV
                                                           3 Pin Accessory Outlet
Three 450 Series SCVs; Mechanical with ISO
                                                           Multi-Power Outlet Sockets
                                                           7 Terminal Rear Implement
Electrical Outlet Socket
  Breakaway Couplers
                                                           12V Electrical Convenience
REAR PTO:
540/1000 RPM, 1-3/8 In. and 1-3/4 In. Independent
Rear PTO, Reversible Shaft and PTO Master Shield
                                                             Outlet on RH Console
Electrohydraulic Activation
                                                           LIGHTS:
Wet Multi-Disk Clutch
                                                           Four Front Grille Headlights
Neutral Start Safety System
                                                           Two Front Grille Worklights
Seat Activated PTO Warning
                                                           Two Belt Line Mounted Lights
                                                           Four Front Roof Lights
                                                           Two Rear Roof Lights
ROCKSHAFT, HITCH AND DRAWBAR:
Electrohydraulic Hitch with Transport
                                                           Four Roof Mounted Flashing
  Lock and External Remote Controls
                                                             Hazard Lights
3-Point (Category 3/3N) Hitch
                                                           Two Rear Fender Tail Lights with
12,213 Lb. Lift Capacity
                                                             Brake Lights
Electronic Lower Link Draft Sensing
Telescopic Draft Links
                                                           FRONT AXLE WHEELS AND TIRES:
                                                           MFWD
Sway Blocks
Category 3 Swinging Drawbar with Hammerstrap
                                                           Steel Wheels
Secondary Implement Chain Support
                                                           Electrohydraulic MFWD Engagement
Adjustable Center Link with Ball End
                                                           Two 420/90R30 In. 142A8 R1 Radial Tires
INSTRUMENTATION:
                                                           REAR AXLE WHEELS AND TIRES:
Dashboard Instrument Panel Includes:
                                                           Rack and Pinion Axle;
  Tachometer
                                                           100.4 In. Length x 3.937 In. (100 mm) Diameter
  Speedometer
                                                           Two Cast Wheels
                                                           Two 480/80R46 In. 158A8 R1 Radial Tires
  Hour Meter
  Fuel Gauge
  Diesel Exhaust Fluid Gauge
                                                           MISCELLANEOUS:
  Engine Oil Pressure Indicator Light
                                                           JDLink Capable
  Coolant Temperature
                                                           Operator's Manual (English) and Holder
  PTO Engagement
                                                           SMV Emblem
  Engine Air Filter Restriction Indicator
  Alternator
  Directional Indicators
  Hazard Switch
CommandCenter 7 In. Display with 4100 Processor
Includes:
  Generation 4 AutoTrac Capability - Activation
```

#### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
08P0RW		6215R Cab Tractor	175,833.00
		DESTINATION	_
0202		United States	In Base Price
0184		Canada	Same Price
0409		OPERATOR'S MANUAL  English Operator's Manual	In Base Price
0409		English Operators Manual	III base Plice
0443		Spanish Operator's Manual	Same Price
0445		French Operator's Manual	Same Price
		OPERATOR STATION	
2051		Economy Cab with RH Console Includes: 1 LH Panorama Door, RH Steps, Generation 4 CommandCenter Display located on RH Console, Front Windshield Washer and Wiper, Front Sun Visor, Manual Temperature Controls, Air Seat (Sears), Overhead Storage Bin, Cup Holder in RH Console, Overhead Reading Light, Coat Hook, Inner Rear View Mirror, Multi Power Outlet Strip, 7-Pin Signal Interface Socket, Two 3-Pin Plugs, and iTec.	In Base Price
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2061		Standard Cab with RH Console Includes in addition to Economy Cab package: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat and Bottle Holder.	1,899.00
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions).	
2062		Standard Cab with CommandARM Same as Standard Cab with RH Console except: CommandARM.	1,899.00
		Requires Electronic SCV's.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions).	
2065		Premium Cab with RH Console Includes in addition to Standard Cab with RH Console package: RH Openable Door, Wide Angle Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control.	4,752.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2066		Premium Cab with CommandARM Same as Premium Cab with RH Console except: CommandARM.	4,752.00

### **6215R Cab Tractor**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
2069		Premium Cab with RH Console and Cab Suspension Includes in addition to Premium Cab with RH Console package: Adaptive Hydraulic Cab Suspension Plus.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1437, 1461, or 1465 (PowrQuad or AutoQuad Transmissions). Not compatible with Code 3332.	
2070		Premium Cab with CommandARM and Cab Suspension Same as Premium Cab with RH Console and Cab Suspension package except: CommandARM.	9,336.00
		Requires Electronic SCV's and Front and Rear Roller Blinds 8276.	
		Only available with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions). Not compatible with Code 3332.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,121.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2wd front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function.  Requires Code 6064 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders). Not compatible with Code 6022 (2wd front axle).	Same Price
1530		DirectDrive ECO Transmission (25 mph/40 kmh) 24F/24R Includes CommandARM Console. Requires Code 8743 (240 amp alternator). Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	6,324.00
1551		Infinitely Variable Transmission (25 mph/40 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Includes CommandARM Console. Not compatible with Code 3332 (mechanical SCV) & Code 6022 (2wd front axle).	8,724.00
		Requires Code 6064 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), B speed rated rear tires, & Code 8011 or 8012 (front fenders).	
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	

In Base Price

1945

4100 Processor

### 6215R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		GENERATION 4 COMMANDCENTER - PROCESSORContinued Requires Code 1823 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input. CommandCenter AutoTrac Activation Capable only. Use of GS3 activations will require a GS3 2630 display.	
1946		4600 Processor Requires Code 1822 -10 In. CommandCenter Display. Includes tractor CommandCenter controls and 4 video inputs. CommandCenter AutoTrac Activation Capable. Upgradeable to future CommandCenter software activations, when available. Use of GS3 activations will require a GS3 2630 display.	1,500.00
		Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS  All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions.	
1823		Single 7 In. CommandCenter Display	In Base Price
1822		Single 10 In. CommandCenter Display Not Compatible with Codes 2051, 2061, 2065, or 2069 (RH Console).	495.00
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS  CommandCenter AutoTrac Activations are non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.  GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.  Field installed activations are available through the AMS prices pages.	
		Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions.  Please refer to region specific price pages for appropriate ordering codes.	
1845		Less Activations	In Base Price
1851		CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 (4100 Processor). Requires order Code 1832 AutoTrac Ready.	1,000.00
		Includes Non-transferrable, AutoTrac functionality on the CommandCenter.	
1852		CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 (4600 Processor). Requires order Code 1832 AutoTrac Ready.	1,000.00
		Includes Non-transferrable, AutoTrac functionality on the CommandCenter.	
		RECEIVER	

#### 6215R Cab Tractor

Continued

			CHOCECTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued  Tractor includes deluxe receiver mounting bracket only.  StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracyRTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.	
		GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only. Note: When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab.	7,195.00

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Options with JDLink Connect include (insert the options that apply from the list below):

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).

- 1 Ethernet harness routed from the MTG to the optional display port
- Antenna wiring harness for the Machine Communication Radio (MCR)
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink Ultimate features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG).

Subscription length of contract varies; Subscription renewal required after term of service for continued functionality.

Option availability limited by specific geographical regions. Please refer to region specific

#### **6215R Cab Tractor**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness Requires field kit installation, activation, and subscription for JDLink functionality. Not Compatible with Code 8063 (Ethernet Switch).	In Base Price
1881		JDLink Connect - Subscription Not Included Includes JDLink hardware, and (1 or 2) Ethernet harness(es) (and Machine Communication Radio antenna harness. Does not include JDLink Connect 1 Year Subscription, Machine Communication Radio and antenna. Not available in United States, Canada, Australia, New Zealand.	1,430.00
188J		JDLink Connect - 1 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 1 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	1,430.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
188K		JDLink Connect - 3 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate + RDA temp license, 3 year JDLink Connect subscription, Ethernet harnesses and Machine Communication Radio antenna harness.	2,630.00
		Does not include the Machine Communication Radio and antenna.	
		Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable RE556567 (order from Service parts) is required to connect Display to MTG.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	

**GREENSTAR AND AUTOTRAC** 

1834 No GreenStar Ready In Base Price GreenStar Ready/ISOBUS Ready 1830 814.00

Includes: Power harness, Bracket and connector at the A-post, StarFire receiver roof harness and bracket, ISOBUS Class 2 gateway controller and In-cab ISOBUS connector. Required for

tractor/implement communication through ISOBUS.

Requires Code 8743 (240 amp alternator).

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION  GREENSTAR AND AUTOTRACContinued	SUGGESTED LIST PRICE USD (\$)
1832		AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2wd front axle).  Requires Code 8743 (240 amp alternator).	4,618.00
		RADIO PACKAGES	
2660		Standard Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand. *Not available for Android phones until September 2015.	352.00
		HYDRAULIC PUMP	
3240		Hydraulic Pump- 155 L/min, 60ccm, PFC System	In Base Price
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1530, 1551, or 1552 (DirectDrive or IVT Transmissions).  Not compatible with Codes 2065, 2066, 2069, or 2070 cab packages.	In Base Price
3331		Three Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	1,528.00
3341		Four Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers	2,391.00
3351		Five Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).	3,254.00
3361		Six Deluxe (3 Detent) Electronic Selective Control Valves with ISO Breakaway Couplers  Not compatible with Codes 1437,1461, or 1465 (PowrQuad & AutoQuad Transmissions).  Not compatible with Code 832J (Power Beyond).  Not compatible with codes 8911, 8916, 8917, 8924, or 8926 (Loader Packages).	4,117.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/4 In. & 1-3/8 In. shafts.	In Base Price
3833		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. and 1-3/8 In. shafts. 540E is an economy mode that allows engine to run at	889.00

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE-OFFContinued lower RPM and save fuel.	
3822		3-Speed 540E/1000/1000E Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. and 1-3/8 In. shafts. 540E and 1000E are economy modes that allows engine to run at lower RPM and save fuel. Not available with 30K transmission.	889.00
		DRAFT LINKS	
4121		Draft Links with Telescopic Ball End Category 3N/3	In Base Price
		CENTER LINK	
4213		Center Link with Ball End Category 3	In Base Price
		STABILIZERS	
4410		Sway Control Blocks	In Base Price
		REAR AXLES	
5063		Rack and Pinion 3.94 In. (100mm) Diameter by 100.4 In. Length	In Base Price
5047		Rack and Pinion 3.94 In. (100mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	494.00
5064		Rack and Pinion 3.94 In. (100mm) Diameter by 118.5 In. Length <i>Includes extremity lights</i> .	729.00
		WHEELS AND HUBS	
5091		Adjustable Cast Wheels	In Base Price
		REAR WHEELS AND TIRES	
		For complete tire and wheel information, refer to the Agricultural Sales Manual.	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	1,440.00
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration	10,783.00
		Available in Goodyear only. Requires Code 5051,5047 or 5064 (Rack & Pinion).	
		Requires Code 5051,5047 or 5064 (Rack & Pinion).	

### **6215R Cab Tractor**

CODE	ATTACHMENTIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5101		REAR WHEELS AND TIRESContinued 380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	-231.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only.  Requires Code 5051,5047 or 5064 (Rack & Pinion).	7,742.00
5102		18.4R46 In. 155A8 R2 Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	531.00
5502		18.4R46 In. 155A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only.  Requires Code 5051,5047 or 5064 (Rack & Pinion).	10,902.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	In Base Price
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,066.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	Same Price
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,066.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	1,785.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only.  Requires Code 5051, 5047, or 5064 (Rack and Pinion).	11,074.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	96.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear.  Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,217.00
5145		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	96.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5051,5047 or 5064 (Rack & Pinion).	8,217.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	1,346.00

### **6215R Cab Tractor**

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5506		REAR WHEELS AND TIRESContinued 520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	10,897.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only.  Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	2,020.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5041, 5063, 5051, 5047, or 5064 (Rack and Pinion).	2,992.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	14,189.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion)	2,992.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone.  Requires Code 5051,5047 or 5064 (Rack & Pinion).	14,189.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion).	4,459.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5051,5047 or 5064 (Rack & Pinion).	16,821.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041,5063, 5051, 5047, or 5064 (Rack and Pinion).	4,459.00
5540		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051,5047 or 5064 (Rack & Pinion).	16,821.00
		A Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6040, 6060, or 6064.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,824.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5047 or 5064 (Rack & Pinion).	11,551.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,623.00

### **6215R Cab Tractor**

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5601		REAR WHEELS AND TIRESContinued 480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5047 or 5064 (Rack & Pinion).	11,450.00
5231		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	2,323.00
5631		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Michelin. Requires Code 5047 or 5064 (Rack & Pinion).	12,150.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin, or Mitas / Continental. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,483.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	1,751.00
5224		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Mitas / Continental. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	4,267.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only.  Requires Code 5063, 5047, or 5064 (Rack and Pinion).	4,924.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	5,814.00
5237		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5063, 5047, or 5064 (Rack and Pinion).	5,264.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
		Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5113		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	1,199.00
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5051, 5047, or 5064 (Rack & Pinion).	10,302.00
5115		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone.  Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	1,199.00

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5515		REAR WHEELS AND TIRESContinued 480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5051, 5047, or 5064 (Rack & Pinion).	10,302.00
5116		710/70R38 In. 171B R1W Radial in Single Wheel Configuration Available in Goodyear or Michelin. Requires Code 5041, 5051, 5063, 5047, or 5064 (Rack & Pinion).	5,829.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6064 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5210		480/80R50 In. 159B R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	2,649.00
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Requires Code 5047 or 5064 (Rack & Pinion).	13,502.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	5,249.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5063, 5047, or 5064 (Rack & Pinion).	6,640.00
		FRONT AXLES	
6040		MFWD Front Axle	In Base Price
6060		MFWD Front Axle and Triple Link Suspension PLUS	3,959.00
6064		MFWD Front Axle and Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,380.00
		FRONT WHEELS AND TIRES	

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6040, 6060, or 6064):	
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only.	875.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear.	307.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	2,029.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only.	1,894.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear.	764.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only.	862.00
6104		480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear.	422.00
6110		600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear.	3,162.00
		RCI Group 43 Size Tires Two Multi-Position Steel Wheels Requires Code 6040, 6060, or 6064.	
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, or Michelin.	1,441.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone & Goodyear.	1,409.00
6204		480/70R34 In. 143A8 R1W Radial Available in Mitas / Continental.	1,335.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone & Goodyear.	2,269.00
6206		480/70R34 In. 146A8 R1W Radial Available in Michelin.	2,729.00
6246		480/70R34 In. 146A8 R2 Radial Available in Goodyear.	1,191.00

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TIRE BRAND PREFERENCE	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Mitas / Continental Only	400.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8063		Ag Management Solutions: Ethernet Switch Not compatible with Code 1885 (JDLink Capable). Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	591.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted) Not compatible with Code 1830 (GreenStar Ready) or Code 1832 (AutoTrac Ready).	35.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package) and Code 8276 (Roller Blind). Note: Economy and Standard Cab Packages ordered with Panorama Roof do not include a Sun Visor.	597.00
8276		Front and Rear Roller Blind	289.00
8274		Rear Window Defrost	457.00
878U		Dual Beam Ground Speed Radar Sensor	910.00
8307		Bottom Guard for Fuel Tank	77.00
873A		Lighting Packages: Standard Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	1,764.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights. 2 LED Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Includes base lighting less 2 inner front roof work lights. Only available with 878W (Panorama Roof).	2,727.00

### **6215R Cab Tractor**

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Standard Light Package 2 LED Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,203.00
873E		Premium Light Package  2 LED Front roof mounted adjustable worklights.  2 HB3 Halogen Front roof mounted adjustable worklights.  2 LED Rear roof mounted adjustable worklights.  2 HB3 Halogen Side roof mounted fixed worklights.  2 HB3 Rear fender mounted adjustable worklights.  1 Beacon light.	3,140.00
8916		Loader Packages: Loader ready - Electronical Midstack SCV 2 functions Includes: 2 function electrical midstack control valve, electronic joystick (connected to the valve), wiring harness, electronic joystick with 5 buttons and rocker switch for tractor functions, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.	5,234.00
		Compatible with Return to position (code 8905).  Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.	
8911		Loader ready - Mechanical Midstack SCV 3 functions Includes: 3 function mechanical independent control valve, mechanical joystick (connected to the valve) plus wiring harnesses, joystick button for front loader suspension, joystick button for one rocker switch for the 3rd function, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.	5,187.00
		Gear shifting (code 8214) included in base.  Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.  Requires PowrQuad Plus or AutoQuad Plus.	
8917		Loader ready - Electrical Midstack SCV 3 functions Includes: 3 function electrical independent control valve, electrical joystick (connected to the valve) plus wiring harnesses, electronic joystick with 5 buttons and rocker switch for tractor functions, loader mounting frames for H-series loader, hood guard, hydraulic connections from valve to front loader coupling point and tractor half multicoupler.  Compatible with Return to position (code 8905)	6,294.00
		Recommended to order 2 H4 beltline road lights for frontloader use (Code 8730) if hood road lights are covered.	
8924		Loader Preparation- Mechanical Independent Control Valve 3 Function Includes: 3-function mechanical midstack control valve, 3-function mechanical Joystick with activated Speed Shifting Buttons, activated rocker switch, and loader suspension button. Requires PowrQuad or AutoQuad Transmission.	3,238.00
8926		Loader Preparation- Electrical Independent Control Valve 3 Function Includes: 3-function electrical midstack control valve, 3-function electrical Joystick with five reconfigurable buttons and activated rocker switch.	4,678.00

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8002		Chassis: Toolbox	77.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	547.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility.	851.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	624.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for Codes 1465 and 1552 (50K transmission).	414.00
8434		Hitch and Drawbar: Swinging Drawbar with Hammerstrap and Chainholder	In Base Price
8448		Quik-Coupler (Category 3N/3)	1,407.00
832J		Power Beyond for Rear SCV's Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank return and drain. All couplers are flatface coupler. Includes pressure free return.	582.00
		Not compatible with Code 3361 (6th SCV).	
8300		Engine: Cold Start Package I Includes 174Ah battery and Engine Coolant Heater (110V). Not compatible with Code 8301. Not available for Australia, New Zealand, or Israel.	591.00
8301		Cold Start Package II Includes 174Ah battery, engine block heater (110V), ground fault interrupter, charge pump heater, and transmission oil pump heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 8300. Not available for Australia, New Zealand, or Israel.	750.00
8304		Fuel Heating System Equipped with a 12V fuel heating system attached to the fuel filter.	141.00
8743		240 Amp Alternator Required for Code 1530 (DirectDrive transmission) and Ag Management Solutions Codes 1830 (GreenStar Ready) or 1832 (AutoTrac Ready).	187.00
878B		Battery Circuit Breaker	143.00

#### **6215R Cab Tractor**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8951		Quik-Tatch Front-End Weight Packages: Front Weight Support (110 kg / 242 Lb.) Holds up to 18 Front Weights.	377.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lb. Front, Subtract 384 Lb. Rear.	1,265.00
8958		Quik-Tatch Weight Support with Ten Weights  Add 1742 Lb. Front, Subtract 463 Lb. Rear.	1,488.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lb. Front, Subtract 540 Lb. Rear.	1,710.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lb. Front, Subtract 619 Lb. Rear.	1,932.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lb. Front, Subtract 774 Lb. Rear.	2,376.00
8971		Rear Wheel Weights Rear Wheel Weights- 410 kg (904 Lb.), Inside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.	1,162.00
8970		Rear Wheel Weights- 820 kg (1,808 Lb.), Inside/Drive Wheel 4 x 205 kg, 820 kg total weight, split on both sides.  Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,325.00
8975		Rear Wheel Weights- 410 kg (904 Lb.), Outside/Drive Wheel 2 x 205 kg, 410 kg total weight, split on both sides.  Not compatible with duals.	1,162.00
8976		Rear Wheel Weights- 554 kg (1,221 Lb.), Outside/Drive Wheel $2 \times 72 \text{ kg } \& 2 \times 205 \text{ kg}$ , $554 \text{ kg total weight, split on both sides}$ . Not compatible with duals.	1,587.00
8980		Rear wheel weights - 554 kg (1,221 Lb.), Outside/Outer 2 x 72 kg & 2 x 205 kg, 554 kg total weight, split on both sides. To be mounted outside dual wheel.	1,587.00
		ATTACHMENTS - ORDER AS DESIRED	
8550		Export Attachments: Skid for Duals	152.00

#### FOR FRONT HITCH EQUIPMENT, CONTACT:

Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com

### 6215R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15365	<b>Brakes:</b> Hydraulic Trailer Brake Kit Requires AL207639 Priority 2 valve.	682.00
	AL204831	Electrical: Radar, Dual Beam Attaching Kit Also order bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor. Also order software AL210912 (IT4 models only) or AL216837 (FT4 models only).	116.60
	BL15467	Engine: Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,036.20
	BL15469	Cold Weather Starting Package, 110 V, 6 cyl. <i>Includes engine block heater, charge pump heater and all required hardware. Only compatible with IVT transmission.</i>	878.90
	BL15470	Cold Weather Starting Package, 110 V, 6 cyl. Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with DirectDrive ECO Transmission.	1,036.20
	BL15473	Cold Weather Starting Package, 110 V, 6cyl.  Includes engine block heater and all required hardware.	429.00
	BL15536	DEF Tank Filler Neck Heater	106.70
	BL15206	Front Auxiliary Drive	1,189.10
	BL15533	Fuel Pre-Heater	178.20
	BL15383	Stainless Steel Exhaust	907.50
	AL208650	Fenders: Fender Mud Guard Also order parts are required. See installation instructions. For Tractors without suspended cab.	123.20
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,334.30
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,344.20
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,355.20

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15068	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,388.20
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,400.30
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations.  Not recommended for Loader Usage, Fender/Loader interference may occur.  Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,434.40
	BL15059	MFWD Front Fender, Turnable, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	867.90
	BL15060	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	293.70
	BL15018	Rear Fender Side Extension, 7.9 in. (200mm) Wide	470.80
	AL208071	Hitch and Drawbar: Drawbar Drop Down Kit Category 2	321.20
	AL208070	Drawbar Drop Down Kit Category 3	344.30
	BL15503	Hydraulics: Additional Oil Reservoir Additional also order parts are required. See installation instructions. Increases the existing oil capacity by 14.5 gallons (55 liters).	799.70
	BL15617	Control Lever SCV Position 3 and 4 Manual Selective Control Valve. Includes Mutifunction Lever, Cover, Cable and Mounting Hardware Only.	434.50
	BL15368	E-ICV Control Lever (Joystick) 3 Function with CommandARM only Electronic Independent Control Valve. Also requires software, AL216476. Contains 5 reconfigurable buttons.	1,467.40
	BL15367	E-ICV Control Lever (Joystick) Multi-Functional Controller Only compatible with PowrQuad or AutoQuad transmission. Mounts to armrest. Not compatible with option code 2069 (suspended cab).	1,768.80
	BL15366	E-ICV Control Lever (Joystick) with Gear Shifting with RH Console Electronic Independent Control Valve. Also requires software, AL216476. Only compatible with premium cab with cab suspension (code 2069).	1,467.40
	BL15457	E-SCV, 450 SERIES, Position 4 Electronic Suction Control Valve. Also requires software, AL216739.	1,392.60
	BL15459	E-SCV, 450 SERIES, Position 6 Electronic SelectiveControl Valve. Also requires software, AL216741. Additional also order parts are required. See installation instructions.	1,612.60
	BL15527	ICV Oil Line Kit	286.00

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15620	ATTACHMENTS FOR FIELD CONVERSIONContinued M-ICV Control Lever (Joystick) 3 Function Mechanical Independent Control Valve. Also order push pull cable through parts. Reference installation instructions.	573.10
	BL15465	Midstack, E-ICV Upgrade Kit from 2 to 3 SCVs Electronic Independent Control Valve. Also requires software, AL216747. Additional also order parts are required. See installation instructions.	825.00
	BL15462	Midstack, E-ICV, 2 Function Electronic Independent Control Valve. Also requires software, AL216743. Additional also order parts are required. See installation instructions.	1,563.10
	BL15463	Midstack, E-ICV, 3 Function Electronic Independent Control Valve. Also requires software, AL216745. Additional also order parts are required. See installation instructions.	2,202.20
	BL15464	Midstack, M-ICV Upgrade Kit from 2 to 3 SCVs with Control Lever (Joystick)  Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	548.90
	BL15460	Midstack, M-ICV, 2 Function Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,221.00
	BL15461	Midstack, M-ICV, 3 Function  Mechanical Independent Control Valve. Additional also order parts are required. See installation instructions.	1,882.10
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	270.60
	BL15435	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	270.60
	BL15432	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm), Flat Face Power Beyond Connectors, Class II, ISO 17567 Also requires Power Beyond Return Coupler, BL15433. Additional also order parts are required. See installation instructions.	396.00
	BL15434	Power Beyond Pressure Coupler, 3/4-Inch (20 mm) Also requires Power Beyond Return Coupler, BL15436. Additional also order parts are required. See installation instructions.	291.50
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	270.60
	BL15436	Power Beyond Return Coupler 3/4-Inch (20 mm)  Also requires Power Beyond Pressure Coupler, BL15434.  Additional also order parts are required. See installation instructions.	291.50
	BL15433	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Free Oil Return, ISO 17567-class 2 Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	396.00

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	149.60
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	200.20
	AL205913	2 HB3 Work Lights, adjustable, rear or front cab roof-mounted Also requires software, AL217723 (For middle worklights on front of roof) or software AL217725 (For inner worklights on rear of roof).	312.40
		Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position.	
	AL205912	2 HB3 Work Lights, roof-mounted, non-adjustable side mounted Also requires software AL217722 for side-facing worklights on rear of roof.	312.40
	AL204758	Beacon Light, LH Also requires software, AL217718.	250.80
	BL15022	Beacon Light, RH Also requires software, AL217720.	250.80
	AL205884	Bracket, Beltline Mounted Lights Not compatible on tractors with a loader.	23.10
	BL15035	Head Lights H4 on Beltline, LH Additional also order parts required. See installation instructions. Also requires software, AL217713 for 6105-6215R and software AL217714 for 6105M - 6170M. Also requires rocker switch AL172650 for 6105M - 6170M only.	302.50
	AL205881	Head Lights H4 on Beltline, RH Additional also order parts required. Also requires software AL217713. See installation instructions.	302.50
	AL204476	Turn Signal Light Additional also order parts required. See installation instructions.	1,689.60
	AL205909	Xenon Work Lights, Rear Fender Mounted Also requires software, AL217727. Additional also order parts are required. See installation instructions.	979.00
	AL205915	Xenon Work Lights, Roof Mounted, Adjustable Also requires software AL217723 (For middle worklights on front of roof) and AL217725 (For Inner roof lights on rear of roof).	1,779.80
		Roof-mounted, adjustable front at mid position or rear at inner position.	
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10153	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	209.22
	AL204829	Tool Box	278.30
	AL203919	Operator Environment: 3-Terminal Socket	82.50
	AL208700	7-Pin Signal Socket	46.20
	BL15157	Accessory Mounting Bracket	71.50
	AL204297	Backrest Extension, Telescopic	154.00
	AL205885	Bottle Holder at A-post Can mount on front right post or left side of floor mat. Cannot be installed on floor mat if instructionsal seat has suspension.	46.20
	AL207633	Bottle Holder, Floor Mounted, LH	39.60
	BL15522	Bottle Holder, Floormat	46.20
	BRE10015	Cell Phone Mount Kit	59.40
	BRE10147	CommandARM Bracket Not compatible with joystick or GS3 2630 display. Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	BL15387	Deluxe Radio Also order software varies by model, see installation instructions for complete list.	385.00
		Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	
	AL174265	Field Office For tractors with a refrigerator already installed.	409.20
	AL174262	Field Office without Refrigerator For tractors without a refrigerator installed.	290.40
	AL205894	Internal Rear View Mirror, Front Window Mounted	38.50
	BL15087	Internal Rear View Mirror, Rear Window Mounted	167.20

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15388	ATTACHMENTS FOR FIELD CONVERSIONContinued Premium Radio Also order software, AL216786 (For Tractors with cab switch modules) or software AL217619 (For Tractors with CommandARM).  Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	998.80
		Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	
	AL208653	Rear Electrically Telescoping Mirror	1,667.60
	AL205891	Rear Window Defrost Element	486.20
	BL15028	Refrigerator For tractors without Field Office.	775.50
	BL15029	Refrigerator For tractors with Field Office.	829.40
	AL205883	Remote Switch, PTO Also requires software, AL210796. See installation instructions. For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554.	154.00
	BL15037	Seat, Operator Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,449.80
	BL15038	Seat, Operator Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,936.00
	AL205893	Sunshade Compatible in front and rear. Pull to unroll style.	189.20
	BRE10034	Tablet Mount Kit	75.90
	BL15382	Wiper/Washer, Rear Also requires software, AL216470.	245.30
	BL15374	iTEC Headland Management System Also requires software kit AL209824.	29.70
	AL174225	<b>Transmission:</b> Back-up Alarm For PowrQuad PLUS, AutoQuad and IVT Transmissions. Also requires software, AL178365.	574.20
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	185.90
	BL15086	Vandal Protection, Hood	140.80

### **6215R Cab Tractor**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15362	ATTACHMENTS FOR FIELD CONVERSIONContinued Vandal Protection, Lockable Transmission Oil Filler Cap	150.70
	AL157298	Weights: Front Shield Protecting the frame end.	51.70
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	630.52

#### 7210R Tractor

#### **Equipment for Base Machine**

ENGINE: Tier 4 Emissions Compliant John Deere PowerTech PSS Diesel In-line 6-Cylinder Wet-Sleeve	Fuel Level Gauge with Low Fuel Warning Signal Diesel Exhaust Fluid Gauge with low DEF Warning
with High Pressure Common Rail (HPCR) Fuel System and 24 Valve Head	Signal Engine RPM Indicator
6.8 L (414 Cu. In.) Displacement	Status Indicators for MFWD
210 Engine hp 97/68/EC @ Rated Speed	Differential Lock
170 SAE PTO hp @ Rated Speed Automatic Shutdown System	Rear PTO Speed CommandCenter 7 In. Display with 4100 Processor
Dry Type Air Cleaner with Safety Element	includes:
and Dirt Aspiration System	Generation 4 AutoTrac Capability - Activation
Tilt Hood Enclosure with Side Panels Viscous Fan	Required  Video Capability with Tractor Function Activated
Electric Fuel Shutoff	Triggers
Electric Thermal Assist Starting Aid Coolant Conditioner Additive	Access Manager Universal Machine and Work Monitor
Engine Coolant Recovery System	Reconfigurable Display Function Definable by
Fuel Filter and Pre-Filter	Operator
Fuel Water Separator with Sensor Self Priming and Bleeding Electronic Fuel Pump	iTEC Tractor and Implement Function Control
475 L (125 US Gal.) Fuel Tank Capacity	Languages:
23.0L (6 US Gal.) DEF Tank Size Capacity B2 Biodiesel from the Factory	For a complete list of languages refer to the Aq Sales Manual
Lockable Fuel Cap	Ag Duleb Manual
Engine Oil Filter	OPERATOR PROTECTIVE STRUCTURE:
Electronic Injection, Governor Control with Field Cruise	Standard CommandView III Cab Tilt/Telescoping Memory Steering Wheel
	Comfort Command Seat with
TRANSMISSION: 40k (25mph) e23# Transmission with Efficiency	Air Suspension, 40 Degress Right Hand Swivel Fore-Aft Lateral Attenuation with Lumbar
Manager	Support
23 Forward/11 Reverse Speeds and Right Hand	Backrest Adjustment
Reverser Perma-Clutch II (Hydraulically Engaged Wet-Disk	Integrated 7 In. CommandCenter Display Adjustable Position CommandARM with Integrated
Clutch)	Controls
Speed Matching Park Lock	Swing-Out Rear Window (30 Degrees) Tinted Glass
Neutral Safety Start System	Air Conditioner and Heater
	Automatic Temperature Controls with Controls on
STEERING, BRAKES DIFFERENTIAL: Load-Sensing Hydraulic Power Steering	CommandARM Two Speed, Intermittent Front and Rear
Wet-Disk Hydraulic Power Brakes	Wiper/Washer
Tilt/Telescoping Memory Steering Wheel	Pull Down Front Sun Visor
Hydraulically-Engaged Rear Differential Lock	Rear Storage Behind Seat Folding Instructional Seat
HYDRAULICS:	Left Hand Storage
Pressure and Flow Compensating Axial Piston Pump 43 GPM (162 L/min) Pump Output	Two Beverage Holders Right and Left Outside Mirrors
35 GPM (132 L/min) Flow @ One SCV	Standard Radio and Speakers
65 L of Take Out Oil	Inside Cab Mounted Rear View Mirror Passive Noise Reduction System
Four Electrohydraulic Remote Selective Control Valves with Push/Pull	Backlit CommandARM Controls
ISO Breakaway Couplers and High Pressure Relief	Laminated Front Glass and Sound Barrier
Levers	Powerstrip With Convenience Plug Adapter Coat Hook in Rear Corner
REAR PTO:	Right Hand Steps
Independent 1000 RPM, 45 mm (1-3/4 In.) 20 Spline PTO Safety Start System	Programmable Egress Lighting
Seat-Activated PTO Warning	ELECTRICAL:
Adjustable Engagement Modulation	Key Engine Shutoff
ROCKSHAFT, HITCH AND DRAWBAR:	12V Electrical System Two 925 CCA 12V Batteries
Dual Cylinder Electrohydraulic Hitch with Transport	Three 12V Electrical Convenience Outlet
Lock and External Remote Control Switch 3-Point (Category 3/3N) Hitch	Two 12V Electrical 3-Pin Outlet with Adapter Battery Boost Terminal
Fixed Length Draft Links Arms	200 Amp Alternator
External Sway Blocks with Tapered Wedge Adjustment	SmartCircuit Current Load Monitoring System with
Category 3 Adjustable, Swinging Drawbar with Clevis with 38 mm (1.5") pin	Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket
Secondary Implement Chain Support	Integrated ISO Radar Connector
Hitch Dampening Center Link Adjustment Handle	StarFire ITC or Radar Speed Input Harness ServiceADVISOR Data Port
RH and LH Liftlink Adjustment Handles	DELAICEMPAIDON DATA FOIL
•	LIGHTS:
INSTRUMENTATION: Corner Post Digital Instrument Panel includes:	Six Front Grill Mounted Lights Twelve Cab Roof Mounted Lights
Engine Coolant Temperature Gauge	Two Rear Fender Flood Lights

#### 7210R Tractor

#### Continued

Two Front Beltline Work Lights Left Hand Rotary Beacon Light

Extremity, Brake, Turning, and Hazard Lights

AXLE, WHEELS AND TIRES:

1150 MFWD Front Axle with Limited Slip Differential

and Driveline Shield

420/90R30 142A8 R1 Radial Front Single Wheels Configuration - 8 Position

100 mm (3-15/16 In.) Dia x 3012 mm (118.5 In.)

Length Rear Axle 480/80R46 158A8 R1 Radial Dual Rear Wheel

Configuration

AG MANAGEMENT SOLUTIONS:

Integrated Plug-In for GreenStar Display Deluxe StarFire Receiver Bracket

GreenStar Ready Harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In

Connector (ISO 11783 Compatible) Ethernet Harness AutoTrac Ready Components: Wiring, Steering Controller, Front Wheel-Angle Sensor and Electro-Hydraulic Steering Valve Right Side Convenience Step

MISCELLANEOUS:

Horn PTO Master Shield

Tool Box

Operator's Manual

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Waterloo, Iowa

05U0RW 7210R Tractor 207,036.00

#### DESTINATION

A Code must be chosen for each Tractor ordered.

North America 0202 United States 1,900.00

> Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3033 (6.8L) Stage 4/Tier-4 Compliant Engine.

Includes Ethernet Switch, option code 8064.

0184 1,900.00

> Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3033 (6.8L) Stage 4/Tier-4 Compliant Engine.

Includes Ethernet Switch, option code 8064.

Requires Code 0409 English or 0413 French Operators Manual.

0185 Costa Rica Same Price

Requires Code 1885 JDLink Capable.

Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.

0189 El Salvador Same Price

Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable.

Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0191		DESTINATIONContinued Guatemala Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0193		Honduras Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0196		Nicaragua Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0002		Africa Angola Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0003		Benin Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0004		Botswana Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0005		Burkina Faso Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0006		DESTINATIONContinued Burundi Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0007		Cameroon Requires Code 1945 4100 Processor. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0008		Cape Verde Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0009		Central African Republic Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0011		Chad Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0012		Comoros Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0013		Republic of Congo Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0014		DESTINATIONContinued  Democratic Republic of Congo  Requires Code 1945 4100 Processor.  Requires Code 1823 Generation 4 CommandCenter Display.  Requires Code 1835 Less StarFire 3000 Receiver.  Requires Code 1845 Less Activations.  Requires Code 1885 JDLink Capable.  Requires Code 3030 (6.8L) Stage 2 Compliant Engine.  Requires Code 8306 Severe Duty Water Separator.	Same Price
0015		Djibouti Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0017		Equatorial Guinea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0018		Eritrea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0020		Gabon Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0021		Gambia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0022		DESTINATIONContinued Ghana Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0023		Guinea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0024		Guinea-Bissau Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0025		lvory Coast Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0026		Kenya Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0027		Lesotho Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0028		Liberia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0030		DESTINATIONContinued  Madagascar  Requires Code 1945 4100 Processor.  Requires Code 1823 Generation 4 CommandCenter Display.  Requires Code 1835 Less StarFire 3000 Receiver.  Requires Code 1845 Less Activations.  Requires Code 1885 JDLink Capable.  Requires Code 3030 (6.8L) Stage 2 Compliant Engine.  Requires Code 8306 Severe Duty Water Separator.	Same Price
0031		Malawi Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0032		Mali Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0033		Mauritania Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0034		Mauritius Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0035		Morocco Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0036		Mozambique Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0038		DESTINATIONContinued  Niger Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0039		Nigeria Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0040		Rwanda Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0041		Sao Tome And Principe Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0043		Senegal Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0044		Seychelles Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0045		Sierra Leone Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1845 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0046		DESTINATIONContinued Somalia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0050		Tanzania Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0051		Togo Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0053		Uganda Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0055		Zimbabwe Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0109		Asia Vietnam Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0102		Taiwan Requires Code 1823 or 1822 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price

#### 7210R Tractor

#### Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0213		South America Chile Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0215		Ecuador Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0217		Paraguay Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0218		Peru Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0230		Oceania Australia Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Includes Ethernet Switch, option code 8064. Requires Code 3030 (6.8L) Stage 2/Tier 2 Compliant Engine and Code 8306 Severe Duty Fuel/Water Separator OR Requires Code 3033 (6.8L) Stage 4/Tier 4 Compliant Engine.	1,900.00
0237		New Zealand Requires Code 188I, 188J, 188K, 188L or 188M JDLink Connect. Includes Ethernet Switch, option code 8064. Requires Code 3030 (6.8L) Stage 2/Tier 2 Compliant Engine and Code 8306 Severe Duty Fuel/Water Separator OR Requires Code 3033 (6.8L) Stage 4/Tier 4 Compliant Engine.	1,900.00
0083		Korea, Republic of Requires Code 1822 Generation 4 CommandCenter or Code 1823 Generation 4 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 3032 (6.8L) Stage 3b Compliant Engine.	Same Price

In Base Price

PERFORMANCE PACKAGE CONFIGURATION

No Package

0500

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION  PERFORMANCE PACKAGE CONFIGURATIONContinued  Order one code from each box in the Price Pages.	SUGGESTED LIST PRICE USD (\$)
0510		CommandQuad ECO Performance Package Only available in Canada, US, Australia, and New Zealand. Includes Codes: 1500 or 1501, 2061 or 2062, 3341 or 3351, 3260, 7206, 8288, 8020 or 8021.	-500.00
0511		e23 or IVT Performance Package Only available in Canada, US, Australia, and New Zealand. Includes Codes: 1493, 1494, 1550 or 1553, 2061 or 2062, 3351 or 3361, 3260, 7206, 832G or 832H, 8288, 8020 or 8021.	-1,500.00
		ENGINE	
3030		John Deere PowerTech 6.8 L (414 cu. ln.) 6 Cyl Stage 2 Compliant Diesel Engine Requires Code 8306, Severe Duty Fuel/Water Separator.	-12,987.00
3032		John Deere PowerTech 6.8 L (414 cu. In.) 6 Cyl Stage 3b Compliant Diesel Engine	Same Price
3033		John Deere PowerTech PSS 6.8 L (414 cu. In.) 6 Cyl Stage 4 Compliant Diesel Engine	In Base Price
		OPERATOR STATION	
		Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Folding Instructional Seat.	
2061		Premium CommandView III Cab with Active Seat Includes: Active Seat with Fore-Aft, Lateral Attenuation, Lumbar Support, Seat Bottom Tilt and Extend Adjustments, and Backrest Extension. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls Located on CommandARM. Front, Rear, and Right Hand Windshield Wiper and Washer. SMV emblem. Front, Rear and Right Hand Sunshades. Automatic Temperature Control with controls located on CommandARM. Power Strip with Convenience Plug Adapter. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat.	3,726.00
2062		Premium CommandView III Cab with Cab Suspension Includes: Cab Suspension. ComfortCommand Seat with Fore-Aft, Lateral Attenuation, Lumbar Support, Seat Bottom Tilt and Extend Adjustments and Backrest Extension. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right.	4,438.00

#### 7210R Tractor

Continued

			SUGGESTED
	ATTACHMEN <sup>1</sup>	Γ	LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
			***

#### **OPERATOR STATION ...Continued...**

Remote Radio Controls Located on CommandARM.

Front, Rear, and Right Hand Windshield Wiper and Washer.

SMV emblem.

Front, Rear and Right Hand Sunshades.

Automatic Temperature Control with controls located on CommandARM.

Power Strip with Convenience Plug Adapter.

Right and Left Outside Mirrors (Electrically Adjustable).

Folding Instructional Seat.

GENERATION 4 COMMANDCENTER - PROCESSO	R
Ontion availability limited by enecific accoranhical regions	

Option availability limited by specific geographical regions.

Please refer to region specific price pages for appropriate ordering codes.

1945 4100 Processor In Base Price

Requires Code 1823 or 1827 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input. CommandCenter AutoTrac Activation Capable only. Use of GS3 activations will require a GS3 2630 display.

1946 4600 Processor 1,500.00

Requires Code 1822 or 1820 -10 In. CommandCenter Display. Includes tractor CommandCenter controls and 4 video inputs.

 $Command Center\ AutoTrac\ Activation\ Capable.$ 

Upgradeable to future CommandCenter software activations, when available.

Use of GS3 activations will require a GS3 2630 display.

#### **GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS**

All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more

information.

Option availability limited by specific geographical regions.

1823 Single 7 In. CommandCenter Display In Base Price

1822 Single 10 In. CommandCenter Display

495.00

6.166.00

1827 One 7 In. CommandCenter Display with GreenStar 3 2630 Display

Includes GreenStar 3 2630 Display, harness, Ethernet Adapter Harness, and

A-post mounting bracket installed on cornerpost.

1820 One 10 In. CommandCenter Display with GreenStar 3 2630 Display

Includes GreenStar 3 2630 Display, harness, Ethernet Adapter Harness, and

A-post mounting bracket installed on cornerpost.

6,660.00

#### AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

CommandCenter AutoTrac Activations are one time non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.

GS3 activations only function with GS3 displays.

Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations,

 $referencing\ the\ Tractor\ order\ number.$ 

Accuracy is dependent on the receiver signal level. Generation 4 CommandCenter AutoTrac, AutoTrac - GS3, and AutoTrac - GS3 with iTEC Pro Activations are compatible with SF1, SF2, or RTK.

#### 7210R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
		Field installed activations are available through the AMS prices pages.  Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions.  Please refer to region specific price pages for appropriate ordering codes.	
1845		Less Activations	In Base Price
1851		CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 4100 Processor. Includes Non-transferrable, AutoTrac functionality on the CommandCenter. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	1,000.00
1852		CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 4600 Processor. Includes Non-transferrable, AutoTrac functionality on the CommandCenter. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	1,000.00
1847		AutoTrac Activation - GS3 Requires GS3 2630 Display Code 1820 or 1827. Does not include CommandCenter AMS Activation. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	3,500.00
1849		AutoTrac Activation - GS3 with iTEC Pro Activation - GS3 Requires GS3 2630 Display Code 1820 or 1827. Does not include CommandCenter AMS Activation. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	6,000.00

#### **RECEIVER**

Tractor includes deluxe receiver mounting bracket only. Accuracy is dependent on the receiver signal level.

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracy.

-RTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover,

and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for

appropriate ordering codes.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

1835 Less StarFire 3000 Receiver

In Base Price

Tractor includes deluxe receiver mounting bracket only.

Note: When installing a StarFire Receiver with Original Shroud, order conversion

bracket through parts or a Deluxe Shroud through AMS Attachments to

#### 7210R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).	7,195.00

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at

www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

#### Options with JDLink Connect include:

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor.
- 1 Ethernet harness routed from the MTG to the optional display port.
- Antenna wiring harness for the Machine Communication Radio (MCR).
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer.

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway

Subscription length of contract varies; Subscription renewal required after term of service for

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate order codes.

1885 JDLink Capable In Base Price Includes cab wiring harness and (1 or 2) Ethernet harness(es). Requires field kit installation, activation, and subscription for JDLink functionality. Not available in United States, Canada, Australia, New Zealand.

1889 JDLink Ultimate - Subscription Not Included 2,400.00 Includes JDLink hardware, and (1 or 2) Ethernet harness(es).

Does not include the JDLink Ultimate 1 Year Subscription, Machine Communication

Radio and antenna.

Not available in United States, Canada, Australia, New Zealand.

188I JDLink Connect - Subscription Not Included No Charge

Includes JDLink hardware, Ethernet harnesses, and Machine Communication Radio antenna harness. Ethernet harnesses may vary per configuration.

Does not include a JDLink Connect Subscription, Machine Communication Radio and

Only available in the United States, Canada, Australia, and New Zealand through dealers that

do not meet New Model Qualification requirements.

188J JDLink Connect - 1 Year Subscription Included No Charge

Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 1 year JDLink Connect subscription, Ethernet harnesses, and Machine Communication Radio antenna harness

Does not include the Machine Communication Radio and antenna.

Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0052	DENTI LA	MACHINE CONNECTIVITYContinued  Service parts) is required to connect Display to MTG.  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	335 (v)
188K		JDLink Connect - 3 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, Ethernet harnesses, and Machine Communication Radio antenna harness. Does not include the Machine Communication Radio and antenna. Note: When GreenStar 3 2630 Display is mounted on cornerpost, an Ethernet cable is required to connect Display to MTG.	1,200.00
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
188L		JDLink Connect - 1 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 1 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).	3,699.00
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
188M		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  JDLink Connect - 3 Year Subscription and Machine Communication Radio	4,899.00
TOOW		Includes John Ardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).	4,055.00
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering# (ACS)	3,371.00
1834		Less John Deere ActiveCommand Steering# (ACS)	In Base Price

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSION	
1500		CommandQuad Eco 40 km/h (25 mph) 20F/20R with Efficiency Manager Requires CommandARM Controls Code 2705 (Left Hand Reverser CommandQuad).	-8,766.00
1501		CommandQuad Eco 50 km/h (31 mph) 20F/20R with Efficiency Manager Requires CommandARM Controls Code 2705 (Left Hand Reverser CommandQuad). Requires Air or Hydraulic trailer brakes, TLS+ with front brakes, front fenders. Requires Symbol B (31 mph/50 km/h) Front and Rear Tires, ordered from the tire section in this price list.	-8,766.00
1493		e23 Transmission 40 km/h (25 mph) with Efficiency Manager # Requires CommandARM Controls code 2701 or 2702.	In Base Price
1494		e23 Transmission 50 km/h (31 mph) with Efficiency Manager # Requires CommandARM Controls code 2701 or 2702. Requires Air or Hydraulic trailer brakes, TLS+ with front brakes, front fenders. Requires Symbol B (31 mph/50 km/h) Front and Rear Tires, ordered from the tire section in this price list.	Same Price
1550		AutoPowr IVT Transmission 40 km/h (25 mph) Requires CommandARM Controls code 2703 or 2704.	5,000.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) Requires CommandARM Controls code 2703 or 2704. Requires Air or Hydraulic trailer brakes, TLS+ with front brakes, front fenders. Requires Symbol B (31 mph/50 km/h) Front and Rear Tires, ordered from the tire section in this price list.	5,000.00
		COMMANDARM CONTROLS	
2701		Right Hand Reverser Bump-Shift-Type Transmission Controls	In Base Price
2702		Left Hand Reverser Bump-Shift-Type Transmission Controls	933.00
2703		Right Hand Reverser Linear-Type Transmission Controls	Same Price
2704		Left Hand Reverser Linear-Type Transmission Controls	933.00
2705		Left Hand Reverser CommandQuad Transmission Controls	Same Price
		LIGHTS	
7200		Economy Lighting Six Front Grill Mounted Lights: Two 65 W Low Beam Driving Lights, Two 65 W High Beam Driving Lights and Two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and Four Side Facing 65 W Flood lights and Four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and two Rear Turn Signal and Brake Lights. Two folding extremity lights.	-879.00
7201		Standard Lighting Requires code 8740 (240 amp alternator). Includes Economy Lights plus 2 adjustable front roof 65W halogen floodlights, 2 front belt line work lights, and left side rotary beacon light.	In Base Price
7206		Premium Lighting	2,954.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		LIGHTSContinued Includes Standard Lighting. All Halogen lights will be LED lights except for low beam driving lights.	
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers.	-686.00
2660		Standard Radio Package AM/FM Stereo with Weatherband, Remote Controls, Auxiliary Input Jack Located on Right Side Console, Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package w/ XM Radio AM/FM Stereo with Premium Tuner, Weatherband, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console, BlueTooth capable including microphone, XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	352.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console. BlueTooth capable including microphone, Four Speakers, Subwoofer, and External Antenna.	245.00
		HYDRAULIC PUMP	
3230		121 L/Min. (32 gpm) Hydraulic Pump	-965.00
3240		162 L/Min. (43 gpm) Hydraulic Pump	In Base Price
3260		223 L/Min. (59 gpm) Hydraulic Pump	1,245.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	-2,009.00
3341		Four Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	In Base Price
3351		Five Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	2,010.00
3361		Six Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers  Not compatible with Joystick code 841L.	4,022.00
		REAR POWER TAKE OFF	
3810		45mm (1-3/4 In.)1000 rpm PTO (20 Spline) Option is never compatible with 35mm (1-3/8 In.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO.	In Base Price
3820		45mm (1-3/4 ln.) 1000 rpm PTO (20 Spline), 35mm (1-3/8 ln.)	1,618.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR POWER TAKE OFFContinued 540 (6 Spline) / 1000 (21 Spline) rpm PTO with shifting at the rear of the tractor, One-Piece Reversible 35mm (1-3/8 ln.) Shaft and Single Side 45mm (1-3/4 ln.) Shaft	
3830		35mm (1-3/8 ln.) 540 Economy rpm (6 Spline) / 1000 (21 Spline) / 1000 (21 Spline) Economy rpm PTO, 45mm (1-3/4 ln.) 1000 (20 Spline), Electronically Shiftable in Cab, One-Piece Reversible 35mm (1-3/8 ln.) Shaft and Single Side 45mm (1-3/4 ln.) Shaft Economy Speed @ 1730 Engine rpm.	2,530.00
3831		35mm (1-3/8 In.) 540 (6 Spline) / 540 (6 Spline) Economy rpm / 1000 (21 Spline) rpm PTO, 45mm (1-3/4 In.) 1000 (20 Spline) rpm PTO, Electronically Shiftable in Cab, One-Piece Reversible 35mm (1-3/8 In.) Shaft and Single Side 45mm (1-3/4 In.) Shaft Economy Speed @ 1730 Engine rpm.	2,530.00
		DRAWBAR AND TRAILER HITCH	
4320		Category 3, Adjustable Swinging Drawbar for use with a 38 mm (1.50 ln.) Pin Does not include clevis.1837 kg (4,050 Lb.) - 2766 kg (6,100 Lb.) maximum vertical load dependent on drawbar position.	-243.00
4319		Category 3, Adjustable Swinging Drawbar for use with a 38 mm (1.50 ln.) Pin Includes drawbar clevis. 1837 kg (4,050 Lb.) - 2766 kg (6,100 Lb.) maximum vertical load dependent upon drawbar position.	In Base Price
4323		Category 3 Adjustable Swinging Drawbar, with 38 mm (1.50 ln.) Pin, Clevis, and Heavy Duty Support 4535 kg (10,000 Lb.) Maximum Vertical Load.	663.00
		REAR HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Option Code 3331. If 4, 5, or 6 remote selective control valves are required, order field installed kit BRE10047 (4th Remote Selective Control Valve), BRE10048 (5th Remote Selective Control Valve) or BRE10049 (6th Remote Selective Control Valve). Not compatible with Front Hitch.	-5,776.00
4033		5,443 kg (12,000 Lb.) Lift Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler 7,300 kg (16,093 Lb.) max lift capacity. Includes solid, non-adjustable draft links and sway blocks.	In Base Price
4034		6,894 kg (15,200 Lb.) Lift Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler 9,208 kg (20,300 Lb.)max lift capacity. Includes solid, non-adjustable draft links and sway blocks.	1,297.00
		REAR AXLES	
5045		100 mm (3-15/16 ln.) Dia x 2550 mm (100.4 ln.) Length Not compatible with duals.	-344.00
5047		100 mm (3-15/16 ln.) Dia x 2808 mm (110.5 ln.) Length	-168.00
5049		100 mm (3-15/16 ln.) Dia x 3000 mm (118.5 ln.) Length	In Base Price
		WHEELS AND HUBS	

#### 7210R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5090		WHEELS AND HUBSContinued Steel Wheels and Cast Hubs Requires Code 5045, 5047, or 5049.	In Base Price
5091		Cast Wheels with Single Taper Hubs	278.00
		REAR WHEELS & TIRES (Single and Dual Configurations)	

The models will be installed as listed. The company reserves the right to substitute another model without written notice.

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual

tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications

(e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific

warranty guidelines.

Overloading of tires is prohibited.

#### **REAR WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:**

#### A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) **Listed Narrowest to Widest Listed Singles to Duals**

For MFWD, use with any A8 Speed Rated RCI Group 42 Front Tire with same brand

For tractors equipped with heavy ballast, duals are recommended to avoid overloading tires. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.

5500 320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration 2,716.00

Available in Goodvear only.

Requires No Brand Preference Code 5999.

Goodyear is available in US, Canada, Australia, New Zealand, Central America,

and South America only.

5101 380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration -8,150.00

Available in Goodyear only.

Requires No Brand Preference Code 5999.

Goodyear is available in US, Canada, Australia, New Zealand, Central America,

and South America only.

5501 380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration -328.00

Available in Goodyear only.

Requires No Brand Preference Code 5999.

Goodyear is available in US, Canada, Australia, New Zealand, Central America,

and South America only.

5102 480/80R46 In. 158A8 R2 Radial in Single Wheel Configuration -6,568.00

Available in Goodyear only.

Requires No Brand Preference Code 5999.

Requires Front Tire Code 6103.

Goodyear is available in US, Canada, Australia, New Zealand, Central America,

and South America only.

5502 480/80R46 In. 158A8 R2 Radial in Dual Wheel Configuration 2,836.00

Available in Goodyear only.

Requires No Brand Preference Code 5999.

Requires Front Tire Code 6103.

Goodyear is available in US, Canada, Australia, New Zealand, Central America,

and South America only.

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5103		Continued 480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-7,986.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	In Base Price
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-6,132.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	3,008.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-7,972.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	28.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-6,572.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	2,828.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-5,898.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	4,176.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	6,120.00
5123		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-4,926.00
5132		650/65R42 In. 158D R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires No Brand Preference Code 5999.	-3,614.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5124		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 650/65R42 In. 170A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-3,604.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-3,610.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	8,752.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 43 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5224		320/105R54 In. 163A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-6,430.00
		Compatible with Code 6200.  Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	
5624		320/105R54 In. 163A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	3,112.00
		Compatible with Code 6200. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Not compatible with Code 5090. Goodyear is available in US, Canada, Central America, and South America only.	-6,244.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	3,484.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear available in US, Canada, Central America, and South America only.	-6,296.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear available in US, Canada, Central America, and South America only.	3,380.00
5202		IF 480/80R50 In. 166A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,796.00

### 7210R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5602		Continued IF 480/80R50 In. 166A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,380.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-6,584.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas. Goodyear available in US, Canada, Central America, and South America only.	2,804.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-6,316.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	3,340.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-4,566.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	6,840.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-3,802.00
5622		650/85R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	8,368.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-1,602.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,068.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-3,144.00

### 7210R Tractor

CODE	ATTACHMEN IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5606		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	9,684.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-2,804.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	10,364.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-1,304.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	13,364.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in US, Canada, Central America, and South America only. If ordered with Code 5093 Flanged Axle and 8751 Dual Line Air Trailer Brakes, or 8752 Hydraulic and Dual Line Air Trailer Brakes overall width will exceed 2.55M.	-2,598.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-1,098.00
		REAR WHEELS AND TIRES FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	2,236.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin only.  Requires No Brand Preference Code 5999.	-1,934.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	5,432.00

### 7210R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5638		Continued 520/85R46 In. 158B R1W Radial in Dual Wheel Configuration Available in Firestone or Michelin.	3,952.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin, Trelleborg or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-2,820.00
5639		650/85R38 In. 173B R1W Radial in Dual Wheel Configuration Available in Michelin or Trelleborg.	3,472.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-620.00
5640		710/70R42 In. 168B R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	10,832.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Trelleberg.	-1,278.00
5641		710/70R42 In. 173B R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	12,716.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	222.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215. If ordered with Code 5093 Flanged Axle and 8752 Dual Line Air Trailer Brakes, or 8752 Hydraulic and Dual Line Air Trailer Brakes overall width will exceed 2.55M.	176.00
		FRONT AXLES	
6043		1150 Series Mechanical Front Wheel Drive Axle with Driveline Shield and Limited Slip Differential  Not compatible with Group 44 Front and Group 49 Rear Tires.  Not compatible with Front Hitch or Front Hitch Ready.	In Base Price
6060		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield and Limited Slip Differential	9,232.00
6061		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield, Hydraulic On/Off Differential Lock and Wet Disk Front Brakes Required for 50 km/h (31 mph) Transmissions (Code 1501, 1552 or 1553, 1494). Compatible with 40 km/h (25 mph) Transmissions (Code1500, 1550, and1493).	10,835.00

**FRONT WHEELS AND TIRES** 

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		MECHANICAL FRONT WEHEEL DRIVE (MFWD) AXLE Eight Position Steel MFWD Wheels with: A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	756.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	188.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,910.00
6116		380/85R34 In. 145A8 R1 Radial Available in Firestone only. Requires No Brand Preference Code 5999.	1,002.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,776.00
6102		420/90R30 In. 145A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	664.00
6103		420/90R30 In. 142A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect tractor delivery date. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	744.00
6131		480/70R30 In. 152A8 R1W Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	304.00
6109		600/65R28 In. 147A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	2,512.00
6132		600/65R28 In. 154A8 R1W Radial Available in Michelin and Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	3,044.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest	
		Use with any A8 Speed Rated RCI Group 48 Rear Tire with same brand preference.  Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6200		320/80R42 In. 141A8 R1W Radial Available in Goodyear only.	1,410.00
		Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	
6220		IF 320/80R42 In. 149A8 R1W Increased Flexion Radial Available in Goodyear only.	2,910.00
		Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999.	
		Compatible with Code 5224. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	
6201		380/80R38 In. 142A8 R1W Radial  Available in Firestone, Goodyear, Mitas, or Michelin.	1,322.00
		Goodyear available in US, Canada, Central America, and South America only.	
6202		IF380/80R38 In. 149A8 R1W Increased Flexion Radial Available in Firestone only.	2,822.00
		Requires No Brand Preference Code 5999.	
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone, Goodyear, or Mitas. Goodyear available in US, Canada, Central America, and South America only.	1,290.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone or Goodyear.	2,150.00
		Goodyear is available in US, Canada, Central America, and South America only.	
6217		IF420/85R34 In. 152A8 R1W Increased Flexion Radial Available in Firestone only. Requires No Brand Preference Code 5999.	2,790.00
6204		480/70R34 In. 143A8 R1W Radial Available in Michelin and Mitas.	1,216.00
6206		480/70R34 In. 146A8 R2 Radial Available in Goodyear only.	1,072.00
		Requires No Brand Preference Code 5999.  Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	
6207		540/65R34 In. 148A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,998.00
6208		600/70R30 In. 152A8 R1W Radial Available in Firestone, Goodyear, Mitas, Trelleborg or Michelin. Goodyear available in US, Canada, Central America, and South America only.	2,688.00
6214		IF600/70R30 In. 159A8 R1W Increased Flexion Radial Available in Michelin and Firestone.	4,188.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		Eight Position B Speed Rated Steel MFWD Wheels for 31 mph (50 km/h) Transmissions:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any B Speed Rated RCI Group 47 Rear Tire with same tread type and brand preference. Requires code 6061.	
6111		380/85R34 In. 137B R1 Radial Available in Firestone only. Requires No Brand Preference Code 5999.	1,170.00
6123		480/70R30 In. 152B R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	1,286.00
6113		600/65R28 In. 147B R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	4,330.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Use with any B Speed Rated RCI Group 48 Rear Tire with same tread type and brand preference. Requires Code 6061.	
6209		420/85R34 In. 147B R1W Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	2,272.00
6316		480/70R34 In. 155B R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	2,724.00
6317		480/70R34 In. 143B R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	2,490.00
6212		600/70R30 In. 152B R1W Radial Available in Firestone, Michelin, Trelleborg, and Goodyear. Goodyear available in US, Canada, Central America, and South America only.	3,670.00
6215		IF600/70R30 In. 159B R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	5,890.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference	No Charge
5901		Firestone Brand Only	600.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TIRE PREFERENCE CODESContinued	
5902		Goodyear Brand Only Goodyear brand tires available in US, Canada, Central America, and South America only. Limited availability in New Zealand, and Australia.	600.00
5903		Michelin Brand Only	1,000.00
5904		Mitas Brand Only	600.00
5905		Trelleborg Brand Only	600.00
		OPERATOR'S MANUALS, LABELS AND COMMANDCENTER	
0409		English	In Base Price
0437		Spanish Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese	Same Price
0401		Arabic	Same Price
0442		Vietnamese	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8264		Operator Station and Electrical: Actively Cooled Refrigeration Unit (391 In.3 / 6.4 L3)	422.00
8210		Leather Comfort Package Not compatible with Code 2059 Standard CommandView III Cab. Includes heated leather seat, leather wrapped steering wheel, carpet floor mat and rear window decal.	1,805.00
8740		High Capacity 240a Alternator Replaces standard 200 amp alternator with 240 amp alternator. Required with Standard Light package 7201.	187.00
8242		Radar with Dual Beam Sensor	932.00
8725		Single Left Hand Rotary Beacon Light Required to add a Rotary Beacon Light to a Economy Lighting Package.	353.00
8726		Dual Rotary Beacon Lights Required to add Dual Rotary Beacon Lights to Economy, Standard or Premium Lighting Package. If ordered with Economy Lighting Package, requires code 8725.	353.00
8227		Outside Mirrors, Power Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors. Requires Standard Cab Package Code 2059.	1,026.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8228		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Outside Mirrors, Power Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors. Not compatible with Standard Cab Package Code 2059.	559.00
878B		Battery Disconnect Switch	143.00
8782		Backup Alarm	250.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	134.00
8288		Foot Operated Speed Control	340.00
8720		Loader and Driving Light Package Provides two halogen road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	216.00
8297		Standard Hitch Control  Deducts rotary hitch encoder and 3 direct access controls under armrest.	-79.00
8064		Technology: Ethernet Switch Available in US, Canada, Australia, and New Zealand only. Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for John Deere Machine Sync, Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	In Configuration
8010		Chassis: Fenders, Pivoting Front - 480 mm (18.7 ln.) Wide Recommended for use with 12.4 ln. (290 mm) to 16.9 ln. (420 mm) tire widths. Not compatible with Code 8011, 8012, or 8013. Code 8010, 8011 or 8012 is required for 50km/h (31mph) Tractors.	1,333.00
8011		Fenders, Pivoting Front - 620 mm (24.4 ln.) Wide Recommended for use with 18.4 ln. (480 mm) to 23.6 ln. (600 mm) tire width. Not compatible with Code 8010, 8012, or 8013. Code 8010, 8011 or 8012 is required for 50 km/h (31 mph) Tractors.	1,562.00
8013		Fenders, Stationary Front - 620 mm (24.4 ln.) Wide - Loader Compatible If Code 8910 Loader Ready is selected the fenders will be stationary and loader compatible. Not compatible with Code 8010, 8011, or 8012.	1,205.00
8012		Fenders, Pivoting Front - 710 mm (27.9 ln.) Wide Not recommended for use with Group 42 front tires. Recommended for use with 480 mm (18.4 ln.) to 620 mm (24.4 ln.) tire widths. Not compatible with 320 mm (12.6 ln.) to 380 mm (15 ln.) tire widths. Not compatible with Code 8010 or 8011. Code 8010, 8011 or 8012 is required for 50 km/h (31 mph) Tractors.	1,841.00
8020		Fender, Rear Extensions - 2.55 M (100 In.) Width Includes external PTO switch, and hitch control switch on both fenders. Requires rear hitch code 4000, 4033, 4034 or 4045.	1,310.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8021		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Fender, Rear Extensions - 2.75 M (108 In.) Width Provides coverage for up to 800 mm section width tires. Includes external PTO switch, and hitch control switch on both fenders. Requires rear hitch code 4000, 4033, 4034 or 4045. Not compatible with option code 8020.	1,570.00
8291		Left Hand Step Mud Guard Included on tractors with Group 49 Rear Tires. Option on tractors with Group 47 and Group 48 Rear Tires.	103.00
8751		Trailer Brake, Dual Line Air Includes compressor, tank, control valve, couplers, and dryer. Not compatible with Code 8756 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	6,407.00
8756		Trailer Brake, Hydraulic Includes rear tractor line coupler. Not compatible with Code 0143. Not compatible with Code 8751 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	846.00
8752		Trailer Brakes, Dual Line Air and Hydraulic Not compatible with Code 0143. Includes Code 8751 and 8756. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	7,111.00
8910		Front Implement/Loader: Loader Ready: Three Function Electronic - Independent Control Valve Requires front weight support code 8955. Includes: Code 841L, 3-Function Electronic Joystick, with Activated speed shifting buttons on CommandQuad and e23. 6-Hydraulic hoses from mid-mount Tractor valve to attached single point half coupler, Loader Mounting Frame, and Hood Guard. Not compatible with Mid Mount SCV code 834L or Front Hitch/Front Hitch Ready. If fenders are desired select Code 8013 stationary frontfenders compatible with Loaders. Does not include right side convenience step. Loader/Ballast may exceed load rating on certain tires. Please check Ag Sales Manual for compatibility.	7,861.00
841G		Front Hitch Ready Includes a front casting that will accommodate but does not include a Front Hitch and Front PTO. Includes 3 sets of Hydraulic Lines on TLS + front axles.  If front weight support is desired select option code 8955.  Not compatible with 6040 or 6043 Pivot Beam Axles.  Not Compatible with 8408, 8410, 8409, 8411, or 8910.	2,716.00
8408		Standard Front Hitch with One Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity.  Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and standard lift arms. Includes One Front Auxiliary Couplers.  Not compatible with 6040 or 6043 Pivot Beam Axles.  Not Compatible with 841G, 834M, 834L.  ISOBUS Connector available through Parts.  Requires Code 841K or 841L.	5,393.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8410		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Standard Front Hitch with Two Front Auxiliary Couplers, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity.  Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and standard lift arms. Includes Two Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	6,602.00
8409		Premium Front Hitch with One Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity. Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and ground engaging lift arms. Includes One Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	6,401.00
8411		Premium Front Hitch with Two Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity. Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and ground engaging lift arms. Includes Two Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	7,610.00
841K		Front Hitch Paddle Pot SCV Controls Compatible only with FH codes 8408, 8409, 8410, & 8411. Not compatible with 841L Joystick Control. Provides proportional paddle pot SCV control for Front Hitch and Front SCV's if equipped.	No Charge
841L		Joystick Control  Does not include mid-mount valve or Loader Ready components.  Not compatible with 6 Rear SCV's code 3361.  Not compatible with CommandARM SCV Controls code 841K.	1,250.00
838C		PTO, Independent Front with 45 mm (1-3/4 ln.) 20-Spline, 1000rpm Counter Clockwise-Rotating Shaft as Viewed from Front (Type 3) Requires Code 8408, 8409, 8410, or 8411. Additional Front PTO shafts available through Parts.	7,561.00
838D		PTO, Independent Front with 35 mm (1-3/8 In.) 21-Spline, 1000rpm Counter Clockwise-Rotating Shaft as Viewed from Front (Type 2) Requires Code 8408, 8409, 8410, or 8411.  Additional Front PTO shafts available through Parts.	7,561.00
8428		Hitch and Drawbar: Hydraulic Rear Center Link - Cat. 3 (90 mm) Requires Rear Fender Extension. Includes fender mounted control for SCV III.	1,186.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832G		Hydraulics: Auxiliary Hydraulic Connections - 1/2 ln. Includes (2) 12.7 mm (1/2 In). motor return couplers, (1) 9.5 mm (3/8 In.) flat face sump coupler, (1)12.7 mm (1/2 In.) power beyond pressure coupler and (1) 6.4 mm (1/4 In.) load sense coupler.	900.00
832H		Auxiliary Hydraulic Connections - 3/4 In. Includes (2) 19 mm (3/4 In.) motor return couplers, (1) 9.5 mm (3/8 In.) flat face sump coupler, (1) 19 mm (3/4 In.) power beyond pressure coupler and (1) 9.5 mm (3/8 In.) load sense coupler.	1,002.00
834L		3-Function Mid-Mount EH Valve Stack with Paddle Pot Controls Provides Three Additional SCVs with steel plugs. Float position included on all Mid-Mount valves. Not compatible with Front Hitch (8408, 8409, 8410 or 8411). Not compatible with Loader Ready Package 8910. Mid mount valve couplers available through Parts.	3,821.00
834M		3-Function Mid-Mount EH Valve Stack with Joystick Control Provides Three Additional SCVs with steel plugs. Float position included on 2 Mid-Mount valves. Not compatible with Code 3361 (6 Rear SCV's). Not compatible with Front Hitch (8408, 8409, 8410 or 8411). Not compatible with Loader Ready Package 8910. Mid mount valve couplers available through Parts.	4,629.00
8302		Engine: Heater, Engine Block 110V	57.00
8304		Heater, Cold Weather Auxiliary Package, 110V Includes Ground Fault Interrupter, Engine Block Heater, and Charge Pump Heater.	483.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	584.00
8220		Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport applications. Not compatible with Engine Code 3030. See the Agricultural Sales Manual for ground speed specifications.	3,003.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights	470.00
8956		Weight, Front Support with Four Suitcase Weights  Not compatible with Front Loaders.	871.00
8957		Weight, Front Support with Eight Suitcase Weights Not compatible with Front Loaders.	1,315.00
8958		Weight, Front Support with Twelve Suitcase Weights  Not compatible with Front Loaders.	1,759.00
8959		Weight, Front Support with Sixteen Suitcase Weights Not compatible with Front Loaders.	2,204.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8962		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Weight, Front Support with Twenty Suitcase Weights Not compatible with Front Loaders.	2,647.00
8963		Weight, Front Support with Twenty Four Suitcase Weights Not compatible with Front Loaders.	3,092.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Steel - code 5090): Weights are shown for each weight.	
8970		One pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights Not compatible with Air Trailer Brakes (8751 or 8752).	1,581.00
8971		One pair 159 Lb. (72 kg) Starter Weights and Two Pair 452 Lb. (205 kg) Weights Not compatible with Air Trailer Brakes (8751 or 8752). Minimum tread setting may be restricted due to tire size selected. Refer to the Agricultural Sales Manual for additional information.	2,733.00
		Rear Wheel Weights - For Outside Drive Wheels (Steel - code 5090): Weights are shown for each weight.	
8985		One Pair 70 kg (154 Lb.) Starter Weights and One Pair 900 kg (1984 Lb.) Weight for the Outside of Single Rear Wheel Requires rear axle code 5045, 5047, or 5049, rear tire with load rating above 151, and 42 ln. or larger rim.  900 kg (1984) Lb. wheel weights will be shipped on a separate pallet and require dealer installation.	5,498.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) without Air Trailer Brakes option (8751 or 8752):  Weights are shown for each weight.	
8974		One Pair 452 Lb. (205 kg)	1,162.00
8975		One pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights	1,571.00
8976		Two Pair 452 Lb. (205 kg) Minimum tread setting may be restricted due to tire size. Refer to the Agricultural Sales Manual for additional information. Not available from factory with 520 section width tires or narrower. Not available from factory with 800 section width tires or wider.	2,325.00
8977		One Pair 1378 Lb. (625 kg)	3,543.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) with Air Trailer Brakes option (8751 or 8752):  Weights are shown for each weight.	
897L		One Pair 452 Lb. (205 kg) Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	1,162.00
897M		One Pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	1,571.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
897N		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued One Pair 1378 Lb. (625 kg) Requires Code 5091 or 5092. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information. Not compatible with tire codes 5209, 5217,5218, 5220, 5609 or 5620.	3,543.00
897P		One Pair 1378 Lb. (625 kg) Only compatible with 800 section width tire. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information. Requires tire codes 5209, 5220, 5609, 5620, 5217 and Rear Axle code 5045, 5063, 5059, 5065 or 5052.	3,543.00
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights are shown for each weight.	
8978		One pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights  Not compatible with duals.	1,571.00
8979		One Pair 159 Lb. (72 kg) Starter Weights and Two Pair 452 Lb. (205 kg) Weights  Not compatible with duals.	2,733.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights are shown for each weight.	
8980		One Pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights	1,571.00
8981		One Pair 159 Lb. (72 kg) Starter Weights and Two Pair 452 Lb. (205 kg) Weights Based on the tire width option ordered, some 452 Lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,733.00
8983		One Pair 70 kg (154 Lb.) Starter Weights and One Pair 900 kg (1984 Lb.) Weight for the Outside of Dual Wheel Requires rear duals with 42, 46, or 50 inch rim. Not Comaptible with other rim sizes.	5,498.00
8935		1188 kg (2619 Lb.) Ballast Package with Rear Duals: Front Weight Support with 12 Front Suitcase Weights and One Pair 72 kg (159 Lb.) with One Pair of 205 kg (452 Lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	3,331.00
8936		2198 kg (4896 Lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 625 kg (1378 Lb.) Inside/Inner Rear Wheel Weights and One Pair 72 kg (159 Lb.) Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings.  Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	6,156.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8937		3768 kg (8307 Lb.) Ballast Package with Rear Duals: Front Weight Support with 24 Front Suitcase Weights and One Pair of 625 kg (1378 Lb.) Inside/Inner Rear Wheel Weights and One Pair 72 kg (159 Lb.) and Three Pair 205 kg (452 Lb.) Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	10,531.00
8785		Miscellaneous: Chock Block Holder	139.00
8550		Skid for Duals Not available for United States and Canada.	139.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BRE10035	Brakes: Hydraulic Trailer Brake Kit Includes rear tractor line coupler.	705.10
	BRE10032	Manifold Trailer Brakes Required to install hydraulic trailer brakes on tractors not equipped with front brakes or air trailer brakes from the factory.	430.10
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Touch-Set Depth Control.	152.90
	BRE10077	Battery Disconnect Switch Compatible with MY14 (SN 080001- ) 7R tractors. Switch disconnects power to the entire tractor to aid in maintaining battery life.	172.70
	RE322555	Front Implement CAN Communication Connector Provides CAN Communication connection for front hitch ISOBus implements.	141.90
	RE325911	Heater, Cold Weather Auxiliary Package, 110V, 6.8L IVT/PST Contains block heater and hydraulic pump heater. Compatible on 6.8L Infinitely Variable Transmission and PowerShift Transmission.	478.50
	BRE10129	Heater, Cold Weather Auxiliary Package, 110V, 6.8L, CQ Contains block heater, transmission heater and hydraulic pump heater. Compatible on 6.8L CommandQuad Transmissions.	568.70
	RE550906	High Capacity 240 amp Alternator Replaces standard 200 amp alternator with 240 amp alternator.	1,152.82
	RE322780	ISO Cab Implement CAN Bus Adapter ISO cab implement controller area network (CAN) bus adapter is available to connect ISO compliant implement or device to ISO11786 tractor cornerpost connector.	65.97
	RE21519	Implement Switch with 10 Ft. (3 m) Harness	198.00

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE324688	ATTACHMENTS FOR FIELD CONVERSIONContinued  Mounting Parts for Radar with Dual Beam Sensor - CQ  Compatible with CommandQuad Transmissions.  Must order radar separately.	199.10
	RE324687	Mounting Parts for Radar with Dual Beam Sensor - IVT Compatible with Infinitely Variable Transmissions. Must order radar separately.	163.90
	RE334192	Mounting Parts for Radar with Dual Beam Sensor - PST  Compatible with PowerShift Transmissions.  Must order radar separately.	163.90
	RE278986	Radar with Dual Beam Sensor - AU	1,034.61
	RE278980	Radar with Dual Beam Sensor - NA	1,135.92
	RE337169	Transmission Backup Alarm	334.40
		Engine:	
	SWDEF110VKIT		858.57
	SWDEF12VKIT	12V Pump Kit	852.86
	SWDEF025	2.5 gal jug of John Deere Diesel Exhaust Fluid	0.00
	SWDEFPDU20T	20gal Portable Dispensing Unit with lockable, hinged lid Fluid not included.	1,680.00
	SWDEF275	275gal tote of John Deere Diesel Exhaust Fluid	0.00
	SWDEF330	330gal tote of John Deere Diesel Exhaust Fluid	0.00
	SWDEF055	55gal drum of John Deere Diesel Exhaust Fluid	0.00
	SWDEFPDU60T	60gal Portable Dispensing Unit with lockable, hinged lid Fluid not included.	1,864.00
	BRE10079	Fuel/Water Separator Kit, Severe Duty Compatible with 6.8L. In addition to water separator in base equipment. If equipped with loader, reference Installation Instructions for also order parts.	720.50
	RE318606	Fenders: Fender, Rear Extensions - 2.55 m (100 In.) Width Increases total fender width to 2.55 m (100 In.)	1,554.30
	RE324406	Fender, Rear Extensions 2.75 m. (108 In.) Width Increases total fender width to 2.75 m (108 In.)	369.60
		Requires Fenders Rear Extensions (RE318606) for installation.	
	BRE10021	Fenders, Deluxe Pivoting Front for MFWD - 620 mm (24.4 ln.) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information. Recommended for use with 18.4 In. (480 mm) to 24.4 In. (620 mm) tire width.	1,713.80

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10022	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Pivoting Front - 480 mm (18.7 ln.) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information. Recommended for use with 12.4 ln. (320 mm) to 16.9 ln. (420 mm) tire widths.	1,474.00
	BRE10126	Fenders, Pivoting Front - 710mm (27.9 ln) Wide Recommended use with Group 43 or 44 Front Tires, 600mm or wider.	2,184.60
	RE340779	Front Hitch Hydraulic Mid-Mount Valves: Front Hitch Valve (120 ml.) with TLS Axle Compatible on all Tractors that are front hitch ready with Triple Link Suspension Axle.	2,027.30
		Additional also order parts and software is required. See installation instructions.	
	RE340777	Front Hitch Valve (120 ml.) without TLS Axle Compatible on ALL transmissions that are front hitch ready without Triple Link Suspension axle.	2,247.30
		Additional also order parts and software is required. See installation instructions.	
	RE340780	Second SCV for Front Hitch (120 ml.)  Additional also order parts and software is required. See installation instructions.	375.10
	RE340782	Third SCV for Front Hitch (120 ml.)  Additional also order parts and software is required. See installation instructions.	180.40
	BRE10030	Front Implement/Loader: Front PTO Common Mounting Parts Also order the following Front PTO: RE568063- Independent Front PTO for Counter Clockwise-Rotating Shaft	1,318.90
		Also order one of the following shafts: RE313418 - Shaft - 1.75in - 20 spline RE313419 - Shaft - 1.38in - 21 spline RE313422 - Shaft - 1.38in - 6 spline (Not compatible in US)	
		Also order software R541291 through parts for Region 2 Only. Also order software R541290 through parts for Region 1,3, and 4. See installation instructions.	
	PF90686	GreenStar Harnesses: Harness - Original GreenStar Display and Mobile Processor to GreenStar 3 or GreenStar 2 (Round) Cornerpost	121.00
	PF90596	GreenStar Miscellaneous Hardware: GreenStar/Gen 4 10" Display Touch Panel Protector Service Kit	40.70
	RE344730	Guards: Guards, Undercarriage Crop Shield, CQT Protects transmission and wiring harness.	211.20
	RE338192	Guards, Undercarriage Crop Shield, IVT/PST Protects transmission and wiring harness.	211.20

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE326580	Hitch and Drawbar: Carrier to Ground Engaging, Front Hitch Conversion Kit Converts Front Hitch from carrier hitch to ground engaging hitch.	3,006.30
	BRE10027	Category 3 Adjustable Swinging Drawbar, with 38 mm (1.50 ln.) Pin, Clevis, and Heavy Duty Support Includes a heavy-duty drawbar support with maximum drawbar static vertical load at 10,000 Lb. and can be adjusted to 10 In., 14 In., and 16 In. lengths required by PTO implements. Drawbar pin size is 38 mm (1.5 In.).	977.90
	R177682	Center Link Bracket Retains the center link when not in use.	33.96
	RE327692	Front Hitch Chain Hooks	226.60
	RE326447	Front Hitch Ready - Add Carrier Hitch Adds carrier Front Hitch components to Front Hitch Ready tractors.	5,456.00
	RE326450	Front Hitch Ready - Add Ground Engaging Hitch Adds ground engaging Front Hitch components to Front Hitch Ready tractors.	6,443.80
	R264789	Front Tow Point Requires (4) 19M9162 Cap Screws and (6) 24M7242 washers.	411.82
	BRE10144	Rear Hitch Premium Controls Upgrade Kit Also order software R545978 through parts. See installation instructions.	251.90
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50
	RE330573	Rear Hydraulic Center Link, 90mm Ball Type (Cat 3)  Compatible with category 3 hitch.	1,464.10
	BRE10068	Hydraulics: 2 Mid SCV Stack Screw In Quick Couplers	302.50
	BRE10067	3 Mid SCV Stack Screw In Quick Couplers	443.30
	BRE10080	Auxiliary Hydraulic Reservoir Provides up to 85 L (15 gallons) of take out oil on PowerShift and Infinitely Variable Transmissions.	689.70
	RE335072	External SCV III Kit for Fender Extension  Provides external remote control for Selective Control Valve 3 on rear fender extension.  Requires software (R335110) download to activate function. See Parts.	100.10
	BRE10048	Fifth Rear Remote Selective Control Valve with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers  For Tractors equipped with or without a rear hitch, see installation instructions for additional parts needed to complete installation.  Requires (R301760) Software download to activate function - See Parts.  Compatible with 8RT (Serial Number 912001-).	2,384.80
	BRE10047	Fourth Rear Remote SCV with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers.  For Tractors equipped with or without a rear hitch, see installation instructions for additional parts needed to complete installation. Selective Control Valve.  Requires (R301759) Software download to activate function - See Parts.	2,384.80

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE327561	ATTACHMENTS FOR FIELD CONVERSIONContinued  Hydraulic Motor Case Drain (Flush Face Coupler) Kit  Includes (1) 3/8" flush face case drain coupler.  Required to connect Tractor sump to case drains on Seeding Equipment.	189.20
	RE328941	Implement Single Lever Control Lift Assist Kit	97.90
	BRE10072	Power Beyond Coupler, 1/2" Pressure & Return without 3 in 1 Hitch Includes (1) 1/2" Pressure, (2) 1/2" Return, & (1) 1/4" Load Sense Couplers. Must order RE327561 for motor case drain.	856.90
	BRE10073	Power Beyond Coupler, 3/4" Pressure & Return without 3 in 1 Hitch Includes (1) 3/4" Pressure, (2) 3/4" Return, & (1) 3/8" Load Sense Couplers. Must order RE327561 for motor case drain.	1,037.30
	BRE10049	Sixth Rear Remote Selective Control Valve with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers.  Not compatible with Joystick.	2,384.80
	RE334627	<b>Lighting:</b> Front HID Light Kit Also order software R334626 through parts. See installation instructions.	2,026.20
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Software not required.	351.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights  Also order software R334622 through parts. See installation instructions.	161.70
	RE334683	Loader and Driving Light Package Includes headlights, wiring harness, brackets and mounting hardware. Also order software R334685 through parts. See installation instructions.	272.80
	RE334623	Rotary Beacon Light Kit, Left Side Also order software R334625 through parts. See installation instructions.	432.30
	BRE10043	Rotary Beacon Light Kit, Right Side Also order software R550311 through parts. See installation instructions.	432.30
	RE340785	Loader Auxiliary Mid-Mount Valves: First & Second Remote SCV (120 ml.) with TLS axle Additional also order parts required. See installation instructions. Also order software R551307 through parts.	512.60
	RE340786	First & Second Remote SCV (120 ml.) without TLS axle Additional also order parts required. See installation instructions. Also order software R551308 through parts.	473.00
	RE340789	Third Remote SCV (120 ml.)  Additional also order parts and software is required. See installation instructions.	858.00
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10153	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	RE67016	Operator Environment: 3-Pin Adaptor for Power Strip	51.43
	RE67015	3-Way Convenience Adapter for Power Strip	31.16
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear	54.99
	RE317435	Accessory Mounting Bracket - Long Bar Provides mounting location for additional monitors along right side window. Accepts BRE10015, BRE10152, and more.	128.70
	RE341704	Actively Cooled Refrigeration Unit (391 In3 / 6.4 L3)  Must also order the following brackets and screws: RE345942, R340091, 19M7867, RE345943, R267251 and 19M7796.	950.06
	RE269615	Antenna Mount and Wiring for Business Band (2-Way) Radio	161.70
	RE275532	Ash Tray Fits in existing cup holder.	108.06
	RE346238	Carpet with foot throttle	171.79
	RE556830	Carpet without foot throttle	171.79
	BRE10015	Cell Phone Mount Kit  Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	59.40
	RE67014	Cigar-Style Adapter for Power Strip	46.92
	BRE10147	CommandARM Bracket Not compatible with joystick or GS3 2630 display. Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	PF90385	Cornerpost Display Bracket	111.12
	PFP12435	Display Harness - GS2 / GS3 Display with Video to GreenStar (Round) Cornerpost (30 in. / 762 mm) Includes 3 Video Outputs on MY13 7R, 8R, 8RT, 9R, 9RT tractors. Excludes CCD BUS (most 20-series tractors)	172.68
	PFP12950	Ethernet Adapter Cable (Square to Round - 2.5 ft. / .8m)  Cable connects the corner post Ethernet connector (square) to the GS3 2630 display Ethernet connector (round). Required for Remote Display Access, Wireless Data Transfer, and Machine Sync.	49.89
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	686.40
	BRE10041	External Mirrors, Electrically Telescoping and Heated Mirror Heads, Wheel For converting the heads on electric mirrors to telescoping and heated.	689.70

### 7210R Tractor


CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE321017	ATTACHMENTS FOR FIELD CONVERSIONContinued Foot-Operated Speed Control, Wheel and Tracks Order Floor Mat separate through Parts.	145.20
	RE68495	Power Strip with Six Outlets	56.28
	BRE10039	Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console. BlueTooth capable including microphone, Four Speakers, Subwoofer, and External Antenna.	1,024.10
		Also order software R543675 through parts. See installation instructions.	
	BRE10040	Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Weatherband, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console, BlueTooth capable including microphone, XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	1,255.10
		Also order software R543676 through parts. See installation instructions.	
	RE298942	Seat Belt Kit  Meets regulations that require a seat belt anchorage force similar to the SAE J386, ISO 6683, and OSHA requirements (29CFR1926.602) for earth moving operations and non-agricultural tractor operations.	293.70
	BRE10152	Self - Leveling Cup Holder Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	58.30
	BRE10143	Single Lever Multi Function Joystick Not Compatible with 6 rear Selective Control Valves. Also order software R318390 through parts. See installation instructions. Compatible with 7R (serial number 080001-) Compatible with 8R (serial number 090001-).	1,511.40
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	12.96
	BRE10038	Standard Radio Package  AM/FM Stereo with Weatherband, Remote Controls, Auxiliary Input Jack Located on Right Side Console, Four Speakers and External Antenna.	830.50
		Also order software R543674. See installation instructions.	
	BRE10127	Step Mud Guard, Left Side Compatible with group 47 and 48 tires.	122.10
	RE261504	Sun Shade, Front Pull Down	89.99
	RE562587	Sun Shade, Rear or Right Hand Comes factory installed on premium cabs. Offered as a field installed only option for standard cabs.	107.61
	BRE10034	Tablet Mount Kit  Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	75.90

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE263352	ATTACHMENTS FOR FIELD CONVERSIONContinued Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	452.37
	BRE10037	Windshield Wiper with Washer, Right Hand Window Comes factory installed on premium cabs. Offered as a field installed only option for standard cabs. Also order software R551514. See installation instructions.	205.70
	RE313419	PTO: Front PTO 21 spline 1 3/8 In. pto stub shaft (flange)	376.26
	RE313422	Front PTO 6 spline 1 3/8 ln. front pto stub shaft (flange)  Not compatible in US.	376.26
	RE313418	Front PTO 20 spline 1 3/4 In. front pto stub shaft (flange)	384.13
	RE298885	Software Downloads: Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport speeds above 23 km/h (14.3 mph). Download through Service Advisor's software delivery system. Includes instruction and download only. Not compatible with Stage II engines. See the Agricultural Sales Manual for ground speed specifications.	3,543.32
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key	185.90
	BL15085	Weights: Centerlink Kit for Hitch Mounting 900 or 1150 kg Large Weights	168.30
	RE326583	Front Hitch Ready Weight Support	858.00
	R288797	Standard Front Weight Support	418.00
	R167153	Starter Weight, Wheel, 159 Lb. (72 Kg) Required to install 205 kg (452 Lb.) wieght to outer duals or flange axle rim.	246.40
	BL15084	Weight, 1150 kg Large Front Mounted	3,578.30
	BL15020	Weight, 1500 kg Front Mounted	4,667.30
	AL204830	Weight, 1800 kg Front Mounted	5,600.10
	BRE10026	Weight, 970 kg Outer Wheel Weight 900 kg weights are not included. Requires (2) 900 kg weights to be ordered through parts. Reference installation instructions for more information. Requires 42 In or larger wheel with a steel rim (steel rim with cast hubs (7R code 5090), flange axle or dual wheel) to mount. Includes starter weights and attaching hardware.	990.00
	R127764	Weight, Front Suitcase 95 Lb. (43 kg) Quantity of One	134.20
	R167151	Weight, Inner Wheel, 1378 Lb. (625 Kg)	2,143.90

### 7210R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15083	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Pickup Weight, 1984 LB. (900 kg)	3,698.62
	R207782	Weight, Wheel, 452 Lb. (205 kg)	701.80
	AR190666	Wheel Equipment: One 10 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	895.40
	AR190668	One 13 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	994.40
	AR190669	One 15 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	1,042.80
	AR194744	One 5 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	807.40
	RE267658	Three Meter Front Wheel Spacer (425mm Bolt Circle Hub)  Not compatible with Tractors equipped with front brakes.  Not compatible with G44 front tires. Not compatible with loaders.	3,539.80



#### 7230R Tractor

#### **Equipment for Base Machine**

ENGINE: Tier 4 Emissions Compliant	Corner Post Digital Instrument Panel includes:
John Deere PowerTech PSS Diesel	Engine Coolant Temperature Gauge
In-line 6-Cylinder Wet-Sleeve	Fuel Level Gauge with
with High Pressure Common Rail (HPCR)	Low Fuel Warning Signal
Fuel System and 24 Valve Head	Diesel Exhaust Fluid Gauge with low DEF Warning
6.8 L (414 Cu. In.) Displacement	Signal
230 Engine hp 97/68/EC @ Rated Speed	Engine RPM Indicator
189 SAE PTO hp @ Rated Speed	Status Indicators for MFWD
Automatic Shutdown System	Differential Lock
Dry Type Air Cleaner with Safety Element	Rear PTO Speed
and Dirt Aspiration System	CommandCenter 7 In. Display with 4100 Processor
Tilt Hood Enclosure with Side Panels	includes:
Viscous Fan	Generation 4 AutoTrac Capability - Activation
Electric Fuel Shutoff	Required
Electric Thermal Assist Starting Aid	Video Capability with Tractor Function Activated
Coolant Conditioner Additive	Triggers
Engine Coolant Recovery System	Access Manager
Fuel Filter and Pre-Filter	Universal Machine and Work Monitor
Fuel Water Separator with Sensor	Reconfigurable Display Function Definable by
Self Priming and Bleeding Electronic Fuel Pump	Operator
475 L (125 US Gal.) Fuel Tank Capacity	iTEC Tractor and Implement Function Control
23.0L (6 US Gal.) DEF Tank Size Capacity	
B2 Biodiesel from the Factory	Languages:
Lockable Fuel Cap	For a complete list of languages refer to the
Engine Oil Filter	Ag Sales Manual
Electronic Injection, Governor Control with Field	
Cruise	OPERATOR PROTECTIVE STRUCTURE:
	Standard CommandView III Cab
TRANSMISSION:	Tilt/Telescoping Memory Steering Wheel
40k (25mph) e23# Transmission with Efficiency	Comfort Command Seat with
Manager	Air Suspension, 40 Degress Right Hand Swivel
23 Forward/11 Reverse Speeds and Right Hand	Fore-Aft Lateral Attenuation with Lumbar
Reverser	Support
Perma-Clutch II (Hydraulically Engaged Wet-Disk	Backrest Adjustment
Clutch)	Integrated 7 In. CommandCenter Display
Speed Matching	Adjustable Position CommandARM with Integrated
Park Lock	Controls
Neutral Safety Start System	Swing-Out Rear Window (30 Degrees)
	Tinted Glass
STEERING, BRAKES DIFFERENTIAL:	Air Conditioner and Heater
Load-Sensing Hydraulic Power Steering	Automatic Temperature Controls with Controls on
Wet-Disk Hydraulic Power Brakes	CommandARM
Tilt/Telescoping Memory Steering Wheel	Two Speed, Intermittent Front and Rear
Hydraulically-Engaged Rear Differential	Wiper/Washer
Lock	Pull Down Front Sun Visor
	Rear Storage Behind Seat
HYDRAULICS:	Folding Instructional Seat
Pressure and Flow Compensating Axial Piston Pump	Left Hand Storage
43 GPM (162 L/min) Pump Output	Two Beverage Holders
35 GPM (132 L/min) Flow @ One SCV	Right and Left Outside Mirrors
65 L of Take Out Oil	Standard Radio and Speakers
Four Electrohydraulic Remote Selective Control	Inside Cab Mounted Rear View Mirror
Valves with Push/Pull	Passive Noise Reduction System
ISO Breakaway Couplers and High Pressure Relief	Backlit CommandARM Controls
Levers	Laminated Front Glass and Sound Barrier
	Powerstrip With Convenience Plug Adapter
REAR PTO:	Coat Hook in Rear Corner
Independent 1000 RPM, 45 mm	Right Hand Steps
(1-3/4 In.) 20 Spline	Programmable Egress Lighting
PTO Safety Start System	
Seat-Activated PTO Warning	ELECTRICAL:
Adjustable Engagement Modulation	Key Engine Shutoff
	12V Electrical System
ROCKSHAFT, HITCH AND DRAWBAR:	Two 925 CCA 12V Batteries
Dual Cylinder Electrohydraulic Hitch with Transport	Three 12V Electrical Convenience Outlet
Lock and External Remote Control Switch	Two 12V Electrical 3-Pin Outlet with Adapter
3-Point (Category 3/3N) Hitch	Battery Boost Terminal
Fixed Length Draft Links Arms	200 Amp Alternator
External Sway Blocks with Tapered Wedge Adjustment	SmartCircuit Current Load Monitoring System with
Category 3 Adjustable, Swinging Drawbar with Clevis	Fuse Panel
with 1.5" pin	7-Terminal Rear Implement Electrical Outlet Socket
Secondary Implement Chain Support	Integrated ISO Radar Connector
Hitch Dampening	StarFire ITC or Radar Speed Input Harness
Center Link Adjustment Handle	ServiceADVISOR Data Port
RH and LH Liftlink Adjustment Handles	I TOUTE:
	LIGHTS:

INSTRUMENTATION:

Six Front Grill Mounted Lights

#### 7230R Tractor

#### Continued

Twelve Cab Roof Mounted Lights Two Rear Fender Flood Lights Two Front Beltline Work Lights Left Hand Rotary Beacon Light

Extremity, Brake, Turning, and Hazard Lights

AXLE, WHEELS AND TIRES: 1300 MFWD Front Axle with Limited Slip Differential

and Driveline Shield 420/90R30 142A8 R1 Radial Front Single Wheels Configuration - 8 Position 100 mm (3-15/16 In.) Dia x 3012 mm (118.5 In.)

Length Rear Axle 480/80R46 158A8 R1 Radial Dual Rear Wheel

Configuration

AG MANAGEMENT SOLUTIONS:

Deluxe StarFire Receiver Bracket GreenStar Ready Harness with Implement

Integrated Plug-In for GreenStar Display

Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) Ethernet Harness AutoTrac Ready Components: Wiring, Steering Controller, Front Wheel-Angle Sensor and Electro-Hydraulic Steering Valve Right Side Convenience Step

MISCELLANEOUS:

Horn

PTO Master Shield

Tool Box

Operator's Manual

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Waterloo, Iowa

05V0RW 7230R Tractor 216,382.00

#### DESTINATION

A Code must be chosen for each Tractor ordered.

**North America** 

0202 1.900.00 United States

Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3033 (6.8L) Stage 4/Tier-4 Compliant Engine.

Includes Ethernet Switch, option code 8064.

0184 Canada 1,900.00

Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3033 (6.8L) Stage 4/Tier-4 Compliant Engine. Includes Ethernet Switch, option code 8064.

Requires Code 0409 English or 0413 French Operators Manual.

0185 Costa Rica Same Price

Requires Code 1885 JDLink Capable.

Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.

0189 El Salvador Same Price

Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable.

Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0191		DESTINATIONContinued Guatemala Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0193		Honduras Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0196		Nicaragua Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0002		Africa Angola Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0003		Benin Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0004		Botswana Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0005		Burkina Faso Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0006		DESTINATIONContinued Burundi Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0007		Cameroon Requires Code 1945 4100 Processor. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0008		Cape Verde Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0009		Central African Republic Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0011		Chad Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0012		Comoros Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0013		Republic of Congo Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0014		DESTINATIONContinued  Democratic Republic of Congo  Requires Code 1945 4100 Processor.  Requires Code 1823 Generation 4 CommandCenter Display.  Requires Code 1835 Less StarFire 3000 Receiver.  Requires Code 1845 Less Activations.  Requires Code 1885 JDLink Capable.  Requires Code 3030 (6.8L) Stage 2 Compliant Engine.  Requires Code 8306 Severe Duty Water Separator.	Same Price
0015		Djibouti Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0017		Equatorial Guinea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0018		Eritrea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0020		Gabon Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0021		Gambia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1845 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7230R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0022		DESTINATIONContinued Ghana Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0023		Guinea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0024		Guinea-Bissau Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0025		Ivory Coast Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0026		Kenya Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0027		Lesotho Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0028		Liberia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0030		DESTINATIONContinued  Madagascar  Requires Code 1945 4100 Processor.  Requires Code 1823 Generation 4 CommandCenter Display.  Requires Code 1835 Less StarFire 3000 Receiver.  Requires Code 1845 Less Activations.  Requires Code 1885 JDLink Capable.  Requires Code 3030 (6.8L) Stage 2 Compliant Engine.  Requires Code 8306 Severe Duty Water Separator.	Same Price
0031		Malawi Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0032		Mali Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0033		Mauritania Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0034		Mauritius Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0035		Morocco Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0036		Mozambique Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0038		DESTINATIONContinued  Niger Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0039		Nigeria Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0040		Rwanda Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0041		Sao Tome And Principe Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0043		Senegal Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0044		Seychelles Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0045		Sierra Leone Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0046		DESTINATIONContinued Somalia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0050		Tanzania Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0051		Togo Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0053		Uganda Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0055		Zimbabwe Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0109		Asia Vietnam Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0102		Taiwan Requires Code 1823 or 1822 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price

#### 7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0213		South America Chile Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0215		Ecuador Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0217		Paraguay Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0218		Peru Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 3030 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator.	Same Price
0230		Oceania Australia Requires Code 1881, 1881, 188K, 188L or 188M JDLink Connect. Includes Ethernet Switch, option code 8064. Requires Code 3030 (6.8L) Stage 2/Tier 2 Compliant Engine and Code 8306 Severe Duty Fuel/Water Separator OR Requires Code 3033 (6.8L) Stage 4/Tier 4 Compliant Engine.	1,900.00
0237		New Zealand Requires Code 1881, 1881, 188K, 188L or 188M JDLink Connect. Includes Ethernet Switch, option code 8064. Requires Code 3030 (6.8L) Stage 2/Tier 2 Compliant Engine and Code 8306 Severe Duty Fuel/Water Separator OR Requires Code 3033 (6.8L) Stage 4/Tier 4 Compliant Engine.	1,900.00
0083		Korea, Republic of Requires Code 1822 Generation 4 CommandCenter or Code 1823 Generation 4 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 3032 (6.8L) Stage 3b Compliant Engine.	Same Price
		PERFORMANCE PACKAGE CONFIGURATION	

In Base Price

0500

No Package

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		PERFORMANCE PACKAGE CONFIGURATIONContinued  Order one code from each box in the Price Pages.	
0510		CommandQuad ECO Performance Package Only available in Canada, US, Australia, and New Zealand. Includes Codes: 1500 or 1501, 2061 or 2062, 3341 or 3351, 3260, 7206, 8288, 8020 or 8021.	-500.00
0511		e23 or IVT Performance Package Only available in Canada, US, Australia, and New Zealand. Includes Codes: 1493, 1494, 1550 or 1553, 2061 or 2062, 3351 or 3361, 3260, 7206, 832G or 832H, 8288, 8020 or 8021.	-1,500.00
		ENGINE	
3030		John Deere PowerTech 6.8 L (414 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Requires Code 8306, Severe Duty Fuel/Water Separator.	-12,987.00
3032		John Deere PowerTech 6.8 L (414 cu. In.) 6 Cyl Stage 3b Compliant Diesel Engine	Same Price
3033		John Deere PowerTech PSS 6.8 L (414 cu. In.) 6 Cyl Stage 4 Compliant Diesel Engine	In Base Price
		OPERATOR STATION	
		Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Folding Instructional Seat.	
2061		Premium CommandView III Cab with Active Seat Includes:  Active Seat with Fore-Aft, Lateral Attenuation, Lumbar Support, Seat Bottom Tilt and Extend Adjustments, and Backrest Extension.  Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display.  40 Degrees of Seat Swivel to the Right. Remote Radio Controls Located on CommandARM. Front, Rear, and Right Hand Windshield Wiper and Washer. SMV emblem. Front, Rear and Right Hand Sunshades. Automatic Temperature Control with controls located on CommandARM. Power Strip with Convenience Plug Adapter. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat.	3,726.00
2062		Premium CommandView III Cab with Cab Suspension Includes: Cab Suspension. ComfortCommand Seat with Fore-Aft, Lateral Attenuation, Lumbar Support, Seat Bottom Tilt and Extend Adjustments and Backrest Extension. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right.	4,438.00

#### 7230R Tractor

Continued

		Continued	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued  Remote Radio Controls Located on CommandARM.  Front, Rear, and Right Hand Windshield Wiper and Washer.  SMV emblem.  Front, Rear and Right Hand Sunshades.  Automatic Temperature Control with controls located on CommandARM.  Power Strip with Convenience Plug Adapter.  Right and Left Outside Mirrors (Electrically Adjustable).  Folding Instructional Seat.	
		GENERATION 4 COMMANDCENTER - PROCESSOR	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1945		4100 Processor Requires Code 1823 or 1827 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input. CommandCenter AutoTrac Activation Capable only. Use of GS3 activations will require a GS3 2630 display.	In Base Price
1946		4600 Processor Requires Code 1822 or 1820 -10 In. CommandCenter Display. Includes tractor CommandCenter controls and 4 video inputs. CommandCenter AutoTrac Activation Capable. Upgradeable to future CommandCenter software activations, when available. Use of GS3 activations will require a GS3 2630 display.	1,500.00
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS	
		All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more information.  Option availability limited by specific geographical regions.	
1823		Single 7 In. CommandCenter Display	In Base Price
1827		One 7 In. CommandCenter Display with GreenStar 3 2630 Display Includes GreenStar 3 2630 Display, harness, Ethernet Adapter Harness, and A-post mounting bracket installed on cornerpost.	6,166.00

#### AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

CommandCenter AutoTrac Activations are one time non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be  $activated\ at\ the\ factory.$ 

6,660.00

495.00

GS3 activations only function with GS3 displays.

A-post mounting bracket installed on cornerpost.

Single 10 In. CommandCenter Display

Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations,

referencing the Tractor order number.

1820

1822

 $Accuracy\ is\ dependent\ on\ the\ receiver\ signal\ level.\ Generation\ 4\ Command Center\ AutoTrac,$ AutoTrac - GS3, and AutoTrac - GS3 with iTEC Pro Activations are compatible with SF1, SF2, or RTK.

Field installed activations are available through the AMS prices pages.

One 10 In. CommandCenter Display with GreenStar 3 2630 Display

Includes GreenStar 3 2630 Display, harness, Ethernet Adapter Harness, and

#### 7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
		Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1851		CommandCenter AutoTrac Activation - 4100 Processor	1,000.00
		Requires Code 1945 4100 Processor. Includes Non-transferrable, AutoTrac functionality on the CommandCenter. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	
1852		CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 4600 Processor.	1,000.00
		Includes Non-transferrable, AutoTrac functionality on the CommandCenter. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	
1845		Less Activations	In Base Price
1847		AutoTrac Activation - GS3	3,500.00
		Requires GS3 2630 Display Code 1820 or 1827.  Does not include CommandCenter AMS Activation.  Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	
1849		AutoTrac Activation - GS3 with iTEC Pro Activation - GS3 Requires GS3 2630 Display Code 1820 or 1827.	6,000.00
		Does not include CommandCenter AMS Activation. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	

#### **RECEIVER**

Tractor includes deluxe receiver mounting bracket only. Accuracy is dependent on the receiver signal level.

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracy.

-RTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover,

and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for

appropriate ordering codes.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at

www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less StarFire 3000 Receiver

1835

Tractor includes deluxe receiver mounting bracket only.

Note: When installing a StarFire Receiver with Original Shroud, order conversion

 $bracket\ through\ parts\ or\ a\ Deluxe\ Shroud\ through\ AMS\ Attachments\ to$ 

retrofit an iTC Receiver.

In Base Price

#### 7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1837		RECEIVERContinued StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).	7,195.00

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

#### Options with JDLink Connect include:

- -1 Ethernet harness connecting the MTG to the primary display/integrated processor.
- 1 Ethernet harness routed from the MTG to the optional display port.
- Antenna wiring harness for the Machine Communication Radio (MCR).
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer.

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG).

Subscription length of contract varies; Subscription renewal required after term of service for continued funtionality.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate order codes.

1885 JDLink Capable In Base Price
Includes cab wiring harness and (1 or 2) Ethernet harness(es).
Requires field kit installation, activation, and subscription for JDLink functionality.

Not available in United States, Canada, Australia, New Zealand.

ivoi avanabie in Onnea States, Canada, Austrana, ivew Zeatana.

1889 JDLink Ultimate - Subscription Not Included 2,400.00

Includes JDLink hardware, and (1 or 2) Ethernet harness(es).

Does not include the JDLink Ultimate 1 Year Subscription, Machine Communication Radio and antenna.

Not available in United States, Canada, Australia, New Zealand.

188I JDLink Connect - Subscription Not Included No Charge

Includes JDLink hardware, Ethernet harnesses, and Machine Communication Radio antenna

harness. Ethernet harnesses may vary per configuration.

Does not include a JDLink Connect Subscription, Machine Communication Radio and

antenna.

Only available in the United States, Canada, Australia, and New Zealand through dealers that do not meet New Model Qualification requirements.

188J JDLink Connect - 1 Year Subscription Included No Charge

Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 1 year JDLink Connect subscription, Ethernet harnesses, and Machine Communication Radio antenna harness.

Does not include the Machine Communication Radio and antenna.

Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from

Service parts) is required to connect Display to MTG.

Use of this service, and all rights and obligations of John Deere and the Customer (as

### 7230R Tractor

MACHINE CONNECTIVITY Continued  identified in the applicable agreement, are governed by the terms and conditions outlined in wows Johnbeere com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  188K  JDLink Connect - 3 Year Subscription included  Breliades JDLink bardware, a '9 hour JDLink Utilinate i/RDA temporary subscription, 3 year antenna horness.  Does not include the Machine Communication Radio and amenna.  Note: When GreenStars 23 560 Display is mounted on convergous, an Ethernet cable is required to connect Display to MTG.  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable Services and Software agreements available at views JohnDeere, com/Agreements, if these terms and conditions of activation of the proceeding of the continued and through dealers that meet New Model Qualification requirements.  JDLink Connect - 14 was Esserviction and Machine Communication Radio not proceed and all not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  JDLink Connect - 14 was Esserviction and Machine Communication Radio notenna harness, and the Machine Communication Radio (hardware, and machine Communication Radio particulars).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement, are governed by the terms and conditions outlined in wow. JohnDeere. Comfortion. 2 Florent Radio (hardware, and machine).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement, are governed by the terms and conditions outlined in the opticable agreement, are governed by the terms and conditions outlined in the opticable spreadors, as a	CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1,200.00    JDLink Connect : 3 Year Subscription Included Includes JDLink Narrhware, a 50 hour JDLink Utimate + RDA temporary subscription, 3 year JDLink Connect subscription, Ethernet harmesses, and Machine Communication Radio antenna harmess.   Does not include the Machine Communication Radio and entenna. Note: When Green's 3 7 2630 Diplay is mounted on cornerpost, an Ethernet cable is required to connect Display to MTG.			identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not	
Includes JDLink hardware, a 90 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, Emernet harmesses, and Machine Communication Radio and antenna. Note: When GreenStar 3 2500 Display is mounted on cornerpost, an Ethernet cable is required to connect Display to MTG.  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable services and solywore agreements variabled at www.dolnbere.com/Agreements. If these terms and conditions are not agreecable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  JDLink Connect -1 Year Subscription and Machine Communication Radio antenna harness, and the Machine Communication Radio tharbware, occurrent and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable agreement), are governed by the terms and conditions outlined in the applicable agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  JDLink Connect -3 Year Subscription and Machine Communication Radio antenna harness, and the machine Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  Hatter Communica				
identified in the applicable agreements, are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.blontDever.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States. Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  188L  JDLink Connect - 1 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, I year JDLink Concet subscription, 2 Ethernet harmsess, Machine Communication Radio amema harness, and the Machine Communication Radio (hardware, and machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.bolnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  188M  JDLink Connect - 2 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, and harnesses) for use with Machine Services and Software agreement, are governed by the terms and conditions outlined in the applicable Services and Software agreements, are communication Radio ontenna harnesses, and the Machine Communication Radio (hardware, and harnesses) for use with Machine Services, and Software agreements available at www.bolnDeere.com/Agreements, If these terms and conditions are not agreeable do not proceed and do not use th	188K		Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, Ethernet harnesses, and Machine Communication Radio antenna harness.  Does not include the Machine Communication Radio and antenna.  Note: When GreenStar 3 2630 Display is mounted on cornerpost, an Ethernet cable is required	1,200.00
188L  JDLink Connect - 1 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate-RDA temporary subscription, 1 year JDLink Connect subscription, 2 Ethernet harmsess, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement, are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.lohn/Deere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  JDLink Connect - 3 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate-RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.			identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not	
Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 1 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States. Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  188M  JDLink Connect - 3 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, and the machine Communication Radio ontenna harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States. Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.				
identified in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  188M  JDLink Connect - 3 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  ACTIVECOMMAND STEERING  1833  John Deere ActiveCommand Steering# (ACS)  3,371.00	188L		Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 1 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use	3,699.00
188M JDLink Connect - 3 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  ACTIVECOMMAND STEERING  1833 John Deere ActiveCommand Steering# (ACS) 3,371.00			identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not	
Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  ACTIVECOMMAND STEERING  1833  John Deere ActiveCommand Steering# (ACS)  3,371.00				
identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.  ACTIVECOMMAND STEERING  John Deere ActiveCommand Steering# (ACS)  3,371.00	188M		Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use	4,899.00
ACTIVECOMMAND STEERING  1833 John Deere ActiveCommand Steering# (ACS) 3,371.00			identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not	
1833 John Deere ActiveCommand Steering# (ACS) 3,371.00				
			ACTIVECOMMAND STEERING	
1834 Less John Deere ActiveCommand Steering# (ACS) In Base Price	1833		John Deere ActiveCommand Steering# (ACS)	3,371.00
	1834		Less John Deere ActiveCommand Steering# (ACS)	In Base Price

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSION	
1493		e23 Transmission 40 km/h (25 mph) with Efficiency Manager # Requires CommandARM Controls code 2701 or 2702.	In Base Price
1494		e23 Transmission 50 km/h (31 mph) with Efficiency Manager # Requires CommandARM Controls code 2701 or 2702. Requires Air or Hydraulic trailer brakes, TLS+ with front brakes, front fenders. Requires Symbol B (31 mph/50 km/h) Front and Rear Tires, ordered from the tire section in this price list.	Same Price
1500		CommandQuad Eco 40 km/h (25 mph) 20F/20R with Efficiency Manager Requires CommandARM Controls Code 2705 (Left Hand Reverser CommandQuad).	-8,766.00
1501		CommandQuad Eco 50 km/h (31 mph) 20F/20R with Efficiency Manager Requires CommandARM Controls Code 2705 (Left Hand Reverser CommandQuad). Requires Air or Hydraulic trailer brakes, TLS+ with front brakes, front fenders. Requires Symbol B (31 mph/50 km/h) Front and Rear Tires, ordered from the tire section in this price list.	-8,766.00
1550		AutoPowr IVT Transmission 40 km/h (25 mph) Requires CommandARM Controls code 2703 or 2704.	5,000.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) Requires CommandARM Controls code 2703 or 2704. Requires Air or Hydraulic trailer brakes, TLS+ with front brakes, front fenders. Requires Symbol B (31 mph/50 km/h) Front and Rear Tires, ordered from the tire section in this price list.	5,000.00
		LIGHTS	
7206		Premium Lighting Includes Standard Lighting. All Halogen lights will be LED lights except for low beam driving lights.	2,954.00
7200		Economy Lighting Six Front Grill Mounted Lights: Two 65 W Low Beam Driving Lights, Two 65 W High Beam Driving Lights and Two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and Four Side Facing 65 W Flood lights and Four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and two Rear Turn Signal and Brake Lights. Two folding extremity lights.	-879.00
7201		Standard Lighting Requires code 8740 (240 amp alternator). Includes Economy Lights plus 2 adjustable front roof 65W halogen floodlights, 2 front belt line work lights, and left side rotary beacon light.	In Base Price
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers.	-686.00
2660		Standard Radio Package  AM/FM Stereo with Weatherband, Remote Controls, Auxiliary Input Jack Located on Right Side Console, Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package w/ XM Radio AM/FM Stereo with Premium Tuner, Weatherband, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console, BlueTooth capable including microphone, XM Satellite capable including Satellite Antenna (Subscription	352.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued Required), Four Speakers, Subwoofer, and External Antenna.	
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console. BlueTooth capable including microphone, Four Speakers, Subwoofer, and External Antenna.	245.00
		HYDRAULIC PUMP	
3230		121 L/Min. (32 gpm) Hydraulic Pump	-965.00
3240		162 L/Min. (43 gpm) Hydraulic Pump	In Base Price
3260		223 L/Min. (59 gpm) Hydraulic Pump	1,245.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	-2,009.00
3341		Four Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	In Base Price
3351		Five Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	2,010.00
3361		Six Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers  Not compatible with Joystick code 841L.	4,022.00
		REAR POWER TAKE OFF	
3810		45mm (1-3/4 ln.)1000 rpm PTO (20 Spline)  Option is never compatible with 35mm (1-3/8 ln.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO.	In Base Price
3820		45mm (1-3/4 In.) 1000 rpm PTO (20 Spline), 35mm (1-3/8 In.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO with shifting at the rear of the tractor, One-Piece Reversible 35mm (1-3/8 In.) Shaft and Single Side 45mm (1-3/4 In.) Shaft	1,618.00
3830		35mm (1-3/8 In.) 540 Economy rpm (6 Spline) / 1000 (21 Spline) / 1000 (21 Spline) Economy rpm PTO, 45mm (1-3/4 In.) 1000 (20 Spline), Electronically Shiftable in Cab, One-Piece Reversible 35mm (1-3/8 In.) Shaft and Single Side 45mm (1-3/4 In.) Shaft Economy Speed @ 1730 Engine rpm.	2,530.00
3831		35mm (1-3/8 In.) 540 (6 Spline) / 540 (6 Spline) Economy rpm / 1000 (21 Spline) rpm PTO, 45mm (1-3/4 In.) 1000 (20 Spline) rpm PTO, Electronically Shiftable in Cab, One-Piece Reversible 35mm (1-3/8 In.) Shaft and Single Side 45mm (1-3/4 In.) Shaft Economy Speed @ 1730 Engine rpm.	2,530.00

#### 7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR AND TRAILER HITCH	
4320		Category 3, Adjustable Swinging Drawbar for use with a 38 mm (1.50 ln.) Pin Does not include clevis.1837 kg (4,050 Lb.) - 2766 kg (6,100 Lb.) maximum vertical load dependent on drawbar position.	-243.00
4319		Category 3, Adjustable Swinging Drawbar for use with a 38 mm (1.50 ln.) Pin Includes drawbar clevis. $1837 \ kg \ (4,050 \ Lb.)$ - $2766 \ kg \ (6,100 \ Lb.)$ maximum vertical load dependent upon drawbar position.	In Base Price
4323		Category 3 Adjustable Swinging Drawbar, with 38 mm (1.50 ln.) Pin, Clevis, and Heavy Duty Support 4535 kg (10,000 Lb.) Maximum Vertical Load.	663.00
		REAR HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Option Code 3331. If 4, 5, or 6 remote selective control valves are required, order field installed kit BRE10047 (4th Remote Selective Control Valve), BRE10048 (5th Remote Selective Control Valve) or BRE10049 (6th Remote Selective Control Valve). Not compatible with Front Hitch.	-5,776.00
4033		5,443 kg (12,000 Lb.) Lift Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler 7,300 kg (16,093 Lb.) max lift capacity. Includes solid, non-adjustable draft links and sway blocks.	In Base Price
4034		6,894 kg (15,200 Lb.) Lift Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler 9,208 kg (20,300 Lb.)max lift capacity. Includes solid, non-adjustable draft links and sway blocks.	1,297.00
		REAR AXLES	
5045		100 mm (3-15/16 ln.) Dia x 2550 mm (100.4 ln.) Length Not compatible with duals.	-344.00
5047		100 mm (3-15/16 In.) Dia x 2808 mm (110.5 In.) Length	-168.00
5049		100 mm (3-15/16 ln.) Dia x 3000 mm (118.5 ln.) Length	In Base Price
		WHEELS AND HUBS	
5090		Steel Wheels and Cast Hubs Requires Code 5045, 5047, or 5049.	In Base Price
5091		Cast Wheels with Single Taper Hubs	278.00
		REAR WHEELS & TIRES (Single and Dual Configurations)	

The models will be installed as listed. The company reserves the right to substitute another model without written notice.

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual

tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications

(e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
		REAR WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:	
		A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals	
		For MFWD, use with any A8 Speed Rated RCI Group 42 Front Tire with same brand preference.	
		For tractors equipped with heavy ballast, duals are recommended to avoid overloading tires. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only.	2,716.00
		Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only.	-328.00
		Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	
5102		480/80R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only.	-6,568.00
		Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	
5502		480/80R46 In. 158A8 R2 Radial in Dual Wheel Configuration	2,836.00
		Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103.	
		Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-7,986.00
		Goodyear is available in US, Čanada, Central America, and South America only.	
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	In Base Price
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-6,132.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	3,008.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-7,972.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5505		Continued 520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	28.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-6,572.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	2,828.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-5,898.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	4,176.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	6,120.00
5123		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-4,926.00
5132		650/65R42 In. 158D R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-3,614.00
5124		650/65R42 In. 170A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-3,604.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-3,610.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	8,752.00

### 7230R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 43 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5224		320/105R54 In. 163A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-6,430.00
		Compatible with Code 6200. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	
5624		320/105R54 In. 163A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	3,112.00
		Compatible with Code 6200. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	3,484.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear available in US, Canada, Central America, and South America only.	-6,296.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear available in US, Canada, Central America, and South America only.	3,380.00
5202		IF 480/80R50 In. 166A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only.  Requires No Brand Preference Code 5999.	-4,796.00
5602		IF 480/80R50 In. 166A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,380.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-6,584.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas. Goodyear available in US, Canada, Central America, and South America only.	2,804.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-6,316.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5604		Continued 520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	3,340.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-4,566.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	6,840.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-3,802.00
5622		650/85R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	8,368.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-1,602.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,068.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-3,144.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	9,684.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-2,804.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	10,364.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-1,304.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5619		Continued IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	13,364.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in US, Canada, Central America, and South America only. If ordered with Code 5093 Flanged Axle and 8751 Dual Line Air Trailer Brakes, or 8752 Hydraulic and Dual Line Air Trailer Brakes overall width will exceed 2.55M.	-2,598.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-1,098.00
		REAR WHEELS AND TIRES FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals	
		For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	2,236.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,934.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	5,432.00
5638		520/85R46 In. 158B R1W Radial in Dual Wheel Configuration Available in Firestone or Michelin.	3,952.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin, Trelleborg or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-2,820.00
5639		650/85R38 In. 173B R1W Radial in Dual Wheel Configuration Available in Michelin or Trelleborg.	3,472.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only.  Requires No Brand Preference Code 5999.  Requires Code 6215.	-620.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
5640		710/70R42 In. 168B R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	10,832.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Trelleberg.	-1,278.00
5641		710/70R42 In. 173B R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	12,716.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only.  Requires No Brand Preference Code 5999.  Requires Code 6215.	222.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	176.00
		If ordered with Code 5093 Flanged Axle and 8752 Dual Line Air Trailer Brakes, or 8752 Hydraulic and Dual Line Air Trailer Brakes overall width will exceed 2.55M.	
		FRONT AXLES	
6060		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield and Limited Slip Differential	7,278.00
6061		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield, Hydraulic On/Off Differential Lock and Wet Disk Front Brakes Required for 50 km/h (31 mph) Transmissions (Code 1501, 1552 or 1553, 1494). Compatible with 40 km/h (25 mph) Transmissions (Code1500, 1550, and1493).	8,880.00
6040		1300 Series Mechanical Front Wheel Drive Axle with Driveline Shield and Limited Slip Differential	In Base Price
		FRONT WHEELS AND TIRES	
		MECHANICAL FRONT WEHEEL DRIVE (MFWD) AXLE Eight Position Steel MFWD Wheels with: A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	756.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	188.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6108		FRONT WHEELS AND TIRESContinued 380/85R34 In. 137A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,910.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,776.00
6102		420/90R30 In. 145A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	664.00
6103		420/90R30 In. 142A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect tractor delivery date. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	744.00
6131		480/70R30 In. 152A8 R1W Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	304.00
6109		600/65R28 In. 147A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	2,512.00
6132		600/65R28 In. 154A8 R1W Radial Available in Michelin and Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	3,044.00
6116		380/85R34 In. 145A8 R1 Radial Available in Firestone only. Requires No Brand Preference Code 5999.	1,002.00
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 48 Rear Tire with same brand preference. Mixing of RI and RIW tread types between Front and Rear Tires is permitted.	
6200		320/80R42 In. 141A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	1,410.00
6220		IF 320/80R42 In. 149A8 R1W Increased Flexion Radial Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Compatible with Code 5224. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	2,910.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6201		FRONT WHEELS AND TIRESContinued 380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear available in US, Canada, Central America, and South America only.	1,322.00
6202		IF380/80R38 In. 149A8 R1W Increased Flexion Radial Available in Firestone only. Requires No Brand Preference Code 5999.	2,822.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone, Goodyear, or Mitas. Goodyear available in US, Canada, Central America, and South America only.	1,290.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	2,150.00
6217		IF420/85R34 In. 152A8 R1W Increased Flexion Radial Available in Firestone only. Requires No Brand Preference Code 5999.	2,790.00
6204		480/70R34 In. 143A8 R1W Radial Available in Michelin and Mitas.	1,216.00
6206		480/70R34 In. 146A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	1,072.00
6207		540/65R34 In. 148A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,998.00
6208		600/70R30 In. 152A8 R1W Radial Available in Firestone, Goodyear, Mitas, Trelleborg or Michelin. Goodyear available in US, Canada, Central America, and South America only.	2,688.00
6214		IF600/70R30 In. 159A8 R1W Increased Flexion Radial Available in Michelin and Firestone.	4,188.00
		Eight Position B Speed Rated Steel MFWD Wheels for 31 mph (50 km/h) Transmissions:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any B Speed Rated RCI Group 47 Rear Tire with same tread type and brand preference. Requires code 6061.	
6111		380/85R34 In. 137B R1 Radial Available in Firestone only. Requires No Brand Preference Code 5999.	1,170.00
6123		480/70R30 In. 152B R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	1,286.00

### 7230R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6113		FRONT WHEELS AND TIRESContinued 600/65R28 In. 147B R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	4,330.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Use with any B Speed Rated RCI Group 48 Rear Tire with same tread type and brand preference. Requires Code 6061.	
6209		420/85R34 In. 147B R1W Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	2,272.00
6316		480/70R34 In. 155B R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	2,724.00
6317		480/70R34 In. 143B R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	2,490.00
6212		600/70R30 In. 152B R1W Radial Available in Firestone, Michelin, Trelleborg, and Goodyear. Goodyear available in US, Canada, Central America, and South America only.	3,670.00
6215		IF600/70R30 In. 159B R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	5,890.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference	No Charge
5901		Firestone Brand Only	600.00
5902		Goodyear Brand Only Goodyear brand tires available in US, Canada, Central America, and South America only. Limited availability in New Zealand, and Australia.	600.00
5903		Michelin Brand Only	1,000.00
5904		Mitas Brand Only	600.00
5905		Trelleborg Brand Only	600.00
		OPERATOR'S MANUALS, LABELS AND COMMANDCENTER	
0409		English	In Base Price
0437		Spanish Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		OPERATOR'S MANUALS, LABELS AND COMMANDCENTERContinued French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese	Same Price
0401		Arabic	Same Price
0442		Vietnamese	Same Price
		COMMANDARM CONTROLS	
2701		Right Hand Reverser Bump-Shift-Type Transmission Controls	In Base Price
2702		Left Hand Reverser Bump-Shift-Type Transmission Controls	933.00
2703		Right Hand Reverser Linear-Type Transmission Controls	Same Price
2704		Left Hand Reverser Linear-Type Transmission Controls	933.00
2705		Left Hand Reverser CommandQuad Transmission Controls	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8264		Operator Station and Electrical: Actively Cooled Refrigeration Unit (391 In.3 / 6.4 L3)	422.00
8210		Leather Comfort Package Not compatible with Code 2059 Standard CommandView III Cab. Includes heated leather seat, leather wrapped steering wheel, carpet floor mat and rear window decal.	1,805.00
8740		High Capacity 240a Alternator Replaces standard 200 amp alternator with 240 amp alternator. Required with Standard Light package 7201.	187.00
8242		Radar with Dual Beam Sensor	932.00
8725		Single Left Hand Rotary Beacon Light Required to add a Rotary Beacon Light to a Economy Lighting Package.	353.00
8726		Dual Rotary Beacon Lights Required to add Dual Rotary Beacon Lights to Economy, Standard or Premium Lighting Package. If ordered with Economy Lighting Package, requires code 8725.	353.00
8227		Outside Mirrors, Power Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors. Requires Standard Cab Package Code 2059.	1,026.00

### 7230R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8228		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Outside Mirrors, Power Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors. Not compatible with Standard Cab Package Code 2059.	559.00
878B		Battery Disconnect Switch	143.00
8782		Backup Alarm	250.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	134.00
8288		Foot Operated Speed Control	340.00
8720		Loader and Driving Light Package  Provides two halogen road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	216.00
8297		Standard Hitch Control  Deducts rotary hitch encoder and 3 direct access controls under armrest.	-79.00
8064		Technology: Ethernet Switch Available in US, Canada, Australia, and New Zealand only. Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for John Deere Machine Sync, Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	In Configuration
8010		Chassis: Fenders, Pivoting Front - 480 mm (18.7 ln.) Wide Recommended for use with 12.4 ln. (290 mm) to 16.9 ln. (420 mm) tire widths. Not compatible with Code 8011, 8012, or 8013. Code 8010, 8011 or 8012 is required for 50km/h (31mph) Tractors.	1,333.00
8011		Fenders, Pivoting Front - 620 mm (24.4 ln.) Wide Recommended for use with 18.4 ln. (480 mm) to 23.6 ln. (600 mm) tire width. Not compatible with Code 8010, 8012, or 8013. Code 8010, 8011 or 8012 is required for 50 km/h (31 mph) Tractors.	1,562.00
8013		Fenders, Stationary Front - 620 mm (24.4 ln.) Wide - Loader Compatible If Code 8910 Loader Ready is selected the fenders will be stationary and loader compatible. Not compatible with Code 8010, 8011, or 8012.	1,205.00
8012		Fenders, Pivoting Front - 710 mm (27.9 ln.) Wide Not recommended for use with Group 42 front tires. Recommended for use with 480 mm (18.4 ln.) to 620 mm (24.4 ln.) tire widths. Not compatible with 320 mm (12.6 ln.) to 380 mm (15 ln.) tire widths. Not compatible with Code 8010 or 8011. Code 8010, 8011 or 8012 is required for 50 km/h (31 mph) Tractors.	1,841.00
8020		Fender, Rear Extensions - 2.55 M (100 ln.) Width Includes external PTO switch, and hitch control switch on both fenders. Requires rear hitch code 4000, 4033, 4034 or 4045.	1,310.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8021		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Fender, Rear Extensions - 2.75 M (108 In.) Width Provides coverage for up to 800 mm section width tires. Includes external PTO switch, and hitch control switch on both fenders. Requires rear hitch code 4000, 4033, 4034 or 4045. Not compatible with option code 8020.	1,570.00
8291		Left Hand Step Mud Guard Included on tractors with Group 49 Rear Tires. Option on tractors with Group 47 and Group 48 Rear Tires.	103.00
8751		Trailer Brake, Dual Line Air Includes compressor, tank, control valve, couplers, and dryer. Not compatible with Code 8756 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	6,407.00
8756		Trailer Brake, Hydraulic Includes rear tractor line coupler. Not compatible with Code 0143. Not compatible with Code 8751 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	846.00
8752		Trailer Brakes, Dual Line Air and Hydraulic Not compatible with Code 0143. Includes Code 8751 and 8756. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	7,111.00
8910		Front Implement/Loader: Loader Ready: Three Function Electronic - Independent Control Valve Requires front weight support code 8955. Includes: Code 841L, 3-Function Electronic Joystick, with Activated speed shifting buttons on CommandQuad and e23. 6-Hydraulic hoses from mid-mount Tractor valve to attached single point half coupler, Loader Mounting Frame, and Hood Guard. Not compatible with Mid Mount SCV code 834L or Front Hitch/Front Hitch Ready. If fenders are desired select Code 8013 stationary frontfenders compatible with Loaders. Does not include right side convenience step. Loader/Ballast may exceed load rating on certain tires. Please check Ag Sales Manual for compatibility.	7,861.00
841G		Front Hitch Ready Includes a front casting that will accommodate but does not include a Front Hitch and Front PTO. Includes 3 sets of Hydraulic Lines on TLS + front axles.  If front weight support is desired select option code 8955.  Not compatible with 6040 or 6043 Pivot Beam Axles.  Not Compatible with 8408, 8410, 8409, 8411, or 8910.	2,716.00
8408		Standard Front Hitch with One Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity.  Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and standard lift arms. Includes One Front Auxiliary Couplers.  Not compatible with 6040 or 6043 Pivot Beam Axles.  Not Compatible with 841G, 834M, 834L.  ISOBUS Connector available through Parts.  Requires Code 841K or 841L.	5,393.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8410		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Standard Front Hitch with Two Front Auxiliary Couplers, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity.  Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and standard lift arms. Includes Two Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	6,602.00
8409		Premium Front Hitch with One Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity. Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and ground engaging lift arms. Includes One Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	6,401.00
8411		Premium Front Hitch with Two Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity. Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and ground engaging lift arms. Includes Two Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	7,610.00
841K		Front Hitch Paddle Pot SCV Controls Compatible only with FH codes 8408, 8409, 8410, & 8411. Not compatible with 841L Joystick Control. Provides proportional paddle pot SCV control for Front Hitch and Front SCV's if equipped.	No Charge
841L		Joystick Control  Does not include mid-mount valve or Loader Ready components.  Not compatible with 6 Rear SCV's code 3361.  Not compatible with CommandARM SCV Controls code 841K.	1,250.00
838C		PTO, Independent Front with 45 mm (1-3/4 ln.) 20-Spline, 1000rpm Counter Clockwise-Rotating Shaft as Viewed from Front (Type 3) Requires Code 8408, 8409, 8410, or 8411. Additional Front PTO shafts available through Parts.	7,561.00
838D		PTO, Independent Front with 35 mm (1-3/8 In.) 21-Spline, 1000rpm Counter Clockwise-Rotating Shaft as Viewed from Front (Type 2) Requires Code 8408, 8409, 8410, or 8411.  Additional Front PTO shafts available through Parts.	7,561.00
8428		Hitch and Drawbar: Hydraulic Rear Center Link - Cat. 3 (90 mm) Requires Rear Fender Extension. Includes fender mounted control for SCV III.	1,186.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832G		Hydraulics: Auxiliary Hydraulic Connections - 1/2 In. Includes (2) 12.7 mm (1/2 In). motor return couplers, (1) 9.5 mm (3/8 In.) flat face sump coupler, (1)12.7 mm (1/2 In.) power beyond pressure coupler and (1) 6.4 mm (1/4 In.) load sense coupler.	900.00
834L		3-Function Mid-Mount EH Valve Stack with Paddle Pot Controls Provides Three Additional SCVs with steel plugs. Float position included on all Mid-Mount valves. Not compatible with Front Hitch (8408, 8409, 8410 or 8411). Not compatible with Loader Ready Package 8910. Mid mount valve couplers available through Parts.	3,821.00
832H		Auxiliary Hydraulic Connections - 3/4 In. Includes (2) 19 mm (3/4 In.) motor return couplers, (1) 9.5 mm (3/8 In.) flat face sump coupler, (1) 19 mm (3/4 In.) power beyond pressure coupler and (1) 9.5 mm (3/8 In.) load sense coupler.	1,002.00
834M		3-Function Mid-Mount EH Valve Stack with Joystick Control Provides Three Additional SCVs with steel plugs. Float position included on 2 Mid-Mount valves. Not compatible with Code 3361 (6 Rear SCV's). Not compatible with Front Hitch (8408, 8409, 8410 or 8411). Not compatible with Loader Ready Package 8910. Mid mount valve couplers available through Parts.	4,629.00
8302		Engine: Heater, Engine Block 110V	57.00
8304		Heater, Cold Weather Auxiliary Package, 110V Includes Ground Fault Interrupter, Engine Block Heater, and Charge Pump Heater.	483.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	584.00
8220		Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport applications. Not compatible with Engine Code 3030. See the Agricultural Sales Manual for ground speed specifications.	3,003.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights	470.00
8956		Weight, Front Support with Four Suitcase Weights Not compatible with Front Loaders.	871.00
8957		Weight, Front Support with Eight Suitcase Weights Not compatible with Front Loaders.	1,315.00
8958		Weight, Front Support with Twelve Suitcase Weights Not compatible with Front Loaders.	1,759.00
8959		Weight, Front Support with Sixteen Suitcase Weights Not compatible with Front Loaders.	2,204.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8962		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Weight, Front Support with Twenty Suitcase Weights Not compatible with Front Loaders.	2,647.00
8963		Weight, Front Support with Twenty Four Suitcase Weights Not compatible with Front Loaders.	3,092.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Steel - code 5090): Weights are shown for each weight.	
8970		One pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights Not compatible with Air Trailer Brakes (8751 or 8752).	1,581.00
8971		One pair 159 Lb. (72 kg) Starter Weights and Two Pair 452 Lb. (205 kg) Weights Not compatible with Air Trailer Brakes (8751 or 8752). Minimum tread setting may be restricted due to tire size selected. Refer to the Agricultural Sales Manual for additional information.	2,733.00
		Rear Wheel Weights - For Outside Drive Wheels (Steel - code 5090): Weights are shown for each weight.	
8985		One Pair 70 kg (154 Lb.) Starter Weights and One Pair 900 kg (1984 Lb.) Weight for the Outside of Single Rear Wheel Requires rear axle code 5045, 5047, or 5049, rear tire with load rating above 151, and 42 ln. or larger rim.  900 kg (1984) Lb. wheel weights will be shipped on a separate pallet and require dealer installation.	5,498.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) without Air Trailer Brakes option (8751 or 8752):  Weights are shown for each weight.	
8974		One Pair 452 Lb. (205 kg)	1,162.00
8975		One pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights	1,571.00
8976		Two Pair 452 Lb. (205 kg) Minimum tread setting may be restricted due to tire size. Refer to the Agricultural Sales Manual for additional information. Not available from factory with 520 section width tires or narrower. Not available from factory with 800 section width tires or wider.	2,325.00
8977		One Pair 1378 Lb. (625 kg)	3,543.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) with Air Trailer Brakes option (8751 or 8752):  Weights are shown for each weight.	
897L		One Pair 452 Lb. (205 kg) Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	1,162.00
897M		One Pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	1,571.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
897N		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued One Pair 1378 Lb. (625 kg) Requires Code 5091 or 5092. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information. Not compatible with tire codes 5209, 5217,5218, 5220, 5609 or 5620.	3,543.00
897P		One Pair 1378 Lb. (625 kg) Only compatible with 800 section width tire. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information. Requires tire codes 5209, 5220, 5609, 5620, 5217 and Rear Axle code 5045, 5063, 5059, 5065 or 5052.	3,543.00
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights are shown for each weight.	
8978		One pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights  Not compatible with duals.	1,571.00
8979		One Pair 159 Lb. (72 kg) Starter Weights and Two Pair 452 Lb. (205 kg) Weights  Not compatible with duals.	2,733.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights are shown for each weight.	
8980		One Pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights	1,571.00
8981		One Pair 159 Lb. (72 kg) Starter Weights and Two Pair 452 Lb. (205 kg) Weights Based on the tire width option ordered, some 452 Lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,733.00
8983		One Pair 70 kg (154 Lb.) Starter Weights and One Pair 900 kg (1984 Lb.) Weight for the Outside of Dual Wheel Requires rear duals with 42, 46, or 50 inch rim. Not Comaptible with other rim sizes.	5,498.00
8935		1188 kg (2619 Lb.) Ballast Package with Rear Duals: Front Weight Support with 12 Front Suitcase Weights and One Pair 72 kg (159 Lb.) with One Pair of 205 kg (452 Lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	3,331.00
8936		2198 kg (4896 Lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 625 kg (1378 Lb.) Inside/Inner Rear Wheel Weights and One Pair 72 kg (159 Lb.) Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings.  Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	6,156.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8937		3768 kg (8307 Lb.) Ballast Package with Rear Duals: Front Weight Support with 24 Front Suitcase Weights and One Pair of 625 kg (1378 Lb.) Inside/Inner Rear Wheel Weights and One Pair 72 kg (159 Lb.) and Three Pair 205 kg (452 Lb.) Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	10,531.00
8785		Miscellaneous: Chock Block Holder	139.00
8550		Skid for Duals Not available for United States and Canada.	139.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BRE10035	Brakes: Hydraulic Trailer Brake Kit Includes rear tractor line coupler.	705.10
	BRE10032	Manifold Trailer Brakes Required to install hydraulic trailer brakes on tractors not equipped with front brakes or air trailer brakes from the factory.	430.10
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Touch-Set Depth Control.	152.90
	BRE10077	Battery Disconnect Switch Compatible with MY14 (SN 080001- ) 7R tractors. Switch disconnects power to the entire tractor to aid in maintaining battery life.	172.70
	RE322555	Front Implement CAN Communication Connector Provides CAN Communication connection for front hitch ISOBus implements.	141.90
	RE325911	Heater, Cold Weather Auxiliary Package, 110V, 6.8L IVT/PST Contains block heater and hydraulic pump heater. Compatible on 6.8L Infinitely Variable Transmission and PowerShift Transmission.	478.50
	BRE10129	Heater, Cold Weather Auxiliary Package, 110V, 6.8L, CQ Contains block heater, transmission heater and hydraulic pump heater. Compatible on 6.8L CommandQuad Transmissions.	568.70
	RE550906	High Capacity 240 amp Alternator Replaces standard 200 amp alternator with 240 amp alternator.	1,152.82
	RE322780	ISO Cab Implement CAN Bus Adapter ISO cab implement controller area network (CAN) bus adapter is available to connect ISO compliant implement or device to ISO11786 tractor cornerpost connector.	65.97
	RE21519	Implement Switch with 10 Ft. (3 m) Harness	198.00

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE324688	ATTACHMENTS FOR FIELD CONVERSIONContinued Mounting Parts for Radar with Dual Beam Sensor - CQ Compatible with CommandQuad Transmissions. Must order radar separately.	199.10
	RE324687	Mounting Parts for Radar with Dual Beam Sensor - IVT Compatible with Infinitely Variable Transmissions.  Must order radar separately.	163.90
	RE334192	Mounting Parts for Radar with Dual Beam Sensor - PST  Compatible with PowerShift Transmissions.  Must order radar separately.	163.90
	RE278986	Radar with Dual Beam Sensor - AU	1,034.61
	RE278980	Radar with Dual Beam Sensor - NA	1,135.92
	RE337169	Transmission Backup Alarm	334.40
		Engine:	
	SWDEF110VKIT		858.57
	SWDEF12VKIT	12V Pump Kit	852.86
	SWDEF025	2.5 gal jug of John Deere Diesel Exhaust Fluid	0.00
	SWDEFPDU20T	20gal Portable Dispensing Unit with lockable, hinged lid Fluid not included.	1,680.00
	SWDEF275	275gal tote of John Deere Diesel Exhaust Fluid	0.00
	SWDEF330	330gal tote of John Deere Diesel Exhaust Fluid	0.00
	SWDEF055	55gal drum of John Deere Diesel Exhaust Fluid	0.00
	SWDEFPDU60T	60gal Portable Dispensing Unit with lockable, hinged lid Fluid not included.	1,864.00
	BRE10079	Fuel/Water Separator Kit, Severe Duty Compatible with 6.8L. In addition to water separator in base equipment. If equipped with loader, reference Installation Instructions for also order parts.	720.50
	RE318606	Fenders: Fender, Rear Extensions - 2.55 m (100 In.) Width Increases total fender width to 2.55 m (100 In.)	1,554.30
	RE324406	Fender, Rear Extensions 2.75 m. (108 In.) Width Increases total fender width to 2.75 m (108 In.)	369.60
		Requires Fenders Rear Extensions (RE318606) for installation.	
	BRE10021	Fenders, Deluxe Pivoting Front for MFWD - 620 mm (24.4 ln.) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information. Recommended for use with 18.4 In. (480 mm) to 24.4 In. (620 mm) tire width.	1,713.80

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10022	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Pivoting Front - 480 mm (18.7 ln.) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information. Recommended for use with 12.4 In. (320 mm) to 16.9 In. (420 mm) tire widths.	1,474.00
	BRE10126	Fenders, Pivoting Front - 710mm (27.9 In) Wide Recommended use with Group 43 or 44 Front Tires, 600mm or wider.	2,184.60
	RE340779	Front Hitch Hydraulic Mid-Mount Valves: Front Hitch Valve (120 ml.) with TLS Axle Compatible on all Tractors that are front hitch ready with Triple Link Suspension Axle.	2,027.30
		Additional also order parts and software is required. See installation instructions.	
	RE340777	Front Hitch Valve (120 ml.) without TLS Axle Compatible on ALL transmissions that are front hitch ready without Triple Link Suspension axle.	2,247.30
		Additional also order parts and software is required. See installation instructions.	
	RE340780	Second SCV for Front Hitch (120 ml.)  Additional also order parts and software is required. See installation instructions.	375.10
	RE340782	Third SCV for Front Hitch (120 ml.)  Additional also order parts and software is required. See installation instructions.	180.40
	BRE10030	Front Implement/Loader: Front PTO Common Mounting Parts Also order the following Front PTO: RE568063- Independent Front PTO for Counter Clockwise-Rotating Shaft	1,318.90
		Also order one of the following shafts: RE313418 - Shaft - 1.75in - 20 spline RE313419 - Shaft - 1.38in - 21 spline RE313422 - Shaft - 1.38in - 6 spline (Not compatible in US)	
		Also order software R541291 through parts for Region 2 Only. Also order software R541290 through parts for Region 1,3, and 4. See installation instructions.	
	PF90686	GreenStar Harnesses: Harness - Original GreenStar Display and Mobile Processor to GreenStar 3 or GreenStar 2 (Round) Cornerpost	121.00
	PF90596	GreenStar Miscellaneous Hardware: GreenStar/Gen 4 10" Display Touch Panel Protector Service Kit	40.70
	RE344730	Guards: Guards, Undercarriage Crop Shield, CQT Protects transmission and wiring harness.	211.20
	RE338192	Guards, Undercarriage Crop Shield, IVT/PST Protects transmission and wiring harness.	211.20

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE326580	Hitch and Drawbar: Carrier to Ground Engaging, Front Hitch Conversion Kit Converts Front Hitch from carrier hitch to ground engaging hitch.	3,006.30
	BRE10027	Category 3 Adjustable Swinging Drawbar, with 38 mm (1.50 ln.) Pin, Clevis, and Heavy Duty Support Includes a heavy-duty drawbar support with maximum drawbar static vertical load at 10,000 Lb. and can be adjusted to 10 In., 14 In., and 16 In. lengths required by PTO implements. Drawbar pin size is 38 mm (1.5 In.).	977.90
	R177682	Center Link Bracket Retains the center link when not in use.	33.96
	RE327692	Front Hitch Chain Hooks	226.60
	RE326447	Front Hitch Ready - Add Carrier Hitch  Adds carrier Front Hitch components to Front Hitch Ready tractors.	5,456.00
	RE326450	Front Hitch Ready - Add Ground Engaging Hitch Adds ground engaging Front Hitch components to Front Hitch Ready tractors.	6,443.80
	R264789	Front Tow Point Requires (4) 19M9162 Cap Screws and (6) 24M7242 washers.	411.82
	BRE10144	Rear Hitch Premium Controls Upgrade Kit Also order software R545978 through parts. See installation instructions.	251.90
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50
	RE330573	Rear Hydraulic Center Link, 90mm Ball Type (Cat 3)  Compatible with category 3 hitch.	1,464.10
	BRE10068	Hydraulics: 2 Mid SCV Stack Screw In Quick Couplers	302.50
	BRE10067	3 Mid SCV Stack Screw In Quick Couplers	443.30
	BRE10080	Auxiliary Hydraulic Reservoir Provides up to 85 L (15 gallons) of take out oil on PowerShift and Infinitely Variable Transmissions.	689.70
	RE335072	External SCV III Kit for Fender Extension  Provides external remote control for Selective Control Valve 3 on rear fender extension.  Requires software (R335110) download to activate function. See Parts.	100.10
	BRE10048	Fifth Rear Remote Selective Control Valve with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers  For Tractors equipped with or without a rear hitch, see installation instructions for additional parts needed to complete installation.  Requires (R301760) Software download to activate function - See Parts.  Compatible with 8RT (Serial Number 912001-).	2,384.80
	BRE10047	Fourth Rear Remote SCV with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers.  For Tractors equipped with or without a rear hitch, see installation instructions for additional parts needed to complete installation. Selective Control Valve.  Requires (R301759) Software download to activate function - See Parts.	2,384.80

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE327561	ATTACHMENTS FOR FIELD CONVERSIONContinued  Hydraulic Motor Case Drain (Flush Face Coupler) Kit  Includes (1) 3/8" flush face case drain coupler.  Required to connect Tractor sump to case drains on Seeding Equipment.	189.20
	RE328941	Implement Single Lever Control Lift Assist Kit	97.90
	BRE10072	Power Beyond Coupler, 1/2" Pressure & Return without 3 in 1 Hitch Includes (1) 1/2" Pressure, (2) 1/2" Return, & (1) 1/4" Load Sense Couplers. Must order RE327561 for motor case drain.	856.90
	BRE10073	Power Beyond Coupler, 3/4" Pressure & Return without 3 in 1 Hitch Includes (1) 3/4" Pressure, (2) 3/4" Return, & (1) 3/8" Load Sense Couplers. Must order RE327561 for motor case drain.	1,037.30
	BRE10049	Sixth Rear Remote Selective Control Valve with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers.  Not compatible with Joystick.	2,384.80
	RE334627	<b>Lighting:</b> Front HID Light Kit Also order software R334626 through parts. See installation instructions.	2,026.20
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Software not required.	351.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights Also order software R334622 through parts. See installation instructions.	161.70
	RE334683	Loader and Driving Light Package Includes headlights, wiring harness, brackets and mounting hardware. Also order software R334685 through parts. See installation instructions.	272.80
	RE334623	Rotary Beacon Light Kit, Left Side Also order software R334625 through parts. See installation instructions.	432.30
	BRE10043	Rotary Beacon Light Kit, Right Side Also order software R550311 through parts. See installation instructions.	432.30
	RE340785	Loader Auxiliary Mid-Mount Valves: First & Second Remote SCV (120 ml.) with TLS axle Additional also order parts required. See installation instructions. Also order software R551307 through parts.	512.60
	RE340786	First & Second Remote SCV (120 ml.) without TLS axle Additional also order parts required. See installation instructions. Also order software R551308 through parts.	473.00
	RE340789	Third Remote SCV (120 ml.)  Additional also order parts and software is required. See installation instructions.	858.00
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10153	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	RE67016	Operator Environment: 3-Pin Adaptor for Power Strip	51.43
	RE67015	3-Way Convenience Adapter for Power Strip	31.16
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear	54.99
	RE317435	Accessory Mounting Bracket - Long Bar Provides mounting location for additional monitors along right side window. Accepts BRE10015, BRE10152, and more.	128.70
	RE341704	Actively Cooled Refrigeration Unit (391 In3 / 6.4 L3)  Must also order the following brackets and screws: RE345942, R340091, 19M7867, RE345943, R267251 and 19M7796.	950.06
	RE269615	Antenna Mount and Wiring for Business Band (2-Way) Radio	161.70
	RE275532	Ash Tray Fits in existing cup holder.	108.06
	RE346238	Carpet with foot throttle	171.79
	RE556830	Carpet without foot throttle	171.79
	BRE10015	Cell Phone Mount Kit  Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	59.40
	RE67014	Cigar-Style Adapter for Power Strip	46.92
	BRE10147	CommandARM Bracket Not compatible with joystick or GS3 2630 display. Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	PF90385	Cornerpost Display Bracket	111.12
	PFP12435	Display Harness - GS2 / GS3 Display with Video to GreenStar (Round) Cornerpost (30 in. / 762 mm) Includes 3 Video Outputs on MY13 7R, 8R, 8RT, 9R, 9RT tractors. Excludes CCD BUS (most 20-series tractors)	172.68
	PFP12950	Ethernet Adapter Cable (Square to Round - 2.5 ft. / .8m)  Cable connects the corner post Ethernet connector (square) to the GS3 2630 display Ethernet connector (round). Required for Remote Display Access, Wireless Data Transfer, and Machine Sync.	49.89
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	686.40
	BRE10041	External Mirrors, Electrically Telescoping and Heated Mirror Heads, Wheel For converting the heads on electric mirrors to telescoping and heated.	689.70

### 7230R Tractor


2225	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
	RE321017	ATTACHMENTS FOR FIELD CONVERSIONContinued Foot-Operated Speed Control, Wheel and Tracks Order Floor Mat separate through Parts.	145.20
	RE68495	Power Strip with Six Outlets	56.28
	BRE10039	Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console. BlueTooth capable including microphone, Four Speakers, Subwoofer, and External Antenna.	1,024.10
		Also order software R543675 through parts. See installation instructions.	
	BRE10040	Premium Radio Package with XM Radio  AM/FM Stereo with Premium Tuner, Weatherband, Compact Disc Player,  Remote Controls, USB port and Auxiliary Input Jack located on right side console, BlueTooth capable including microphone, XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	1,255.10
		Also order software R543676 through parts. See installation instructions.	
	RE298942	Seat Belt Kit  Meets regulations that require a seat belt anchorage force similar to the SAE J386, ISO 6683, and OSHA requirements (29CFR1926.602) for earth moving operations and non-agricultural tractor operations.	293.70
	BRE10152	Self - Leveling Cup Holder Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	58.30
	BRE10143	Single Lever Multi Function Joystick Not Compatible with 6 rear Selective Control Valves. Also order software R318390 through parts. See installation instructions. Compatible with 7R (serial number 080001-) Compatible with 8R (serial number 090001-).	1,511.40
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	12.96
	BRE10038	Standard Radio Package  AM/FM Stereo with Weatherband, Remote Controls, Auxiliary Input Jack Located on Right Side Console, Four Speakers and External Antenna.	830.50
		Also order software R543674. See installation instructions.	
	BRE10127	Step Mud Guard, Left Side Compatible with group 47 and 48 tires.	122.10
	RE261504	Sun Shade, Front Pull Down	89.99
	RE562587	Sun Shade, Rear or Right Hand Comes factory installed on premium cabs. Offered as a field installed only option for standard cabs.	107.61
	BRE10034	Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	75.90

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE263352	ATTACHMENTS FOR FIELD CONVERSIONContinued Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	452.37
	BRE10037	Windshield Wiper with Washer, Right Hand Window Comes factory installed on premium cabs. Offered as a field installed only option for standard cabs. Also order software R551514. See installation instructions.	205.70
	RE313419	PTO: Front PTO 21 spline 1 3/8 In. pto stub shaft (flange)	376.26
	RE313422	Front PTO 6 spline 1 3/8 ln. front pto stub shaft (flange) <i>Not compatible in US.</i>	376.26
	RE313418	Front PTO 20 spline 1 3/4 In. front pto stub shaft (flange)	384.13
	RE298885	Software Downloads: Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport speeds above 23 km/h (14.3 mph). Download through Service Advisor's software delivery system. Includes instruction and download only. Not compatible with Stage II engines. See the Agricultural Sales Manual for ground speed specifications.	3,543.32
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key	185.90
	BL15085	Weights: Centerlink Kit for Hitch Mounting 900 or 1150 kg Large Weights	168.30
	RE326583	Front Hitch Ready Weight Support	858.00
	R288797	Standard Front Weight Support	418.00
	R167153	Starter Weight, Wheel, 159 Lb. (72 Kg) Required to install 205 kg (452 Lb.) wieght to outer duals or flange axle rim.	246.40
	BL15084	Weight, 1150 kg Large Front Mounted	3,578.30
	BL15020	Weight, 1500 kg Front Mounted	4,667.30
	AL204830	Weight, 1800 kg Front Mounted	5,600.10
	BRE10026	Weight, 970 kg Outer Wheel Weight 900 kg weights are not included. Requires (2) 900 kg weights to be ordered through parts. Reference instructions for more information. Requires 42 In or larger wheel with a steel rim (steel rim with cast hubs (7R code 5090), flange axle or dual wheel) to mount. Includes starter weights and attaching hardware.	990.00
	R127764	Weight, Front Suitcase 95 Lb. (43 kg) Quantity of One	134.20
	R167151	Weight, Inner Wheel, 1378 Lb. (625 Kg)	2,143.90

### 7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15083	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Pickup Weight, 1984 LB. (900 kg)	3,698.62
	R207782	Weight, Wheel, 452 Lb. (205 kg)	701.80
	AR190666	Wheel Equipment: One 10 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	895.40
	AR190668	One 13 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	994.40
	AR190669	One 15 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	1,042.80
	AR194744	One 5 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	807.40
	RE267658	Three Meter Front Wheel Spacer (425mm Bolt Circle Hub)  Not compatible with Tractors equipped with front brakes.  Not compatible with G44 front tires. Not compatible with loaders.	3,539.80



#### 7250R Tractor

#### **Equipment for Base Machine**

ENGINE: Tier 4 Emissions Compliant	Fuel Level Gauge with
John Deere PowerTech PSS Diesel In-line 6-Cylinder Wet-Sleeve	Low Fuel Warning Signal Diesel Exhaust Fluid Gauge with low DEF Warning
with High Pressure Common Rail (HPCR)	Signal Engine RPM Indigator
Fuel System and 24 Valve Head 6.8 L (414 Cu. In.) Displacement	Engine RPM Indicator Status Indicators for MFWD
250 Engine hp 97/68/EC @ Rated Speed	Differential Lock
205 SAE PTO hp @ Rated Speed Automatic Shutdown System	Rear PTO Speed CommandCenter 7 In. Display with 4100 Processor
Dry Type Air Cleaner with Safety Element	includes:
and Dirt Aspiration System	Generation 4 AutoTrac Capability - Activation
Tilt Hood Enclosure with Side Panels Viscous Fan	Required Video Capability with Tractor Function Activated
Electric Fuel Shutoff	Triggers
Electric Thermal Assist Starting Aid Coolant Conditioner Additive	Access Manager Universal Machine and Work Monitor
Engine Coolant Recovery System	Reconfigurable Display Function Definable by
Fuel Filter and Pre-Filter Final Water Congress with Congres	Operator iTEC Tractor and Implement Function Control
Fuel Water Separator with Sensor Self Priming and Bleeding Electronic Fuel Pump	TIEC Tractor and implement runction control
475 L (125 US Gal.) Fuel Tank Capacity	Languages:
23.0L (6 US Gal.) DEF Tank Size Capacity B2 Biodiesel from the Factory	For a complete list of languages refer to the Aq Sales Manual
Lockable Fuel Cap	ng baros nanaar
Engine Oil Filter Electronic Injection, Governor Control with Field	OPERATOR PROTECTIVE STRUCTURE: Standard CommandView III Cab
Cruise	Tilt/Telescoping Memory Steering Wheel
TTD AVOIDT OUT OVER	Comfort Command Seat with
TRANSMISSION: 40k (25mph) e23# Transmission with Efficiency	Air Suspension, 40 Degress Right Hand Swivel Fore-Aft Lateral Attenuation with Lumbar
Manager	Support
23 Forward/11 Reverse Speeds and Right Hand Reverser	Backrest Adjustment Integrated 7 In. CommandCenter Display
Perma-Clutch II (Hydraulically Engaged Wet-Disk	Adjustable Position CommandARM with Integrated
Clutch)	Controls
Speed Matching Park Lock	Swing-Out Rear Window (30 Degrees) Tinted Glass
Neutral Safety Start System	Air Conditioner and Heater
STEERING, BRAKES DIFFERENTIAL:	Automatic Temperature Controls with Controls on CommandARM
Load-Sensing Hydraulic Power Steering	Two Speed, Intermittent Front and Rear
Wet-Disk Hydraulic Power Brakes	Wiper/Washer
Tilt/Telescoping Memory Steering Wheel Hydraulically-Engaged Rear Differential Lock	Pull Down Front Sun Visor Rear Storage Behind Seat
	Folding Instructional Seat
HYDRAULICS: Pressure and Flow Compensating Axial Piston Pump	Left Hand Storage Two Beverage Holders
43 GPM (162 L/min) Pump Output	Right and Left Outside Mirrors
35 GPM (132 L/min) Flow @ One SCV 65 L of Take Out Oil	Standard Radio and Speakers Inside Cab Mounted Rear View Mirror
Four Electrohydraulic Remote Selective Control	Passive Noise Reduction System
Valves with Push/Pull	Backlit CommandARM Controls Laminated Front Glass and Sound Barrier
ISO Breakaway Couplers and High Pressure Relief Levers	Powerstrip With Convenience Plug Adapter
DEAD DEG.	Coat Hook in Rear Corner
REAR PTO: Independent 1000 RPM, 45 mm (1-3/4 In.) 20 Spline	Right Hand Steps Programmable Egress Lighting
PTO Safety Start System	
Seat-Activated PTO Warning Adjustable Engagement Modulation	ELECTRICAL: Key Engine Shutoff
Adjustusie Bilgagement Modulation	12V Electrical System
ROCKSHAFT, HITCH AND DRAWBAR: Dual Cylinder Electrohydraulic Hitch with Transport	Two 925 CCA 12V Batteries Three 12V Electrical Convenience Outlet
Lock and External Remote Control Switch	Two 12V Electrical 3-Pin Outlet with Adapter
3-Point (Category 3/3N) Hitch	Battery Boost Terminal
Fixed Length Draft Links Arms External Sway Blocks with Tapered Wedge Adjustment	200 Amp Alternator SmartCircuit Current Load Monitoring System with
Category 3 Adjustable, Swinging Drawbar with Clevis	Fuse Panel
with 1.5" pin Secondary Implement Chain Support	7-Terminal Rear Implement Electrical Outlet Socket
Hitch Dampening	Integrated ISO Radar Connector StarFire ITC or Radar Speed Input Harness
Center Link Adjustment Handle	ServiceADVISOR Data Port
RH and LH Liftlink Adjustment Handles	LIGHTS:
INSTRUMENTATION:	Six Front Grill Mounted Lights
Corner Post Digital Instrument Panel includes: Engine Coolant Temperature Gauge	Twelve Cab Roof Mounted Lights Two Rear Fender Flood Lights

#### 7250R Tractor

#### Continued

Two Front Beltline Work Lights Left Hand Rotary Beacon Light Extremity, Brake, Turning, and Hazard Lights

AXLE, WHEELS AND TIRES: 1300 MFWD Front Axle with Limited Slip Differential and Driveline Shield 420/85R34 147A8 R1W Radial Front Single Wheel

Configuration - 8 Position 110 mm (4.33 In.) Diameter x 3010 mm (118.5 In.) Rear Axle

480/80R50 159A8 R1W Dual Wheel Configuration

AG MANAGEMENT SOLUTIONS:

Integrated Plug-In for GreenStar Display Deluxe StarFire Receiver Bracket GreenStar Ready Harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In

Connector (ISO 11783 Compatible) Ethernet Harness AutoTrac Ready Components: Wiring, Steering Controller, Front Wheel-Angle Sensor and Electro-Hydraulic Steering Valve Right Side Convenience Step

MISCELLANEOUS:

Horn PTO Master Shield

Tool Box

Operator's Manual

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Waterloo, Iowa

05W0RW 7250R Tractor 235,403.00

#### DESTINATION

A Code must be chosen for each Tractor ordered.

**North America** 

0202 United States 1,900.00

> Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3033 (6.8L) Stage 4/Tier-4 Compliant Engine. Requires Code 1946 4600 Processor

Requires Code 1822 10" CommandCenter Display or 1820 10" CommandCenter Display with

GreenStar 3 2630 display.

Includes Ethernet Switch, option code 8064.

0184 1,900.00

Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3033 (6.8L) Stage 4/Tier-4 Compliant Engine. Requires Code 1946 4600 Processor

Requires Code 1822 10" CommandCenter Display or 1820 10" CommandCenter Display with

GreenStar 3 2630 display.

Includes Ethernet Switch, option code 8064.

Requires Code 0409 English or 0413 French Operators Manual.

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0230		Oceania Australia Requires Code 1881, 1881, 188K, 188L or 188M JDLink Connect. Requires Code 1946 4600 Processor Requires Code 1822 10" CommandCenter Display or 1820 10" CommandCenter Display with GreenStar 3 2630 display. Includes Ethernet Switch, option code 8064. Requires Code 3033 (6.8L) Stage 4/Tier 4 Compliant Engine.	1,900.00
0237		New Zealand Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3033 (6.8L) Stage 4/Tier 4 Compliant Engine. Requires Code 1946 4600 Processor Requires Code 1822 10" CommandCenter Display or 1820 10" CommandCenter Display with GreenStar 3 2630 display. Includes Ethernet Switch, option code 8064.	1,900.00
0083		Korea, Republic of Requires Code 1822 Generation 4 CommandCenter or Code 1823 Generation 4 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 3036 (9.0L) Stage 3b Compliant Engine.	Same Price
		PERFORMANCE PACKAGE CONFIGURATION	
0500		No Package Order one code from each box in the Price Pages.	In Base Price
0511		e23 or IVT Performance Package Only available in Canada, US, Australia, and New Zealand. Includes Codes: 1493, 1494, 1550 or 1553, 2061 or 2062, 3351 or 3361, 3260, 7206, 832G or 832H, 8288, 8020 or 8021.	-1,500.00
		ENGINE	
3033		John Deere PowerTech PSS 6.8 L (414 cu. ln.) 6 Cyl Stage 4 Compliant Diesel Engine	In Base Price
3036		John Deere PowerTech PVX 9.0 L (549 cu. In.) 6 Cyl Stage 3b Compliant Diesel Engine	Same Price
		OPERATOR STATION	
2059		Standard CommadView III Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Folding Instructional Seat.	In Base Price
2061		Premium CommandView III Cab with Active Seat	3,726.00

#### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Includes: Active Seat with Fore-Aft, Lateral Attenuation, Lumbar Support, Seat Bottom Tilt and Extend Adjustments, and Backrest Extension. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls Located on CommandARM. Front, Rear, and Right Hand Windshield Wiper and Washer. SMV emblem. Front, Rear and Right Hand Sunshades. Automatic Temperature Control with controls located on CommandARM. Power Strip with Convenience Plug Adapter. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat.	
2062		Premium CommandView III Cab with Cab Suspension Includes: Cab Suspension. ComfortCommand Seat with Fore-Aft, Lateral Attenuation, Lumbar Support, Seat Bottom Tilt and Extend Adjustments and Backrest Extension. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls Located on CommandARM. Front, Rear, and Right Hand Windshield Wiper and Washer. SMV emblem. Front, Rear and Right Hand Sunshades. Automatic Temperature Control with controls located on CommandARM. Power Strip with Convenience Plug Adapter. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat.	4,438.00
		GENERATION 4 COMMANDCENTER - PROCESSOR  Option availability limited by specific geographical regions.	
		Please refer to region specific price pages for appropriate ordering codes.	
1945		4100 Processor Requires Code 1823 or 1827 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input. CommandCenter AutoTrac Activation Capable only. Use of GS3 activations will require a GS3 2630 display.	In Base Price
1946		4600 Processor Requires Code 1822 or 1820 -10 In. CommandCenter Display. Includes tractor CommandCenter controls and 4 video inputs. CommandCenter AutoTrac Activation Capable. Upgradeable to future CommandCenter software activations, when available. Use of GS3 activations will require a GS3 2630 display.	1,500.00
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS	
		All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more information.  Option availability limited by specific geographical regions.	
1823		Single 7 In. CommandCenter Display	In Base Price
1827		One 7 In. CommandCenter Display with GreenStar 3 2630 Display Includes GreenStar 3 2630 Display, harness, Ethernet Adapter Harness, and	6,166.00

#### 7250R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYSContinued  A-post mounting bracket installed on cornerpost.	
1820		One 10 In. CommandCenter Display with GreenStar 3 2630 Display Includes GreenStar 3 2630 Display, harness, Ethernet Adapter Harness, and A-post mounting bracket installed on cornerpost.	6,660.00
1822		Single 10 In. CommandCenter Display	495.00
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		CommandCenter AutoTrac Activations are one time non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.	
		GS3 activations only function with GS3 displays.  Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations, referencing the Tractor order number.	
		Accuracy is dependent on the receiver signal level. Generation 4 CommandCenter AutoTrac, AutoTrac - GS3, and AutoTrac - GS3 with iTEC Pro Activations are compatible with SF1, SF2, or RTK.	
		Field installed activations are available through the AMS prices pages.  Warranty on all Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1851		CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 4100 Processor. Includes Non-transferrable, AutoTrac functionality on the CommandCenter. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	1,000.00
1852		CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 4600 Processor. Includes Non-transferrable, AutoTrac functionality on the CommandCenter.	1,000.00
		Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	
1845		Less Activations	In Base Price
1847		AutoTrac Activation - GS3 Requires GS3 2630 Display Code 1820 or 1827. Does not include CommandCenter AMS Activation. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	3,500.00
1849		AutoTrac Activation - GS3 with iTEC Pro Activation - GS3 Requires GS3 2630 Display Code 1820 or 1827. Does not include CommandCenter AMS Activation. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	6,000.00

#### **RECEIVER**

Tractor includes deluxe receiver mounting bracket only. Accuracy is dependent on the receiver signal level.

StarFire 3000 Position Receivers can be ordered in two configurations:
-SF1 a no-charge differential correction signal that provides non-row-crop accuracy.
-SF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass

-RTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire

#### 7250R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued  RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.	
		GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only. Note: When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab.	7,195.00

#### **MACHINE CONNECTIVITY**

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not

www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).

Options with JDLink Connect include:

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor.
- 1 Ethernet harness routed from the MTG to the optional display port.
- Antenna wiring harness for the Machine Communication Radio (MCR).
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer.

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG).

Subscription length of contract varies; Subscription renewal required after term of service for continued funtionality.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate order codes.

1885 JDLink Capable

Includes cab wiring harness and (1 or 2) Ethernet harness(es).

In Base Price

 $Requires\ field\ kit\ installation,\ activation,\ and\ subscription\ for\ JDLink\ functionality.$ 

Not available in United States, Canada, Australia, New Zealand.

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued	
1889		JDLink Ultimate - Subscription Not Included Includes JDLink hardware, and (1 or 2) Ethernet harness(es). Does not include the JDLink Ultimate 1 Year Subscription, Machine Communication Radio and antenna. Not available in United States, Canada, Australia, New Zealand.	2,400.00
1881		JDLink Connect - Subscription Not Included Includes JDLink hardware, Ethernet harnesses, and Machine Communication Radio antenna harness. Ethernet harnesses may vary per configuration. Does not include a JDLink Connect Subscription, Machine Communication Radio and antenna. Only available in the United States, Canada, Australia, and New Zealand through dealers that do not meet New Model Qualification requirements.	No Charge
188J		JDLink Connect - 1 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 1 year JDLink Connect subscription, Ethernet harnesses, and Machine Communication Radio antenna harness.  Does not include the Machine Communication Radio and antenna. Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	No Charge
188K		JDLink Connect - 3 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, Ethernet harnesses, and Machine Communication Radio antenna harness. Does not include the Machine Communication Radio and antenna. Note: When GreenStar 3 2630 Display is mounted on cornerpost, an Ethernet cable is required to connect Display to MTG.  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	1,200.00
188L		JDLink Connect - 1 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 1 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	3,699.00
188M		JDLink Connect - 3 Year Subscription and Machine Communication Radio	4,899.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering# (ACS)	3,371.00
1834		Less John Deere ActiveCommand Steering# (ACS)	In Base Price
		TRANSMISSION	
1493		e23 Transmission 40 km/h (25 mph) with Efficiency Manager # Requires CommandARM Controls code 2701 or 2702.	In Base Price
1494		e23 Transmission 50 km/h (31 mph) with Efficiency Manager # Requires CommandARM Controls code 2701 or 2702. Requires Air or Hydraulic trailer brakes, TLS+ with front brakes, front fenders. Requires Symbol B (31 mph/50 km/h) Front and Rear Tires, ordered from the tire section in this price list.	Same Price
1550		AutoPowr IVT Transmission 40 km/h (25 mph) Requires CommandARM Controls code 2703 or 2704.	5,000.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) Requires CommandARM Controls code 2703 or 2704. Requires Air or Hydraulic trailer brakes, TLS+ with front brakes, front fenders. Requires Symbol B (31 mph/50 km/h) Front and Rear Tires, ordered from the tire section in this price list.	5,000.00
		LIGHTS	
7206		Premium Lighting Includes Standard Lighting. All Halogen lights will be LED lights except for low beam driving lights.	2,954.00
7200		Economy Lighting Six Front Grill Mounted Lights: Two 65 W Low Beam Driving Lights, Two 65 W High Beam Driving Lights and Two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and Four Side Facing 65 W Flood lights and Four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and two Rear Turn Signal and Brake Lights. Two folding extremity lights.	-879.00
7201		Standard Lighting Requires code 8740 (240 amp alternator). Includes Economy Lights plus 2 adjustable front roof 65W halogen floodlights, 2 front belt line work lights, and left side rotary beacon light.	In Base Price

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers.	-686.00
2660		Standard Radio Package  AM/FM Stereo with Weatherband, Remote Controls, Auxiliary Input Jack Located on Right Side Console, Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package w/ XM Radio AM/FM Stereo with Premium Tuner, Weatherband, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console, BlueTooth capable including microphone, XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	352.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console. BlueTooth capable including microphone, Four Speakers, Subwoofer, and External Antenna.	245.00
		HYDRAULIC PUMP	
3240		162 L/Min. (43 gpm) Hydraulic Pump	In Base Price
3260		223 L/Min. (59 gpm) Hydraulic Pump	1,245.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	-2,009.00
3341		Four Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	In Base Price
3351		Five Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	2,010.00
3361		Six Premium Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Premium Couplers and High Pressure Relief Levers  Not compatible with Joystick code 841L.	4,022.00
		REAR POWER TAKE OFF	
3810		45mm (1-3/4 In.)1000 rpm PTO (20 Spline) Option is never compatible with 35mm (1-3/8 In.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO.	In Base Price
3820		45mm (1-3/4 In.) 1000 rpm PTO (20 Spline), 35mm (1-3/8 In.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO with shifting at the rear of the tractor, One-Piece Reversible 35mm (1-3/8 In.) Shaft and Single Side 45mm (1-3/4 In.) Shaft	1,618.00
3830		35mm (1-3/8 In.) 540 Economy rpm (6 Spline) / 1000 (21 Spline) / 1000 (21 Spline) Economy rpm PTO, 45mm (1-3/4 In.) 1000 (20 Spline), Electronically Shiftable in Cab, One-Piece Reversible 35mm (1-3/8 In.) Shaft and Single Side 45mm (1-3/4 In.) Shaft Economy Speed @ 1730 Engine rpm.	2,530.00

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR POWER TAKE OFFContinued	
3831		35mm (1-3/8 ln.) 540 (6 Spline) / 540 (6 Spline) Economy rpm / 1000 (21 Spline) rpm PTO, 45mm (1-3/4 ln.) 1000 (20 Spline) rpm PTO, Electronically Shiftable in Cab, One-Piece Reversible 35mm (1-3/8 ln.) Shaft and Single Side 45mm (1-3/4 ln.) Shaft Economy Speed @ 1730 Engine rpm.	2,530.00
		DRAWBAR AND TRAILER HITCH	
4320		Category 3, Adjustable Swinging Drawbar for use with a 38 mm (1.50 ln.) Pin Does not include clevis.1837 kg (4,050 Lb.) - 2766 kg (6,100 Lb.) maximum vertical load dependent on drawbar position.	-243.00
4319		Category 3, Adjustable Swinging Drawbar for use with a 38 mm (1.50 ln.) Pin Includes drawbar clevis. 1837 kg (4,050 Lb.) - 2766 kg (6,100 Lb.) maximum vertical load dependent upon drawbar position.	In Base Price
4323		Category 3 Adjustable Swinging Drawbar, with 38 mm (1.50 ln.) Pin, Clevis, and Heavy Duty Support 4535 kg (10,000 Lb.) Maximum Vertical Load.	663.00
		REAR HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Option Code 3331. If 4, 5, or 6 remote selective control valves are required, order field installed kit BRE10047 (4th Remote Selective Control Valve), BRE10048 (5th Remote Selective Control Valve) or BRE10049 (6th Remote Selective Control Valve). Not compatible with Front Hitch.	-7,080.00
4045		7,847 kg (17,300 Lb.) Lift Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler 10,206 kg (22,500 Lb.) max lift capacity. Includes solid, non-adjustable draft links and sway blocks.	978.00
4034		6,894 kg (15,200 Lb.) Lift Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler 9,208 kg (20,300 Lb.)max lift capacity. Includes solid, non-adjustable draft links and sway blocks.	In Base Price
		REAR AXLES	
5065		110 mm (4.33 ln.) Dia x 2550 mm (100.4 ln.) Length Not compatible with duals. Requires Code 4036, 4031, 4041, or 4034. Not Compatible with 5090.	-488.00
5066		110 mm (4.33 ln.) Dia x 3010 mm (118.5 ln.) Length Requires Code 4036, 4031, 4041, or 4034. Not Compatible with 5090.	In Base Price
5052		120 mm (4.72 ln.) Dia x 2550 mm (100.4 ln.) Length Not compatible with duals. Requires Code 4042, 4043, 4044, or 4045. Not Compatible with 5090.	-488.00

#### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5042		REAR AXLESContinued  120 mm (4.72 ln.) Dia x 3000 mm (118.5 ln.) Length  Requires Code 4042, 4043, 4044, or 4045.  Not Compatible with 5090.	600.00
		WHEELS AND HUBS	
5092		Cast Wheels with Double Taper Hubs	In Base Price
		REAR WHEELS & TIRES (Single and Dual Configurations)	
		The models will be installed as listed. The company reserves the right to substitute another model without written notice.  For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.  Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.  Overloading of tires is prohibited.	
		REAR WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:	
		A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals For MFWD, use with any A8 Speed Rated RCI Group 42 Front Tire with same brand preference. For tractors equipped with heavy ballast, duals are recommended to avoid overloading tires. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-664.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-3,708.00
5502		480/80R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-544.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-11,366.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-3,380.00

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5104		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only.	-9,512.00
5504		Requires No Brand Preference Code 5999.	070.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-372.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-11,352.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-3,352.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-9,952.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-552.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-9,278.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	796.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	2,740.00
5123		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-8,306.00
5132		650/65R42 In. 158D R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-6,994.00
5124		650/65R42 In. 170A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-6,984.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	-6,990.00

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5510		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin. Goodyear is available in US, Canada, Central America, and South America only.	5,372.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 43 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5224		320/105R54 In. 163A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-9,810.00
		Compatible with Code 6200. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	
5624		320/105R54 In. 163A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-268.00
		Compatible with Code 6200. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	104.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear available in US, Canada, Central America, and South America only.	-9,676.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear available in US, Canada, Central America, and South America only.	In Base Price
5202		IF 480/80R50 In. 166A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only.  Requires No Brand Preference Code 5999.	-8,176.00
5602		IF 480/80R50 In. 166A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	3,000.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-9,964.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-576.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-9,696.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-40.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-7,946.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	3,460.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-7,182.00
5622		650/85R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	4,988.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-4,982.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	8,688.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-6,524.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,304.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	-6,184.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, Trelleborg or Mitas. Goodyear available in US, Canada, Central America, and South America only.	6,984.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5219		REAR WHEELS & TIRES (Single and Dual Configurations)Continued IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-4,684.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	9,984.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in US, Canada, Central America, and South America only. If ordered with Code 5093 Flanged Axle and 8751 Dual Line Air Trailer Brakes, or 8752 Hydraulic and Dual Line Air Trailer Brakes overall width will exceed 2.55M.	-5,978.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-4,478.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available In Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions. Goodyear is available in US, Canada, Central America, and South America only.	7,396.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available In Firestone or Michelin. Requires Front Tire Code 6214. Includes two 10 In. Axle Extensions.	10,396.00
		A8 Speed Rated RCI Group 49 Size Tires (85.5 In./2172 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 44 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5450		480/95R50 In. 164A8 R1W in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	5,460.00
5351		710/75R42 In. 175D R1W in Single Wheel Configuration Available in Goodyear and Trelleborg. Goodyear is available in US, Canada, Central America, and South America only.	-1,908.00
5352		IF 710/75R42 In. 176D R1W Increased Flexion in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6302.	292.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
		REAR WHEELS AND TIRES FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals	
		For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-1,144.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-5,314.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals	
		Use with any B Speed Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	2,052.00
5638		520/85R46 In. 158B R1W Radial in Dual Wheel Configuration Available in Firestone or Michelin.	572.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin, Trelleborg or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-6,200.00
5639		650/85R38 In. 173B R1W Radial in Dual Wheel Configuration Available in Michelin or Trelleborg.	92.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-4,000.00
5640		710/70R42 In. 168B R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	7,452.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Trelleberg.	-4,658.00
5641		710/70R42 In. 173B R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	9,336.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-3,158.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5217		REAR WHEELS & TIRES (Single and Dual Configurations)Continued IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215. If ordered with Code 5093 Flanged Axle and 8752 Dual Line Air Trailer Brakes, or 8752 Hydraulic and Dual Line Air Trailer Brakes overall width will exceed 2.55M.	-3,204.00
		B Speed Rated RCI Group 49 Size Tires (85.5 In./2172 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 44 Front Tire with same brand preference.	
5453		480/95R50 In. 164B R1W in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	7,504.00
5354		710/75R42 In. 175D R1W in Single Wheel Configuration Available in Goodyear and Trelleborg. Goodyear is available in US, Canada, Central America, and South America only.	-1,334.00
5355		IF 710/75R42 In. 176D R1W Increased Flexion in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6307.	866.00
		FRONT AXLES	
6060		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield and Limited Slip Differential	7,278.00
6061		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield, Hydraulic On/Off Differential Lock and Wet Disk Front Brakes Required for 50 km/h (31 mph) Transmissions (Code 1501, 1552 or 1553, 1494). Compatible with 40 km/h (25 mph) Transmissions (Code1500, 1550, and1493).	8,880.00
6040		1300 Series Mechanical Front Wheel Drive Axle with Driveline Shield and Limited Slip Differential	In Base Price
		FRONT WHEELS AND TIRES	
		MECHANICAL FRONT WEHEEL DRIVE (MFWD) AXLE Eight Position Steel MFWD Wheels with: A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-534.00

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6107		FRONT WHEELS AND TIRESContinued 380/85R34 In. 137A8 R1 Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-1,102.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	620.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-1,290.00
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	486.00
6102		420/90R30 In. 145A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	-626.00
6103		420/90R30 In. 142A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect tractor delivery date. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-546.00
6131		480/70R30 In. 152A8 R1W Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	-986.00
6109		600/65R28 In. 147A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	1,222.00
6132		600/65R28 In. 154A8 R1W Radial Available in Michelin and Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	1,754.00
6116		380/85R34 In. 145A8 R1 Radial Available in Firestone only. Requires No Brand Preference Code 5999.	-288.00
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 48 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6200		320/80R42 In. 141A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	120.00

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6220		FRONT WHEELS AND TIRESContinued IF 320/80R42 In. 149A8 R1W Increased Flexion Radial Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Compatible with Code 5224. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	1,620.00
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear available in US, Canada, Central America, and South America only.	32.00
6202		IF380/80R38 In. 149A8 R1W Increased Flexion Radial Available in Firestone only. Requires No Brand Preference Code 5999.	1,532.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone, Goodyear, or Mitas. Goodyear available in US, Canada, Central America, and South America only.	In Base Price
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	860.00
6217		IF420/85R34 In. 152A8 R1W Increased Flexion Radial Available in Firestone only. Requires No Brand Preference Code 5999.	1,500.00
6204		480/70R34 In. 143A8 R1W Radial Available in Michelin and Mitas.	-74.00
6206		480/70R34 In. 146A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-218.00
6207		540/65R34 In. 148A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	708.00
6208		600/70R30 In. 152A8 R1W Radial Available in Firestone, Goodyear, Mitas, Trelleborg or Michelin. Goodyear available in US, Canada, Central America, and South America only.	1,398.00
6214		IF600/70R30 In. 159A8 R1W Increased Flexion Radial Available in Michelin and Firestone.	2,898.00
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 49 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6303		380/80R42 In. 150A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	762.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6304		FRONT WHEELS AND TIRESContinued 420/85R38 In. 149A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	1,384.00
6309		600/65R34 In. 157D R1W Radial Available in Goodyear and Trelleborg. Goodyear is available in US, Canada, Central America, and South America only.	1,118.00
6301		620/75R30 In. 163D R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	2,102.00
6302		IF620/75R30 In. 164D R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	4,302.00
		Eight Position B Speed Rated Steel MFWD Wheels for 31 mph (50 km/h) Transmissions:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any B Speed Rated RCI Group 47 Rear Tire with same tread type and brand preference. Requires code 6061.	
6111		380/85R34 In. 137B R1 Radial Available in Firestone only. Requires No Brand Preference Code 5999.	-120.00
6123		480/70R30 In. 152B R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	-4.00
6113		600/65R28 In. 147B R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	3,040.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Use with any B Speed Rated RCI Group 48 Rear Tire with same tread type and brand preference. Requires Code 6061.	
6209		420/85R34 In. 147B R1W Radial Available in Firestone or Goodyear. Goodyear is available in US, Canada, Central America, and South America only.	982.00
6316		480/70R34 In. 155B R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	1,434.00

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6317		FRONT WHEELS AND TIRESContinued 480/70R34 In. 143B R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,200.00
6212		600/70R30 In. 152B R1W Radial Available in Firestone, Michelin, Trelleborg, and Goodyear. Goodyear available in US, Canada, Central America, and South America only.	2,380.00
6215		IF600/70R30 In. 159B R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	4,580.00
		B Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Use with any B Speed Rated RCI Group 49 Rear Tire with same tread type and brand preference. Requires Code 6061.	
6305		420/85R38 In. 149B R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	2,408.00
6315		600/65R34 In. 157D R1W Radial Available in Trelleborg only. Requires No Brand Preference Code 5999.	2,392.00
6306		620/75R30 In. 163D R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Goodyear is available in US, Canada, Australia, New Zealand, Central America, and South America only.	2,676.00
6307		IF 620/75R30 In. 164D R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	4,896.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference	No Charge
5901		Firestone Brand Only	600.00
5902		Goodyear Brand Only Goodyear brand tires available in US, Canada, Central America, and South America only. Limited availability in New Zealand, and Australia.	600.00
5903		Michelin Brand Only	1,000.00
5904		Mitas Brand Only	600.00
5905		Trelleborg Brand Only	600.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUALS, LABELS AND COMMANDCENTER	
0409		English	In Base Price
0437		Spanish Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese	Same Price
0401		Arabic	Same Price
0442		Vietnamese	Same Price
		COMMANDARM CONTROLS	
2701		Right Hand Reverser Bump-Shift-Type Transmission Controls	In Base Price
2702		Left Hand Reverser Bump-Shift-Type Transmission Controls	933.00
2703		Right Hand Reverser Linear-Type Transmission Controls	Same Price
2704		Left Hand Reverser Linear-Type Transmission Controls	933.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8264		Operator Station and Electrical: Actively Cooled Refrigeration Unit (391 In.3 / 6.4 L3)	422.00
8210		Leather Comfort Package Not compatible with Code 2059 Standard CommandView III Cab. Includes heated leather seat, leather wrapped steering wheel, carpet floor mat and rear window decal.	1,805.00
8740		High Capacity 240a Alternator Replaces standard 200 amp alternator with 240 amp alternator. Required with Standard Light package 7201.	187.00
8242		Radar with Dual Beam Sensor	932.00
8725		Single Left Hand Rotary Beacon Light Required to add a Rotary Beacon Light to a Economy Lighting Package.	353.00
8726		Dual Rotary Beacon Lights Required to add Dual Rotary Beacon Lights to Economy, Standard or Premium Lighting Package. If ordered with Economy Lighting Package, requires code 8725.	353.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8227		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Outside Mirrors, Power Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors. Requires Standard Cab Package Code 2059.	1,026.00
8228		Outside Mirrors, Power Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors. Not compatible with Standard Cab Package Code 2059.	559.00
878B		Battery Disconnect Switch	143.00
8782		Backup Alarm	250.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	134.00
8288		Foot Operated Speed Control	340.00
8720		Loader and Driving Light Package  Provides two halogen road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	216.00
8297		Standard Hitch Control  Deducts rotary hitch encoder and 3 direct access controls under armrest.	-79.00
8064		Technology: Ethernet Switch Available in US, Canada, Australia, and New Zealand only. Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for John Deere Machine Sync, Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	In Configuration
8010		Chassis: Fenders, Pivoting Front - 480 mm (18.7 ln.) Wide Recommended for use with 12.4 ln. (290 mm) to 16.9 ln. (420 mm) tire widths. Not compatible with Code 8011, 8012, or 8013. Code 8010, 8011 or 8012 is required for 50km/h (31mph) Tractors.	1,333.00
8011		Fenders, Pivoting Front - 620 mm (24.4 ln.) Wide Recommended for use with 18.4 ln. (480 mm) to 23.6 ln. (600 mm) tire width. Not compatible with Code 8010, 8012, or 8013. Code 8010, 8011 or 8012 is required for 50 km/h (31 mph) Tractors.	1,562.00
8013		Fenders, Stationary Front - 620 mm (24.4 ln.) Wide - Loader Compatible If Code 8910 Loader Ready is selected the fenders will be stationary and loader compatible. Not compatible with Code 8010, 8011, or 8012.	1,205.00
8012		Fenders, Pivoting Front - 710 mm (27.9 ln.) Wide Not recommended for use with Group 42 front tires. Recommended for use with 480 mm (18.4 ln.) to 620 mm (24.4 ln.) tire widths. Not compatible with 320 mm (12.6 ln.) to 380 mm (15 ln.) tire widths. Not compatible with Code 8010 or 8011. Code 8010, 8011 or 8012 is required for 50 km/h (31 mph) Tractors.	1,841.00

### 7250R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8020		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Fender, Rear Extensions - 2.55 M (100 ln.) Width Includes external PTO switch, and hitch control switch on both fenders. Requires rear hitch code 4000, 4033, 4034 or 4045.	1,310.00
8021		Fender, Rear Extensions - 2.75 M (108 In.) Width Provides coverage for up to 800 mm section width tires. Includes external PTO switch, and hitch control switch on both fenders. Requires rear hitch code 4000, 4033, 4034 or 4045. Not compatible with option code 8020.	1,570.00
8291		Left Hand Step Mud Guard Included on tractors with Group 49 Rear Tires. Option on tractors with Group 47 and Group 48 Rear Tires.	103.00
8751		Trailer Brake, Dual Line Air Includes compressor, tank, control valve, couplers, and dryer. Not compatible with Code 8756 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	6,407.00
8756		Trailer Brake, Hydraulic Includes rear tractor line coupler. Not compatible with Code 0143. Not compatible with Code 8751 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	846.00
8752		Trailer Brakes, Dual Line Air and Hydraulic Not compatible with Code 0143. Includes Code 8751 and 8756. Code 8751, 8756, or 8752 is required for 50 kp/h (31 mph) Tractors.	7,111.00
8910		Front Implement/Loader: Loader Ready: Three Function Electronic - Independent Control Valve Requires front weight support code 8955. Includes: Code 841L, 3-Function Electronic Joystick, with Activated speed shifting buttons on CommandQuad and e23. 6-Hydraulic hoses from mid-mount Tractor valve to attached single point half coupler, Loader Mounting Frame, and Hood Guard. Not compatible with Mid Mount SCV code 834L or Front Hitch/Front Hitch Ready. If fenders are desired select Code 8013 stationary frontfenders compatible with Loaders. Does not include right side convenience step. Loader/Ballast may exceed load rating on certain tires. Please check Ag Sales Manual for compatibility.	7,861.00
841G		Front Hitch Ready Includes a front casting that will accommodate but does not include a Front Hitch and Front PTO. Includes 3 sets of Hydraulic Lines on TLS + front axles. If front weight support is desired select option code 8955. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 8408, 8410, 8409, 8411, or 8910.	2,716.00
8408		Standard Front Hitch with One Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity.  Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and standard lift arms. Includes One Front Auxiliary Couplers.  Not compatible with 6040 or 6043 Pivot Beam Axles.  Not Compatible with 841G, 834M, 834L.  ISOBUS Connector available through Parts.  Requires Code 841K or 841L.	5,393.00

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8410		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Standard Front Hitch with Two Front Auxiliary Couplers, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity.  Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and standard lift arms. Includes Two Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	6,602.00
8409		Premium Front Hitch with One Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity. Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and ground engaging lift arms. Includes One Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	6,401.00
8411		Premium Front Hitch with Two Front Auxiliary Coupler, 5200 kg (11,450 Lb.) max lift capacity at hitch balls 3150 kg (6,944 Lb.) ISO lift capacity. Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) and ground engaging lift arms. Includes Two Front Auxiliary Couplers. Not compatible with 6040 or 6043 Pivot Beam Axles. Not Compatible with 841G, 834M, 834L. ISOBUS Connector available through Parts. Requires Code 841K or 841L.	7,610.00
841K		Front Hitch Paddle Pot SCV Controls Compatible only with FH codes 8408, 8409, 8410, & 8411. Not compatible with 841L Joystick Control. Provides proportional paddle pot SCV control for Front Hitch and Front SCV's if equipped.	No Charge
841L		Joystick Control  Does not include mid-mount valve or Loader Ready components.  Not compatible with 6 Rear SCV's code 3361.  Not compatible with CommandARM SCV Controls code 841K.	1,250.00
838C		PTO, Independent Front with 45 mm (1-3/4 ln.) 20-Spline, 1000rpm Counter Clockwise-Rotating Shaft as Viewed from Front (Type 3) Requires Code 8408, 8409, 8410, or 8411. Additional Front PTO shafts available through Parts.	7,561.00
838D		PTO, Independent Front with 35 mm (1-3/8 In.) 21-Spline, 1000rpm Counter Clockwise-Rotating Shaft as Viewed from Front (Type 2) Requires Code 8408, 8409, 8410, or 8411.  Additional Front PTO shafts available through Parts.	7,561.00
8428		Hitch and Drawbar: Hydraulic Rear Center Link - Cat. 3 (90 mm) Requires Rear Fender Extension. Includes fender mounted control for SCV III.	1,186.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832G		Hydraulics: Auxiliary Hydraulic Connections - 1/2 In. Includes (2) 12.7 mm (1/2 In). motor return couplers, (1) 9.5 mm (3/8 In.) flat face sump coupler, (1)12.7 mm (1/2 In.) power beyond pressure coupler and (1) 6.4 mm (1/4 In.) load sense coupler.	900.00
834L		3-Function Mid-Mount EH Valve Stack with Paddle Pot Controls Provides Three Additional SCVs with steel plugs. Float position included on all Mid-Mount valves. Not compatible with Front Hitch (8408, 8409, 8410 or 8411). Not compatible with Loader Ready Package 8910. Mid mount valve couplers available through Parts.	3,821.00
832H		Auxiliary Hydraulic Connections - 3/4 In.  Includes (2) 19 mm (3/4 In.) motor return couplers, (1) 9.5 mm (3/8 In.)  flat face sump coupler, (1) 19 mm (3/4 In.) power beyond pressure coupler and (1) 9.5 mm (3/8 In.) load sense coupler.	1,002.00
834M		3-Function Mid-Mount EH Valve Stack with Joystick Control Provides Three Additional SCVs with steel plugs. Float position included on 2 Mid-Mount valves. Not compatible with Code 3361 (6 Rear SCV's). Not compatible with Front Hitch (8408, 8409, 8410 or 8411). Not compatible with Loader Ready Package 8910. Mid mount valve couplers available through Parts.	4,629.00
8302		Engine: Heater, Engine Block 110V	57.00
8304		Heater, Cold Weather Auxiliary Package, 110V Includes Ground Fault Interrupter, Engine Block Heater, and Charge Pump Heater.	483.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	584.00
8220		Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport applications. See the Agricultural Sales Manual for ground speed specifications.	3,003.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights	470.00
8956		Weight, Front Support with Four Suitcase Weights Not compatible with Front Loaders.	871.00
8957		Weight, Front Support with Eight Suitcase Weights Not compatible with Front Loaders.	1,315.00
8958		Weight, Front Support with Twelve Suitcase Weights  Not compatible with Front Loaders.	1,759.00
8959		Weight, Front Support with Sixteen Suitcase Weights  Not compatible with Front Loaders.	2,204.00

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8962		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Weight, Front Support with Twenty Suitcase Weights Not compatible with Front Loaders.	2,647.00
8963		Weight, Front Support with Twenty Four Suitcase Weights Not compatible with Front Loaders.	3,092.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) without Air Trailer Brakes option (8751 or 8752):  Weights are shown for each weight.	
8974		One Pair 452 Lb. (205 kg)	1,162.00
8975		One pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights	1,571.00
8976		Two Pair 452 Lb. (205 kg) Minimum tread setting may be restricted due to tire size. Refer to the Agricultural Sales Manual for additional information. Not available from factory with 520 section width tires or narrower. Not available from factory with 800 section width tires or wider.	2,325.00
8977		One Pair 1378 Lb. (625 kg)	3,543.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) with Air Trailer Brakes option (8751 or 8752):  Weights are shown for each weight.	
897L		One Pair 452 Lb. (205 kg) Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	1,162.00
897M		One Pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	1,571.00
897N		One Pair 1378 Lb. (625 kg) Requires Code 5091 or 5092. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information. Not compatible with tire codes 5209, 5217,5218, 5220, 5609 or 5620.	3,543.00
897P		One Pair 1378 Lb. (625 kg) Only compatible with 800 section width tire. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information. Requires tire codes 5209, 5220, 5609, 5620, 5217 and Rear Axle code 5045, 5063, 5059, 5065 or 5052.	3,543.00
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights are shown for each weight.	
8978		One pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights  Not compatible with duals.	1,571.00

#### 7250R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8979		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued One Pair 159 Lb. (72 kg) Starter Weights and Two Pair 452 Lb. (205 kg) Weights Not compatible with duals.	2,733.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights are shown for each weight.	
8980		One Pair 159 Lb. (72 kg) Starter Weights and One Pair 452 Lb. (205 kg) Weights	1,571.00
8981		One Pair 159 Lb. (72 kg) Starter Weights and Two Pair 452 Lb. (205 kg) Weights Based on the tire width option ordered, some 452 Lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,733.00
8983		One Pair 70 kg (154 Lb.) Starter Weights and One Pair 900 kg (1984 Lb.) Weight for the Outside of Dual Wheel Requires rear duals with 42, 46, or 50 inch rim. Not Comaptible with other rim sizes.	5,498.00
8935		1188 kg (2619 Lb.) Ballast Package with Rear Duals: Front Weight Support with 12 Front Suitcase Weights and One Pair 72 kg (159 Lb.) with One Pair of 205 kg (452 Lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings.  Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	3,331.00
8936		2198 kg (4896 Lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 625 kg (1378 Lb.) Inside/Inner Rear Wheel Weights and One Pair 72 kg (159 Lb.) Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	6,156.00
8937		3768 kg (8307 Lb.) Ballast Package with Rear Duals: Front Weight Support with 24 Front Suitcase Weights and One Pair of 625 kg (1378 Lb.) Inside/Inner Rear Wheel Weights and One Pair 72 kg (159 Lb.) and Three Pair 205 kg (452 Lb.) Outside/Outer Dual Rear Wheel Weights Ballast package may exceed certain tire load ratings. Minimum tread setting may be restricted if Air Trailer Brake codes 8751 or 8752 is selected. Refer to the Agricultural Sales Manual for additional information.	10,531.00
8785		Miscellaneous: Chock Block Holder	139.00
8550		Skid for Duals Not available for United States and Canada.	139.00

#### ATTACHMENTS FOR FIELD CONVERSION

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BRE10035	Brakes: Hydraulic Trailer Brake Kit Includes rear tractor line coupler.	705.10
	BRE10032	Manifold Trailer Brakes Required to install hydraulic trailer brakes on tractors not equipped with front brakes or air trailer brakes from the factory.	430.10
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Touch-Set Depth Control.	152.90
	BRE10077	Battery Disconnect Switch Compatible with MY14 (SN 080001- ) 7R tractors. Switch disconnects power to the entire tractor to aid in maintaining battery life.	172.70
	RE322555	Front Implement CAN Communication Connector Provides CAN Communication connection for front hitch ISOBus implements.	141.90
	RE325911	Heater, Cold Weather Auxiliary Package, 110V, 6.8L IVT/PST Contains block heater and hydraulic pump heater. Compatible on 6.8L Infinitely Variable Transmission and PowerShift Transmission.	478.50
	RE550906	High Capacity 240 amp Alternator Replaces standard 200 amp alternator with 240 amp alternator.	1,152.82
	RE322780	ISO Cab Implement CAN Bus Adapter ISO cab implement controller area network (CAN) bus adapter is available to connect ISO compliant implement or device to ISO11786 tractor cornerpost connector.	65.97
	RE21519	Implement Switch with 10 Ft. (3 m) Harness	198.00
	RE324687	Mounting Parts for Radar with Dual Beam Sensor - IVT Compatible with Infinitely Variable Transmissions.  Must order radar separately.	163.90
	RE334192	Mounting Parts for Radar with Dual Beam Sensor - PST Compatible with PowerShift Transmissions.  Must order radar separately.	163.90
	RE278986	Radar with Dual Beam Sensor - AU	1,034.61
	RE278980	Radar with Dual Beam Sensor - NA	1,135.92
	RE337169	Transmission Backup Alarm	334.40
	SWDEF110VKIT	Engine: 110V Pump Kit	858.57
	SWDEF12VKIT	12V Pump Kit	852.86
	SWDEF025	2.5 gal jug of John Deere Diesel Exhaust Fluid	0.00
	SWDEFPDU20T	20gal Portable Dispensing Unit with lockable, hinged lid Fluid not included.	1,680.00

### 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SWDEF275	ATTACHMENTS FOR FIELD CONVERSIONContinued 275gal tote of John Deere Diesel Exhaust Fluid	0.00
	SWDEF330	330gal tote of John Deere Diesel Exhaust Fluid	0.00
	SWDEF055	55gal drum of John Deere Diesel Exhaust Fluid	0.00
	SWDEFPDU60T	60gal Portable Dispensing Unit with lockable, hinged lid Fluid not included.	1,864.00
	BRE10078	Fuel/Water Separator Kit, Severe Duty Compatible with 9.0L. In addition to water separator in base equipment. If equipped with loader, reference Installation Instructions for also order parts.	720.50
	BRE10079	Fuel/Water Separator Kit, Severe Duty Compatible with 6.8L. In addition to water separator in base equipment. If equipped with loader, reference Installation Instructions for also order parts.	720.50
	RE318606	Fenders: Fender, Rear Extensions - 2.55 m (100 In.) Width Increases total fender width to 2.55 m (100 In.)	1,554.30
	RE324406	Fender, Rear Extensions 2.75 m. (108 ln.) Width Increases total fender width to 2.75 m (108 ln.)	369.60
		Requires Fenders Rear Extensions (RE318606) for installation.	
	BRE10021	Fenders, Deluxe Pivoting Front for MFWD - 620 mm (24.4 ln.) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information. Recommended for use with 18.4 In. (480 mm) to 24.4 In. (620 mm) tire width.	1,713.80
	BRE10022	Fenders, Pivoting Front - 480 mm (18.7 ln.) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information. Recommended for use with 12.4 In. (320 mm) to 16.9 In. (420 mm) tire widths.	1,474.00
	BRE10126	Fenders, Pivoting Front - 710mm (27.9 ln) Wide Recommended use with Group 43 or 44 Front Tires, 600mm or wider.	2,184.60
	RE340779	Front Hitch Hydraulic Mid-Mount Valves: Front Hitch Valve (120 ml.) with TLS Axle Compatible on all Tractors that are front hitch ready with Triple Link Suspension Axle.	2,027.30
		Additional also order parts and software is required. See installation instructions.	
	RE340777	Front Hitch Valve (120 ml.) without TLS Axle Compatible on ALL transmissions that are front hitch ready without Triple Link Suspension axle.	2,247.30
		Additional also order parts and software is required. See installation instructions.	
	RE340780	Second SCV for Front Hitch (120 ml.)  Additional also order parts and software is required. See installation instructions.	375.10
	RE340782	Third SCV for Front Hitch (120 ml.) <i>Additional also order parts and software is required. See installation instructions.</i>	180.40

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BRE10030	Front Implement/Loader: Front PTO Common Mounting Parts Also order the following Front PTO: RE568063- Independent Front PTO for Counter Clockwise-Rotating Shaft	1,318.90
		Also order one of the following shafts: RE313418 - Shaft - 1.75in - 20 spline RE313419 - Shaft - 1.38in - 21 spline RE313422 - Shaft - 1.38in - 6 spline (Not compatible in US)	
		Also order software R541291 through parts for Region 2 Only. Also order software R541290 through parts for Region 1,3, and 4. See installation instructions.	
	PF90686	GreenStar Harnesses: Harness - Original GreenStar Display and Mobile Processor to GreenStar 3 or GreenStar 2 (Round) Cornerpost	121.00
	PF90596	GreenStar Miscellaneous Hardware: GreenStar/Gen 4 10" Display Touch Panel Protector Service Kit	40.70
	RE338192	Guards: Guards, Undercarriage Crop Shield, IVT/PST Protects transmission and wiring harness.	211.20
	RE326580	Hitch and Drawbar: Carrier to Ground Engaging, Front Hitch Conversion Kit Converts Front Hitch from carrier hitch to ground engaging hitch.	3,006.30
	BRE10027	Category 3 Adjustable Swinging Drawbar, with 38 mm (1.50 ln.) Pin, Clevis, and Heavy Duty Support Includes a heavy-duty drawbar support with maximum drawbar static vertical load at 10,000 Lb. and can be adjusted to 10 ln., 14 ln., and 16 ln. lengths required by PTO implements. Drawbar pin size is 38 mm (1.5 ln.).	977.90
	R177682	Center Link Bracket Retains the center link when not in use.	33.96
	RE327692	Front Hitch Chain Hooks	226.60
	RE326447	Front Hitch Ready - Add Carrier Hitch Adds carrier Front Hitch components to Front Hitch Ready tractors.	5,456.00
	RE326450	Front Hitch Ready - Add Ground Engaging Hitch Adds ground engaging Front Hitch components to Front Hitch Ready tractors.	6,443.80
	R264789	Front Tow Point Requires (4) 19M9162 Cap Screws and (6) 24M7242 washers.	411.82
	BRE10144	Rear Hitch Premium Controls Upgrade Kit Also order software R545978 through parts. See installation instructions.	251.90
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE330573	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Hydraulic Center Link, 90mm Ball Type (Cat 3) Compatible with category 3 hitch.	1,464.10
	BRE10068	Hydraulics: 2 Mid SCV Stack Screw In Quick Couplers	302.50
	BRE10067	3 Mid SCV Stack Screw In Quick Couplers	443.30
	BRE10080	Auxiliary Hydraulic Reservoir Provides up to 85 L (15 gallons) of take out oil on PowerShift and Infinitely Variable Transmissions.	689.70
	RE335072	External SCV III Kit for Fender Extension  Provides external remote control for Selective Control Valve 3 on rear fender extension.  Requires software (R335110) download to activate function. See Parts.	100.10
	BRE10048	Fifth Rear Remote Selective Control Valve with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers For Tractors equipped with or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8RT (Serial Number 912001-).	2,384.80
	BRE10047	Fourth Rear Remote SCV with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers.  For Tractors equipped with or without a rear hitch, see installation instructions for additional parts needed to complete installation. Selective Control Valve.  Requires (R301759) Software download to activate function - See Parts.	2,384.80
	RE327561	Hydraulic Motor Case Drain (Flush Face Coupler) Kit Includes (1) 3/8" flush face case drain coupler. Required to connect Tractor sump to case drains on Seeding Equipment.	189.20
	RE328941	Implement Single Lever Control Lift Assist Kit	97.90
	BRE10072	Power Beyond Coupler, 1/2" Pressure & Return without 3 in 1 Hitch Includes (1) 1/2" Pressure, (2) 1/2" Return, & (1) 1/4" Load Sense Couplers. Must order RE327561 for motor case drain.	856.90
	BRE10073	Power Beyond Coupler, 3/4" Pressure & Return without 3 in 1 Hitch Includes (1) 3/4" Pressure, (2) 3/4" Return, & (1) 3/8" Load Sense Couplers. Must order RE327561 for motor case drain.	1,037.30
	BRE10049	Sixth Rear Remote Selective Control Valve with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers.  Not compatible with Joystick.	2,384.80
	RE334627	<b>Lighting:</b> Front HID Light Kit Also order software R334626 through parts. See installation instructions.	2,026.20
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Software not required.	351.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights Also order software R334622 through parts. See installation instructions.	161.70

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE334683	ATTACHMENTS FOR FIELD CONVERSIONContinued Loader and Driving Light Package Includes headlights, wiring harness, brackets and mounting hardware. Also order software R334685 through parts. See installation instructions.	272.80
	RE334623	Rotary Beacon Light Kit, Left Side Also order software R334625 through parts. See installation instructions.	432.30
	BRE10043	Rotary Beacon Light Kit, Right Side Also order software R550311 through parts. See installation instructions.	432.30
	RE340785	Loader Auxiliary Mid-Mount Valves: First & Second Remote SCV (120 ml.) with TLS axle Additional also order parts required. See installation instructions. Also order software R551307 through parts.	512.60
	RE340786	First & Second Remote SCV (120 ml.) without TLS axle Additional also order parts required. See installation instructions. Also order software R551308 through parts.	473.00
	RE340789	Third Remote SCV (120 ml.)  Additional also order parts and software is required. See installation instructions.	858.00
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70
	BRE10153	Front Utility Box Bracket  Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	RE67016	Operator Environment: 3-Pin Adaptor for Power Strip	51.43
	RE67015	3-Way Convenience Adapter for Power Strip	31.16
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear	54.99
	RE317435	Accessory Mounting Bracket - Long Bar Provides mounting location for additional monitors along right side window. Accepts BRE10015, BRE10152, and more.	128.70
	RE341704	Actively Cooled Refrigeration Unit (391 In3 / 6.4 L3)  Must also order the following brackets and screws: RE345942, R340091, 19M7867, RE345943, R267251 and 19M7796.	950.06
	RE269615	Antenna Mount and Wiring for Business Band (2-Way) Radio	161.70
	RE275532	Ash Tray Fits in existing cup holder.	108.06
	RE346238	Carpet with foot throttle	171.79
	RE556830	Carpet without foot throttle	171.79

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10015	ATTACHMENTS FOR FIELD CONVERSIONContinued Cell Phone Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	59.40
	RE67014	Cigar-Style Adapter for Power Strip	46.92
	BRE10147	CommandARM Bracket  Not compatible with joystick or GS3 2630 display.  Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	PF90385	Cornerpost Display Bracket	111.12
	PFP12435	Display Harness - GS2 / GS3 Display with Video to GreenStar (Round) Cornerpost (30 in. / 762 mm) Includes 3 Video Outputs on MY13 7R, 8R, 8RT, 9R, 9RT tractors. Excludes CCD BUS (most 20-series tractors)	172.68
	PFP12950	Ethernet Adapter Cable (Square to Round - 2.5 ft. / .8m)  Cable connects the corner post Ethernet connector (square) to the GS3 2630 display Ethernet connector (round). Required for Remote Display Access, Wireless Data Transfer, and Machine Sync.	49.89
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	686.40
	BRE10041	External Mirrors, Electrically Telescoping and Heated Mirror Heads, Wheel For converting the heads on electric mirrors to telescoping and heated.	689.70
	RE321017	Foot-Operated Speed Control, Wheel and Tracks Order Floor Mat separate through Parts.	145.20
	RE68495	Power Strip with Six Outlets	56.28
	BRE10039	Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console. BlueTooth capable including microphone, Four Speakers, Subwoofer, and External Antenna.  Also order software R543675 through parts. See installation instructions.	1,024.10
	BRE10040	Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Weatherband, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console, BlueTooth capable including microphone, XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	1,255.10
		Also order software R543676 through parts. See installation instructions.	
	RE298942	Seat Belt Kit  Meets regulations that require a seat belt anchorage force similar to the SAE J386, ISO 6683, and OSHA requirements (29CFR1926.602) for earth moving operations and non-agricultural tractor operations.	293.70
	BRE10152	Self - Leveling Cup Holder Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	58.30

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10143	ATTACHMENTS FOR FIELD CONVERSIONContinued Single Lever Multi Function Joystick Not Compatible with 6 rear Selective Control Valves. Also order software R318390 through parts. See installation instructions. Compatible with 7R (serial number 080001-) Compatible with 8R (serial number 090001-).	1,511.40
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	12.96
	BRE10038	Standard Radio Package  AM/FM Stereo with Weatherband, Remote Controls, Auxiliary Input Jack Located on Right Side Console, Four Speakers and External Antenna.	830.50
		Also order software R543674. See installation instructions.	
	BRE10127	Step Mud Guard, Left Side Compatible with group 47 and 48 tires.	122.10
	RE261504	Sun Shade, Front Pull Down	89.99
	RE562587	Sun Shade, Rear or Right Hand Comes factory installed on premium cabs. Offered as a field installed only option for standard cabs.	107.61
	BRE10034	Tablet Mount Kit  Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	75.90
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	452.37
	BRE10037	Windshield Wiper with Washer, Right Hand Window Comes factory installed on premium cabs. Offered as a field installed only option for standard cabs. Also order software R551514. See installation instructions.	205.70
	RE313419	PTO: Front PTO 21 spline 1 3/8 In. pto stub shaft (flange)	376.26
	RE313422	Front PTO 6 spline 1 3/8 ln. front pto stub shaft (flange)  Not compatible in US.	376.26
	RE313418	Front PTO 20 spline 1 3/4 In. front pto stub shaft (flange)	384.13
	RE298885	Software Downloads: Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport speeds above 23 km/h (14.3 mph). Download through Service Advisor's software delivery system. Includes instruction and download only. Not compatible with Stage II engines. See the Agricultural Sales Manual for ground speed specifications.	3,543.32
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key	185.90

## 7250R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15085	Weights: Centerlink Kit for Hitch Mounting 900 or 1150 kg Large Weights	168.30
	RE326583	Front Hitch Ready Weight Support	858.00
	R288797	Standard Front Weight Support	418.00
	R167153	Starter Weight, Wheel, 159 Lb. (72 Kg) Required to install 205 kg (452 Lb.) wieght to outer duals or flange axle rim.	246.40
	BL15084	Weight, 1150 kg Large Front Mounted	3,578.30
	BL15020	Weight, 1500 kg Front Mounted	4,667.30
	AL204830	Weight, 1800 kg Front Mounted	5,600.10
	BRE10026	Weight, 970 kg Outer Wheel Weight 900 kg weights are not included. Requires (2) 900 kg weights to be ordered through parts. Reference installation instructions for more information. Requires 42 In or larger wheel with a steel rim (steel rim with cast hubs (7R code 5090), flange axle or dual wheel) to mount. Includes starter weights and attaching hardware.	990.00
	R127764	Weight, Front Suitcase 95 Lb. (43 kg) Quantity of One	134.20
	R167151	Weight, Inner Wheel, 1378 Lb. (625 Kg)	2,143.90
	BL15083	Weight, Pickup Weight, 1984 LB. (900 kg)	3,698.62
	R207782	Weight, Wheel, 452 Lb. (205 kg)	701.80
	AR190666	Wheel Equipment: One 10 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	895.40
	AR190668	One 13 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	994.40
	AR190669	One 15 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	1,042.80
	AR194744	One 5 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	807.40
	RE267658	Three Meter Front Wheel Spacer (425mm Bolt Circle Hub)  Not compatible with Tractors equipped with front brakes.  Not compatible with G44 front tires. Not compatible with loaders.	3,539.80

### 8245R Tractor

### **Equipment for Base Machine**

ENGINE: Tier 4 Emissions Compliant John Deere PowerTech PSS Diesel In-line 6-Cylinder Wet-Sleeve with High Pressure Common Rail (HPCR) Fuel System and 24 Valve Head 9.0 L (549 Cu. In.) Displacement 245 Engine Hp (180 kW) 9/768/EC @ Rated Speed 200 SAE PTO hp (149 kW) @ Rated Speed Air to Air Intercooled Automatic Shutdown System Dry Type Air Cleaner with Safety Element and Dirt Aspiration System Tit Hood Enclosure VariCool Fan Drive System Electric Fuel Shutoff Engine Coolant Conditioner Additive Engine Coolant Recovery System Dual Stage Fuel Filtration System with Fuel Water Separator with Sensor Self-Priming and Bleeding Electronic Fuel Pump 645 L (170.4 U.S. Gal.) Fuel Tank Capacity with Lockable Fuel Cap 23.0 L (6.0 U.S. Gal.) DEF Tank Capacity Be Biodiesel from the Factory Top-loading Vertical Engine Oil Filter Electronic Injection and Governor Control Field Cruise Control  TRANSMISSION: Powershift 16 Forward/5 Reverse Speeds with Right Hand Controls Hydraulically-Engaged Wet-Disk Clutch Park Lock Neutral Safety Start System  STEERING, BRAKES DIFFERENTIAL: Load-Sensing Hydraulic Power Steering Wet-Disk Hydraulic Power Brakes Tilt/Telescoping Memory Steering Wheel Hydraulically-Engaged Rear Differential Lock HYDRAULICS: Pressure Flow Compensating Axial Piston Pump 85 cc Displacement 227.1 lpm (60 gpm) Pump Output 40L of Take Out Oil 132 lpm (35 gpm) Flow @ One SCV Four Electrohydraulic Remote Selective Control Valves with Push/Pull ISS Breakway Couplers and High Pressure Release Levers  Rear PTO: Independent 1000 RPM, 45 mm (1-3/4 In.) 20 Spline PTO Safety Start System Seat-Activated PTO Warning Adjustable Engagement Modulation  ROCKSHAFT, HITCH AND DRAWBAR: Dual Cylinder Electrohydraulic Hitch with Transport Lock and External Remote Control Switch 6,350 kg (14,000 Lb.) Capacity 3-Point Hitch (Cat 3/3N) with Quick Coupler Fixed Length Draft Links Arms External Remote Control Switch	Includes: Engine Coolant Temperature Gauge Fuel Level Gauge with Low Fuel Warning Signal Diesel Exhaust Fluid Level Gauge with Low DEF Warning Signal Engine RPM Indicator Status Indicator for: MFWD Differential Lock Rear PTO Speed CommandCenter 7" Display with 4100 Processor Includes: Generation 4 Autotrac Capability, Activation Required Video Capability, with Tractor Function Activated Triggers Access Manager Universal Machine and Work Monitor Reconfigurable Display Functions Definable By Operator iTEC Tractor and Implement Function Control  Languages: For a complete list of languages, refer to the Ac Sales Manual  OPERATOR PROTECTIVE STRUCTURE: Standard CommandView III Cab Tilt/Telescoping Memory Steering Wheel Comfort Command Seat with Air Suspension, 40 degrees Seat Swivel to the right Fore-Aft and Lateral Attenuation with Lumbar Support Backrest Adjustment Integrated 7" CommandCenter Display Adjustable Position CommandARM with Integrated Controls Swing-Out Rear Window (30 Degrees) Tinted Glass Air Conditioner and Heater Automatic Temperature Control with Controls located on CommandArm Two Speed, Intermittent Front and Rear Wiper/Washer Pull Down Front Sun Visor Rear Storage Behind Seat Folding Instructional Seat Left Hand Storage Two Beverage Holders Right and Left Outside Mirrors Standard Radio with Four Speakers Inside Cab Mounted Rear View Mirror Passive Noise Reduction System Laminated Front Glass and Sound Barrier Backlit CommandArm Controls with Adjustable Brightness Step, Left Hand Convenience Programable Egress lighting Power Strip with Convience Plug Adapter Coat hook in rear corner  ELECTRICAL: Key Engine Shutoff EV Electrical System Two 925 CCA 12V Batteries Three 12V Electrical 3-Pin Outlet with Adapter
Electro/Hydraulic Hitch Dampening Center Link Adjustment Handle RH and LH Lift Link Adjustment Handles Category 3 Adjustable Swinging Drawbar with 38 mm (1.5 In.) Pin 1,837 kg (4,050 Lb.) - 2,700 kg (6,000 Lb.) Maximum Vertical Load dependent	Battery Boost Terminal 200 Amp Alternator SmartCircuit Current Load Monitoring System with Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket Integrated ISO Radar Connector StarFire ITC or Radar Speed Input Harness ServiceDNUISOR Data Bort
INSTRUMENTATION: Corner Post Digital Instrument Panel	ServiceADVISOR Data Port LIGHTS:

### 8245R Tractor

#### Continued

Six Front Grill Mounted Lights Twelve Cab Roof Mounted Lights Two Rear Fender Flood Lights Two Front Beltline Work Lights Left Hand Rotary Beacon Light

Extremity, Brake, Turning, and Hazard Lights

AXLES, WHEELS AND TIRES:

1300 MFWD Front Axle with Limited Slip Differential and Driveline Shield 110 mm (4.33 In.) Diameter x 3010 mm (118.5 In.)

Length Rear Axle Single Taper Wheel Hubs

480/80R46 In. 158A8 R1 Radial in Rear Dual Wheel

Configuration

420/90R30 In. 142A8 R1 Radial in FrontSingle Wheel

Configuration - 8 Position

AG MANAGEMENT SOLUTIONS:

Integrated Plug-In for GreenStar Display

Deluxe StarFire Receiver Bracket

GreenStar Ready harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) Ethernet Harness AutoTrac Ready Components: Wiring, SSU, Front Wheel-Angle Sensor and Electro-Hydraulic Steering Valve

MISCELLANEOUS:

Horn

PTO Master Shield

Tool Box

Operator's Manual

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Waterloo, Iowa

07A0RW 8245R Tractor 233,353.00

### DESTINATION

A Code must be chosen for each Tractor ordered.

**North America** 

0202 1.900.00 United States

Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3037 Stage 4 / Tier-4 Compliant Engine.

Requires Code 1946 4600 Processor

Requires Code 1822 10 In. CommandCenter Display or 1820 10 In.

CommandCenter Display with GreenStar 3 2630 display

Includes Ethernet Switch, option code 8064.

0184 Canada 1,900.00

Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect.

Requires Code 3037 Stage 4 / Tier-4 Compliant Engine.

Requires Code 1946 4600 Processor

Requires Code 1822 10 In. CommandCenter Display or 1820 10 In.

CommandCenter Display with GreenStar 3 2630 display

Includes Ethernet Switch, option code 8064.

Requires Code 0409 English or 0413 French Operators Manual.

0183 Belize Same Price

> Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable.

Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0185		DESTINATIONContinued Costa Rica Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0188		Dominican Republic Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0193		Honduras Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0196		Nicaragua Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0197		Panama Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0002		Africa Angola Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1845 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0003		Benin Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0004		DESTINATIONContinued Botswana Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0005		Burkina Faso Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0006		Burundi Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0007		Cameroon Requires Code 1945 4100 Processor. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
8000		Cape Verde Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0009		Central African Republic Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0011		Chad Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0012		DESTINATIONContinued Comoros Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0013		Republic of Congo Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0014		Democratic Republic of Congo Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0015		Djibouti Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0016		Egypt Requires Code 1945 4100 Processor. Requires Code 1823 or Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0017		Equatorial Guinea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0018		Eritrea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0019		DESTINATIONContinued Ethiopia Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0020		Gabon Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0021		Gambia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0022		Ghana Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0023		Guinea Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0024		Guinea-Bissau Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0025		Ivory Coast Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0026		Kenya Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0027		DESTINATIONContinued Lesotho Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1845 DLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0028		Liberia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0029		Libya Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0030		Madagascar Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0031		Malawi Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0032		Mali Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0033		Mauritania Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0034		DESTINATIONContinued Mauritius Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0036		Mozambique Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0038		Niger Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0039		Nigeria Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0040		Rwanda Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0041		Sao Tome and Principe Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0043		Senegal Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0044		Seychelles Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0045		DESTINATIONContinued Sierra Leone Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0046		Somalia Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0050		Tanzania Requires Code 1885 JDLink Capable. Requires Code 1945 4100 Processor. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0051		Togo Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0053		Uganda Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
0055		Zimbabwe Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Front Weight Support, Front Hitch, or Front Tow Point. Requires Code 8306 Severe Duty Water Separator.	Same Price
0071		Asia Cambodia Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0072		DESTINATIONContinued China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0075		Indonesia Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0102		Taiwan Requires Code 1823 or 1822 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0104		Thailand Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0109		Vietnam Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0090		Mongolia Requires Code 1823 or 1822 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0094		Philippines Requires Code 1945 4100 Processor. Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENTIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0098		DESTINATIONContinued Saudi Arabia Requires Code 1945 4100 Processor Requires Code 1823 Generation 4 CommandCenter Display. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less Activations. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Requires Front Weight Support, Front Hitch, or Front Tow Point. Requires Code 8306 Severe Duty Water Separator.	Same Price
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0213		Chile Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 1945 4100 Processor. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0217		Paraguay Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0218		Peru Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0221		Venezuela Requires Code 1945 4100 Processor. Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable. Requires Code 3034 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	Same Price
0230		Oceania Australia Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3037 Stage 4 / Tier-4 Compliant Engine or Code 3034 Stage 2 Compliant Engine and Code 8306 Severe Duty Fuel/Water Separator. Requires Code 1946 4600 Processor Requires Code 1822 10 In. CommandCenter Display or 1820 10 In. CommandCenter Display with GreenStar 3 2630 display Includes Ethernet Switch, option code 8064.	1,900.00
0237		New Zealand Requires Code 1881, 188J, 188K, 188L or 188M JDLink Connect. Requires Code 3037 Stage 4 / Tier-4 Compliant Engine or Code 3034 Stage 2 Compliant Engine and Code 8306 Severe Duty Fuel/Water Separator. Requires Code 1946 4600 Processor Requires Code 1822 10 In. CommandCenter Display or 1820 10 In. CommandCenter Display with GreenStar 3 2630 display Includes Ethernet Switch, option code 8064.	1,900.00
		PERFORMANCE PACKAGE CONFIGURATIONS	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0503		Performance Package Includes Codes: 2061 or 2062, 3351 or 3352 or 3361, 3280, 7206, 4322, 832G or 832H, 8288, 8020 or 8021. Available in the U.S., Canada, Australia, and New Zealand only.	-2,000.00
		ENGINES	
3037		John Deere PowerTech PSS 9.0 L (549 cu. In.) 6 Cyl Tier 4/Stage 4 Compliant Diesel Engine	In Base Price
3034		John Deere PowerTech 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine 8245R compatible with MFWD 1300 or ILS without brakes only. 8245R not compatible with Front PTO. Requires Code 8306, Severe Duty Fuel/Water Separator.	-16,883.00
		OPERATOR STATION	
2059		Standard CommandView III Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment).	In Base Price

### 8245R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued  Power Strip with Convenience Plug Adapter.  Folding Instructional Seat.	
2061		Premium CommandView III Cab with Active Seat Includes: Active Seat with Fore-Aft, Lateral Attenuation, Lumbar Support, Seat Bottom Tilt and Extend Adjustments and Backrest Extension. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls located on CommandARM. Front, Rear, and Right Hand Windshield Wiper and Washer. SMV Emblem. Front, Rear and Right Hand Side Sunshades. Automatic Temperature Control with controls located on CommandARM. Power Strip with Convenience Plug Adapter. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat.	3,726.00
2062		Premium CommandView III Cab with Cab Suspension Includes: Cab Suspension. ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support, Seat Bottom Tilt and Extend Adjustments and Backrest Extension. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. 40 Degrees of Seat Swivel to the Right. Remote Radio Controls located on CommandARM. Front, Rear, and Right Hand Windshield Wiper and Washer. SMV Emblem. Front, Rear and Right Hand Side Sunshades.	4,438.00

	GENERATION 4 COMMANDCENTER - PROCESSOR	
	Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1945	4100 Processor Requires Code 1823 or 1827 - 7 In. CommandCenter Display. Includes tractor CommandCenter controls and 1 video input. CommandCenter AutoTrac Activation Capable only. Use of GS3 activations will require a GS3 2630 display.	In Base Price
1946	4600 Processor Requires Code 1822 or 1820 -10 In. CommandCenter Display. Includes tractor CommandCenter controls and 4 video inputs. CommandCenter AutoTrac Activation Capable. Upgradeable to future CommandCenter software activations, when available. Use of GS3 activations will require a GS3 2630 display.	1,500.00

Automatic Temperature Control with controls located on CommandARM.

Right and Left Outside Mirrors (Electrically Adjustable).
Folding Instructional Seat.

### **GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYS**

All AMS Activations must run on the same John Deere display. See Ag Sales Manual for more information. Option availability limited by specific geographical regions.

### 8245R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		GENERATION 4 COMMANDCENTER - JOHN DEERE DISPLAYSContinued	
1823		Single 7 In. CommandCenter Display	In Base Price
1822		Single 10 In. CommandCenter Display	495.00
1827		One 7 In. CommandCenter Display with GreenStar 3 2630 Display Includes GreenStar 3 2630 Display, harness, Ethernet Adapter Harness, and A-post mounting bracket installed on cornerpost.	6,166.00
1820		One 10 In. CommandCenter Display with GreenStar 3 2630 Display Includes GreenStar 3 2630 Display, harness, Ethernet Adapter Harness, and A-post mounting bracket installed on cornerpost.	6,660.00
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		CommandCenter AutoTrac Activations are one time non-transferrable and only function with Generation 4 CommandCenter displays. The CommandCenter AutoTrac Activations will be activated at the factory.	

GS3 activations only function with GS3 displays.

Dealer/Distributor is required to activate GS3 AutoTrac and iTEC Pro Activations,

referencing the Tractor order number.

Accuracy is dependent on the receiver signal level. Generation 4 CommandCenter AutoTrac, AutoTrac - GS3, and AutoTrac - GS3 with iTEC Pro Activations are compatible with SF1, SF2, or RTK.

Field installed activations are available through the AMS prices pages. Warranty on all Activations will be handled by AMS and will carry normal AMS warranty

Option availability limited by specific geographical regions.
Please refer to region specific price pages for appropriate ordering codes.

1845	Less Activation	In Base Price
1851	CommandCenter AutoTrac Activation - 4100 Processor Requires Code 1945 4100 Processor. Includes Non-transferrable, AutoTrac functionality on the CommandCenter. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	1,000.00
1852	CommandCenter AutoTrac Activation - 4600 Processor Requires Code 1946 4600 Processor. Includes Non-transferrable, AutoTrac functionality on the CommandCenter. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	1,000.00
1847	AutoTrac Activation - GS3 Requires GS3 2630 Display Code 1820 or 1827. Does not include CommandCenter AMS Activation. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	3,500.00
1849	AutoTrac Activation - GS3 with iTEC Pro Activation - GS3 Requires GS3 2630 Display Code 1820 or 1827. Does not include CommandCenter AMS Activation. Accuracy is dependent on the receiver signal level. Compatible with SF1, SF2, or RTK.	6,000.00

#### **RECEIVER**

Tractor includes deluxe receiver mounting bracket only. Accuracy is dependent on the receiver signal level.

### 8245R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued	
		StarFire 3000 Position Receivers can be ordered in two configurations:  -SF1 a no-charge differential correction signal that provides non-row-crop accuracy.  -SF2 Ready, a license-based differential correction signal that provides +/- 2 In. pass-to-pass accuracy.  -RTK capability may be added to an SF2 Ready StarFire 3000 Receiver by adding a StarFire RTK radio, RTK radio cover, and RTK activation.  Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for	
		configurations.  GNSS serial port information (NMEA) is available through a StarFire 3000 Receiver.  Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions.  Please refer to region specific price pages for appropriate ordering codes.	
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only. Note: When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	3,195.00
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud	7,195.00

### **MACHINE CONNECTIVITY**

StarFire 3000 Receiver shipped inside the cab.

Machine connectivity functions require cellular coverage.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at

www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-2 In. of accuracy pass to pass within 15 minutes, 95% of the time).

Options with JDLink Connect include:

- 1 Ethernet harness connecting the MTG to the primary display/integrated processor.
- 1 Ethernet harness routed from the MTG to the optional display port.
- Antenna wiring harness for the Machine Communication Radio (MCR).
- JDLink Connect subscription (unless otherwise noted) -- JDLink Connect includes JDLink features, Service ADVISOR Remote, Remote Display Access, Location History and Wireless Data Transfer.

JDLink hardware: integrated cab wiring harness, antenna, and Modular Telematics Gateway (MTG).

Subscription length of contract varies; Subscription renewal required after term of service for continued functionality.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate order codes.

1885 JDLink Capable In Base Price

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Includes cab wiring harness and (1 or 2) Ethernet harness(es). Requires field kit installation, activation, and subscription for JDLink functionality. Not available in United States, Canada, Australia, New Zealand.	
1889		JDLink Ultimate - Subscription Not Included Includes JDLink hardware, and (1 or 2) Ethernet harness(es).  Does not include the JDLink Ultimate 1 Year Subscription, Machine Communication Radio and antenna.  Not available in United States, Canada, Australia, New Zealand.	2,400.00
1881		JDLink Connect - Subscription Not Included Includes JDLink hardware, Ethernet harnesses, and Machine Communication Radio antenna harness. Ethernet harnesses may vary per configuration. Does not include a JDLink Connect Subscription, Machine Communication Radio and antenna. Only available in the United States, Canada, Australia, and New Zealand through dealers that do not meet New Model Qualification requirements.	No Charge
188J		JDLink Connect - 1 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, I year JDLink Connect subscription, Ethernet harnesses, and Machine Communication Radio antenna harness.  Does not include the Machine Communication Radio and antenna.  Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG.  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	No Charge
188K		JDLink Connect - 3 Year Subscription Included Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, Ethernet harnesses, and Machine Communication Radio antenna harness.  Does not include the Machine Communication Radio and antenna.  Note: When GreenStar 3 2630 Display is mounted on cornerpost, Ethernet cable (order from Service parts) is required to connect Display to MTG.  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	1,200.00
188L		JDLink Connect - 1 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 1 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).  Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.  Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	3,699.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued	
188M		JDLink Connect - 3 Year Subscription and Machine Communication Radio Includes JDLink hardware, a 50 hour JDLink Ultimate+RDA temporary subscription, 3 year JDLink Connect subscription, 2 Ethernet harnesses, Machine Communication Radio antenna harness, and the Machine Communication Radio (hardware, antenna and harnesses) for use with Machine Sync. (Machine Sync display activation sold separately).	4,899.00
		Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
		Only available in the United States, Canada, Australia, and New Zealand through dealers that meet New Model Qualification requirements.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS)	3,371.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1490		16F/5R Speed PowerShift Transmission 42 km/h (26 mph) Requires CommandARM controls code 2701. Not complatible with 1000E PTO code 3822. 5R is only available through John Deere dealer programming in some geographic regions.	In Base Price
1493		e23 Transmission 42 km/h (26 mph) with Efficiency Manager Requires CommandARM Controls code 2701 or 2702.	7,468.00
1494		e23 Transmission 50 km/h (31 mph) with Efficiency Manager Requires 120 mm diameter or flange axle Rear Axle Codes. Requires Front Axle Code 6061, 6063, or 6065. Requires Front Fenders. Requires Trailer Brake Code 8751, 8752, or 8756. Requires Symbol B (50 km/h / 31 mph) Front and Rear Tires. Requires CommandARM Controls code 2701 or 2702.	7,468.00
1550		AutoPowr IVT Transmission 42 km/h (26 mph) Requires CommandARM Controls code 2703 or 2704.	12,468.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) Requires 120 mm diameter or flange axle Rear Axle Codes. Requires Front Axle Code 6061, 6063, or 6065. Requires Front Fenders. Requires Trailer Brake Code 8751, 8752, or 8756. Requires Symbol B (50 km/h / 31 mph) Front and Rear Tires. Requires CommandARM Controls code 2703 or 2704.	12,468.00
		COMMANDARM CONTROLS	
2701		Right Hand Reverser Bump-Shift-Type Transmission Controls	In Base Price
2702		Left Hand Reverser Bump-Shift-Type Transmission Controls	933.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2703		COMMANDARM CONTROLSContinued Right Hand Reverser Linear-Type Transmission Controls	Same Price
2704		Left Hand Reverser Linear-Type Transmission Controls	933.00
		LIGHTS	
7200		Economy Lighting Six Front Grill Mounted Lights: Two 65W Low Beam Driving Lights, Two 65 W High Beam Driving Lights and Two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and Four Side Facing 65 W Flood lights and Four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and Two Rear Turn Signal and Brake Lights Two folding extremity lights.	-879.00
7201		Standard Lighting Includes Economy Lights Plus Two Adjustable Front Roof 65W Halogen Floodlights, Two Front Belt-line Work Lights, and Left Side Rotary Beacon Light.	In Base Price
7206		Premium Lighting Includes Standard Lighting. All Halogen Lights will be LED Lights except for Low Beam Driving Lights.	2,954.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for Radio and Speakers.	-686.00
2660		Standard Radio Package AM/FM Stereo with Weatherband, Remote Controls, Auxiliary Input Jack located on Right Side Console, Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Weatherband, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on Right Side Console, BlueTooth capable including microphone, XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	352.00
2662		Premium Radio Package For Non U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on Right Side Console, BlueTooth capable including microphone, Four Speakers, Subwoofer, and External Antenna.	245.00
		HYDRAULIC PUMP	
3260		227.1 L/Min (60 gpm) Hydraulic Pump	In Base Price
3280		321 L/Min (85 gpm) Dual Hydraulic Pump	2,804.00
		REMOTE SELECTIVE CONTROL VALVES	
3341		Four Premium Rear Remote Selective Control Valves with Electro Hydraulic Controls, Premium Couplers and High Pressure Relief Levers	In Base Price
3351		Five Premium Rear Remote Selective Control Valves with Electro Hydraulic	2,010.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REMOTE SELECTIVE CONTROL VALVESContinued Controls, Premium Couplers and High Pressure Relief Levers	
3352		Five (One High Flow) Premium Rear Remote Selective Control Valves with Electro Hydraulic Controls, Premium Couplers and High Pressure Relief Levers SCV 1: 3/4-in couplers, SCV 2-5: 1/2 in couplers.	2,520.00
3361		Six Premium Rear Remote Selective Control Valves with Electro Hydraulic Controls, Premium Couplers and High Pressure Relief Levers Not compatible with Joystick Option Code 841L.	4,022.00
		POWER TAKE OFF	
3810		45mm (1-3/4 In.) 1000 rpm PTO (20 Spline)	In Base Price
3822		45mm (1-3/4 In.) 1000 rpm and 1000 Economy rpm PTO, Electronically Shiftable in Cab Includes 1 3/4 In. 1000 rpm (20 Spline) shaft. See parts for additional bolt on shafts. Not Compatible with 16F/5R Speed PowerShift Transmission.	2,530.00
3820		45mm (1-3/4 In.) 1000 rpm (20 Spline) Capable of 35 mm (1-3/8 In.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO See attachments for additional shafts to field convert to (35 mm) 1-3/8 In. 540/1000 rpm PTO, 540 rpm PTO portion of this option is not compatible with Cat. 4 Drawbar.	2,103.00
		DRAWBAR AND TRAILER HITCH	
4320		Category 3 Adjustable Swinging Drawbar with 38 mm (1.5 ln.) Pin 1,837 kg (4,050 Lb.) - 2,700 kg (6,000 Lb.) Maximum Vertical Load dependent on Drawbar position.	In Base Price
4321		Category 4 Adjustable Swinging Drawbar with 50 mm (2 ln.) Pin 2,245 kg (4,950 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	279.00
4322		Category 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	876.00
		REAR HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Code 3341 Four Remote Selective Control Valves. If 5 and/or 6 remote cylinder control valves are required, order appropriate field installed attachment. Not compatible with Front Hitch.	-5,776.00
4033		6,350 kg (14,000 Lb.) Capacity 3-Point Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler 8,679 kg (19,134 Lb.) Maximum Lift Capacity.	In Base Price
4034		8,391 kg (18,500 Lb.) Lift Capacity 3-Point Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler 11,214 kg (24,724 Lb.) Maximum Lift Capacity. Requires Group 48 or Group 49 Rear Tires. Requires 120 mm Diameter Rear Axle or Flange Axle.	1,297.00
4032		9,072 kg (20,000 Lb.) Lift Capacity 3-Point Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler.	2,726.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HITCH, COUPLER, AND STABILIZERContinued 11,933 kg (26,307 Lb.) Maximum Lift Capacity. Requires Group 48 or Group 49 Rear Tires. Requires 120mm Diameter Rear Axle or Flange Axle.	
		REAR AXLES	
5040		110 mm (4.33 ln.) Diameter x 3010 mm (118.5 ln.) Length with Single Taper Wheel Hubs Not compatible with Group 48 or 49 Tires.	In Base Price
5041		110 mm (4.33 ln.) Diameter x 3010 mm (118.5 ln.) Length with Double Taper Wheel Hubs Not compatible with Group 49 tires.	270.00
5042		120 mm (4.72 ln.) Diameter x 3010 mm (118.5 ln.) Length with Double Taper Wheel Hubs	600.00
5043		120 mm (4.72 ln.) Diameter x 2438 mm (96 ln.) Length with Double Taper Wheel Hubs	-488.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)	
		For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.  Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.  Overloading of tires is prohibited.	
		A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Use with any RCI Group 42 or 43 Front Tire with same brand preference. Fourstep front and rear tire combinations, as example group 43/47, are acceptable with 1500 MFWD (Code 6042) axle. Five step front and rear tire combinations only are acceptable with ILS (Code 6060 or 6061) and 1300 MFWD (Code 6040) axle. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999.	2,716.00
5700		320/90R54 In. 149A8 R1W Radial in Triple Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 20 In. spacing only. Includes two 15 In. Axle Extensions. Extended lead time tire; may affect Tractor delivery date. Not compatible with 970 kg outer wheel weight.	17,140.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5501		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999.	-328.00
5701		380/90R50 In. 151A8 R1W Radial in Triple Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 22 In. spacing only. Includes two 15 In. Axle Extensions. Not compatible with 970 kg outer wheel weight.	12,574.00
5102		480/80R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with 1500 or ILS axle.	-6,568.00
5502		480/80R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with 1500 or ILS axle.	2,836.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	-7,986.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	In Base Price
5703		480/80R46 In. 158A8 R1 Radial in Triple Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions. Not compatible with 970 kg outer wheel weight.	13,066.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-6,132.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	3,008.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	-7,972.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	28.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas or Michelin. Goodyear is available in the US, Canada, Central America, and South America only.	-6,572.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas or Michelin. Goodyear is available in the US, Canada, Central America, and South America only.	2,828.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Require No Brand Preference Code 5999. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with 1500 or ILS axle.	-5,898.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Require No Brand Preference Code 5999. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with 1500 or ILS axle.	4,176.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	-4,926.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	6,120.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	-3,610.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	8,752.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Use with any RCI Group 43 or 44 Front Tire with same brand preference. Four and five step front and rear tire combinations, as example group 44/48, 43/48, are acceptable with	
		1500 MFWD (Code 6044) axle.  Five step front and rear tire combinations only are acceptable with ILS (Code 6062 or 6063) and	
		1300 MFWD (Code 6041) axle.  Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.  Mixing of Very High Flexion (VF) or Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
		permittea unitess otherwise notea.	
5224		320/105R54 In. 163A8 R1W Radial in Single Wheel Configuration  Available in Goodyear only.	-6,430.00
		Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999.	
5624		320/105R54 In. 163A8 R1W Radial in Dual Wheel Configuration	3,112.00
00 <b>2</b> 4		Available in Goodyear only.  Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and	0,112.00
		South America only. Requires No Brand Preference Code 5999.	
5724		320/105R54 In. 163A8 R1W Radial in Triple Wheel Configuration	17,734.00
		Available in Goodyear only.  Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only.	
		Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle.	
		20 In. spacing only. Includes two 13 In. Axle Extensions.	
		Extended lead time tire; may affect Tractor delivery date.  Not compatible with 970 kg outer wheel weight.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration  Available in Firestone or Goodyear.	3,484.00
		Goodyear is available in the US, Canada, Central America, and South America only.	
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin.	-6,296.00
		Goodyear is available in the US, Canada, Central America, and South America only.	
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear is available in the US, Canada, Central America, and South America only.	3,380.00
5720		480/80R50 In. 159A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Mitas, or Michelin.	18,136.00
		Goodyear is available in the US, Canada, Central America, and South America only. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only.	
		Includes two 15 In. and two 10 In. Axle Extensions.  Not compatible with 970 kg outer wheel weight.	

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5202		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued  IF 480/80R50 In. 166A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only.  Requires No Brand Preference Code 5999.  Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	-4,796.00
5602		IF 480/80R50 In. 166A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone only.  Requires No Brand Preference Code 5999.  Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	6,380.00
5625		VF 480/80R50 In. 166B R1W Very High Flexion Radial in Dual Wheel Available in Michelin only. Requires No Brand Preference Code 5999.	10,080.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, Mitas, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	-6,584.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, Mitas, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. Mitas is available in the US and Canada only.	2,804.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206 Single or 6606 Front Dual Tires.	-6,316.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206 Single Tire or 6606 Front Dual Tires.	3,340.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999.	-4,566.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999.	6,840.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, Mitas, or Trelleborg. Goodyear is available in the US, Canada, Central America, and South America only.	-3,802.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214 or 6229.	-1,602.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5622		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 650/85R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, Mitas, or Trelleborg.	8,368.00
5618		Goodyear is available in the US, Canada, Central America, and South America only.  IF650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only.  Requires No Brand Preference Code 5999.	12,068.00
5206		Requires Front Tire Code 6214 or 6229.  710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only.	-3,144.00
5606		Requires No Brand Preference Code 5999.  710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only.	9,684.00
5207		Requires No Brand Preference Code 5999.  710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, Mitas, or Trelleborg.	-2,804.00
5607		Goodyear is available in the US, Canada, Central America, and South America only.  710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, Mitas, or Trelleborg.	10,364.00
5219		Goodyear is available in the US, Canada, Central America, and South America only.  IF 710/70R42 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin.	-1,304.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin.	13,364.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	-2,598.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. Includes two 10 In. Axle Extensions.	10,776.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin or Firestone.	-1,098.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin or Firestone. Includes two 10 In. Axle Extensions.	13,776.00

## 8245R Tractor

CODE	ATTACHMEN IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	
		A8 Speed Rated RCI Group 49 Size Tires (85.5 In./2172 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals	
		Use with any RCI Group 43 or 44 Front Tire with same brand preference. Five step front and rear tire combinations, as example group 44/49 are acceptable with 1500 MFWD (Code 6045) axle.	
		Five and Six step front and rear tire combinations only are acceptable with ILS (Code 6064 or 6065) axle.  Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.  Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5450		480/95R50 In. 164A8 R1W Radial Dual Wheel Configuration Available in Goodyear, Michelin and Mitas. Goodyear is available in the US, Canada, Central America, and South America only.	8,840.00
5456		IF 480/95R50 In. 165B R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone only.  Requires No Brand Preference Code 5999.	11,840.00
5351		710/75R42 In. 175D R1W Radial Single Wheel Configuration Available in Goodyear and Trelleborg. Goodyear is available in the US, Canada, Central America, and South America only.	1,472.00
5451		710/75R42 In. 175D R1W Radial Dual Wheel Configuration Available in Goodyear and Trelleborg. Goodyear is available in the US, Canada, Central America, and South America only.	18,916.00
5352		IF 710/75R42 In. 176D R1W Radial Single Wheel Configuration Available in Michelin and Trelleborg.	3,672.00
5358		IF 900/60R42 In. 180D R1W Increased Flexion Radial Single Wheel Configuration Available in Michelin and Trelleborg.	4,390.00
		REAR WHEELS AND TIRES FOR 31 MPH (50 KM/H) TRANSMISSION (CODE 1550 OR 1553):	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 42 Front Tire with same tread type and brand	
		preference.  Five step front and rear tire combinations, as example group 42/47 are acceptable with ILS MFWD (Code 6061) axle only.	
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires No Brand Preference Code 5999.	2,236.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin. Requires No Brand Preference Code 5999.	-1,934.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 43 Front Tire with same tread type and brand	
		preference. Five step front and rear tire combinations, as example group 43/48 are acceptable with ILS MFWD (Code 6063) axle only.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	5,432.00
5638		520/85R46 In. 158B R1W Radial in Dual Wheel Configuration Available in Firestone or Michelin.	3,952.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Trelleborg.	-2,820.00
5639		650/85R38 In. 173B R1W Radial in Dual Wheel Configuration Available in Michelin or Trelleborg.	3,472.00
5215		IF650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires code 6215 or 6234.	-620.00
5640		710/70R42 In. 168B R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	10,832.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Trelleborg.	-1,278.00
5641		710/70R42 In. 173B R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	12,716.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires code 6215 or 6234.	222.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	176.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	
		B Speed Rated RCI Group 49 Size Tires (85.5 In./2172 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 44 or 43 Front Tire with same brand preference. Five and Six step front and rear tire combinations, as example group 44/49 or 43/49 are acceptable with ILS MFWD (Code 6065) axle only.	
5453		480/95R50 In. 164B R1W Radial Dual Wheel Configuration Available in Goodyear or Michelin. Goodyear is available in the US, Canada, Central America, and South America only.	10,884.00
5354		710/75R42 In. 175D R1W Radial Single Wheel Configuration Available in Goodyear and Trelleborg. Goodyear is available in the US, Canada, Central America, and South America only.	2,046.00
5355		IF 710/75R42 In. 176D R1W Radial Single Wheel Configuration Available in Michelin and Trelleborg.	4,246.00
5357		IF 900/60R42 In. 180D R1W Increased Flexion Radial Single Wheel Configuration Available in Michelin and Trelleborg.	4,964.00
		FRONT AXLES	
6040		1300 Series Mechanical Front Wheel Drive with Group 47 Rear Tires Compatible with Group 42 Front and 47 Rear tires where allowed by model.	In Base Price
6041		1300 Series Mechanical Front Wheel Drive with Group 48 Rear Tires Compatible with Group 43 Front and 48 Rear tires where allowed by model.	Same Price
6042		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock and Dual Tire Capability with Group 47 Rears Tires  Compatible with Group 43 Front and 47 Rear tires where allowed by model.	6,725.00
6044		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock and Dual Tire Capability with Group 48 Rears Tires Compatible with either Group 43 or 44 Front and 48 Rear tires where allowed by model.	6,725.00
6045		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock and Dual Tire Capability with Group 49 Rears Tires  Compatible with Group 44 Front and 49 Rear tires where allowed by model.	6,725.00
6060		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability with Group 47 Rear Tires Compatible only with Group 42 Front and 47 Rear tires where allowed by model.	16,554.00
6062		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability with Group 48 Rear Tires Compatible only with Group 43 Front and 48 Rear tires where allowed by model.	16,554.00
6064		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability with Group 49 Rear Tires Compatible with either Group 43 or 44 Front and 49 Rear tires where allowed by model.	16,554.00
6061		John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability with Group 47 Rear Tires  Compatible only with Group 42 Front and 47 Rear tires.	18,720.00

### 8245R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT AXLESContinued Required for 50km/h (31 mph) Transmission.	
6063		John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability with Group 48 Rear Tires  Compatible only with Group 43 Front and 48 Rear tires.  Required for 50km/h (31 mph) Transmission.	18,720.00
6065		John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability with Group 49 Rear Tires  Compatible with either Group 43 or 44 Front and 49 Rear tires.  Required for 31 mph 50km/h (31 mph) Transmission.	18,720.00

### **FRONT WHEELS AND TIRES**

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications

specialty applications (e.g. used on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific

warranty guidelines.

Overloading of tires is prohibited.

### FRONT WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:

FRONT TIRES FOR

1300 SERIES (CODE 6040 OR 6041), 1500 SERIES (CODE 6042, 6044 or 6045), OR

INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060, 6061, 6062, 6063, 6064, 6065) AXLES

1300 Series Only

### A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front as Noted)

Position noted

Use with any RCI Group 47 Rear Tire with same brand preference.

Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.

Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless

otherwise noted.

and South America only.

Requires No Brand Preference Code 5999.

	omerwise noted.	
6100	420/90R30 In. 142A8 R1 Radial in Single Wheel Configuration - 8 Position  Available in Firestone or Goodyear.  Goodyear is available in the US, Canada, Central America, and South America only.	In Base Price
	cooling in a contract of the cost contract of the cost	
6101	420/90R30 In. 147A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Michelin only.  Requires No Brand Preference Code 5999.	1,776.00
6102	420/90R30 In. 145A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Firestone only.  Requires No Brand Preference Code 5999.	664.00
6103	420/90R30 In. 142A8 R2 Radial in Single Wheel Configuration - 8 Position  Available in Goodyear only.  Goodyear is available in the US Canada, Australia, New Zealand, Central America.	744.00

## 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6104		FRONT WHEELS AND TIRESContinued 480/70R30 In. 152A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only.	304.00
		1300 Series or ILS Axle with:	
		A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Position noted Use with any RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. All Front Dual Configurations require Code 6060 ILS or 6061 ILS with Brake Front Axle.	
6106		320/85R38 In. 143A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Not compatible with 6060 or 6061 ILS Axle.	756.00
6506		320/85R38 In. 143A8 R1W Radial in Dual Wheel Configuration - 8 Position Available in Goodyear only.  Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only.  Requires No Brand Preference Code 5999.  Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	8,936.00
6507		380/85R34 In. 137A8 R1 Radial in Dual Wheel Configuration - 8 Position Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. Available to use with Rear Tire Code 5501 or 5701. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	7,800.00
6116		380/85R34 In. 145A8 R1 Radial in Single Wheel Configuration - 8 Position Available in Firestone only.  Requires No Brand Preference Code 5999.	1,002.00
6508		380/85R34 In. 137A8 R1W Radial in Dual Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	10,544.00
6109		600/65R28 In. 147A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Goodyear, Firestone and Michelin. Goodyear is available in the US, Canada, Central America, and South America only. For use with 1780 mm (70 In.) or wider tread settings.	2,512.00
		1300 Series Axle only with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front as noted) Position noted Use with any RCI Group 48 Rear Tire with same brand preference.	
6200		320/80R42 In. 141A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999.	1,410.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6201		FRONT WHEELS AND TIRESContinued 380/80R38 In. 142A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Firestone, Goodyear, Mitas, or Michelin. Goodyear is available in the US, Canada, Central America, and South America only.	1,322.00
		1300 Series, 1500 Series, or ILS Axle with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Position noted Use with any RCI Group 47, 48, 49 Rear Tire with same tread type and brand preference. Four step and five step front and rear tire combinations, as example 43/47, 43/48 are acceptable with 1500 MFWD (Codes 6042 or 6044) axles only.	
		Five step and Six step front and rear tire combinations, as example 43/48, 43/49 are acceptable with ILS MFWD (Codes 6062, 6063, 6064, 6065) axles only.  Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.  Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless otherwise noted.	
		All Front Dual Configurations require Code 6042 or 6044 1500 MFWD, 6062 or 6064 ILS, 6063 or 6065 ILS with Brake Front Axle.	
6220		IF 320/80R42 In. 149A8 R1W Increased Flexion Radial in Single Wheel Configuration - 8 Position Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	2,920.00
6620		IF 320/80R42 In. 149A8 R1W Increased Flexion Radial in Dual Wheel Configuration - 8 Position Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	13,244.00
6600		320/80R42 In. 141A8 R1W Radial in Dual Wheel Configuration - 8 Position Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999.	10,244.00
6601		380/80R38 In. 142A8 R1W Radial in Dual Wheel Configuration - 8 Position Available in Michelin, Firestone, Mitas, or Goodyear.  Goodyear is available in the US, Canada, Central America, and South America only.  Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	10,068.00
6202		IF 380/80R38 In. 149A8 R1W Increased Flexion Radial in Single Wheel Configuration - 8 Position  Available in Firestone and Goodyear.  Goodyear is available in the US, Canada, Central America, and South America only.  Requires No Brand Preference Code 5999.  Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	2,822.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6602		FRONT WHEELS AND TIRESContinued IF 380/80R38 In. 149A8 R1W Increased Flexion Radial in Dual Wheel Configuration - 8 Position Available in Firestone and Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. Requires No Brand Preference Code 5999. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	13,068.00
6203		420/85R34 In. 147A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Firestone, Goodyear, or Mitas. Goodyear is available in the US, Canada, Central America, and South America only.	1,290.00
6603		420/85R34 In. 147A8 R1W Radial in Dual Wheel Configuration - 8 Position Available in Firestone, Goodyear, or Mitas. Goodyear is available in the US, Canada, Central America, and South America only. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	10,004.00
6217		IF 420/85R34 In. 152A8 R1W Increased Flexion Radial in Single Wheel Configuration - 8 Position Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	2,790.00
6617		IF 420/85R34 In. 152A8 R1W Increased Flexion Radial in Dual Wheel Configuration - 8 Position Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	13,004.00
6218		VF 420/85R34 In. 154A8 R1W Very High Flexion Radial in Single Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires.	4,990.00
6618		VF 420/85R34 In. 154A8 R1W Very High Flexion Radial in Dual Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999. Compatible with Increased Flexion (IF) and Standard, non-Increased Flexion rear tires. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	16,704.00
6216		480/70R34 In. 143A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Mitas only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Operators Manual. Not compatible with ILS.	1,216.00
6616		480/70R34 In. 143A8 R1W Radial in Dual Wheel Configuration - 8 Position Available in Mitas only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,856.00
6204		480/70R34 In. 146A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Operators Manual.	2,610.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6604		FRONT WHEELS AND TIRESContinued 480/70R34 In. 146A8 R1W Radial in Dual Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	11,944.00
6205		480/70R34 In. 155A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. Tread setting restrictions apply, see Operators Manual.	2,150.00
6605		480/70R34 In. 155A8 R1W Radial in Dual Wheel Configuration - 8 Position Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. Tread setting restrictions apply, see Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	11,724.00
6206		480/70R34 In. 146A8 R2 Radial in Single Wheel Configuration - 8 Position Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only.	1,072.00
6606		480/70R34 In. 146A8 R2 Radial in Dual Wheel Configuration - 8 Position Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,568.00
6207		540/65R34 In. 148A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Michelin. For 1300 or ILS: For use with 1679 mm (66 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	1,998.00
6208		600/70R30 In. 152A8 R1W Radial in Single Wheel Configuration - 8 Position Available in Firestone, Goodyear, Mitas, Trelleborg, or Michelin. Goodyear is available in the US, Canada, Central America, and South America only. For 1300 or ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing. For ILS: Not available on 8335R, 8345R, 8370R.	2,688.00
6214		IF 600/70R30 In. 159A8 R1W Increased Flexion Radial in Single Wheel Configuration - 8 Position Available in Firestone or Michelin. For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing. Not compatible with 1300 Front Axle.	4,188.00
6228		600/70R30 In. 152A8 R1W Radial in Single Wheel Configuration - 2 Position Available in Firestone, Mitas, Michelin, Trelleborg, or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. For use with 1805 or 1950 mm tread spacing.	2,688.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6229		FRONT WHEELS AND TIRESContinued IF 600/70R30 In. 159A8 R1W Increased Flexion Radial in Single Wheel Configuration - 2 Position Available in Firestone or Michelin. For use with 1805 or 1950 mm tread spacing. Not compatible with 1300 Front Axle.	4,188.00
		FRONT WHEELS AND TIRES WITH 1500 AXLE (CODES 6044 or 6045) OR INDEPENDENT LINK SUSPENSION (ILS) (CODES 6064 or 6065)	
		Steel MFWD or ILS with:	
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Position noted Use with any RCI Group 48 or Group 49 with 1500 or Group 49 with ILS Rear Tire with same tread type and brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Group 44 Front tires are not compatible with loaders.	
6309		600/65R34 In. 157D R1W Radial in Single Wheel Configuration - 8 Position Available in Goodyear and Trelleborg. Goodyear is available in the US, Canada, Central America, and South America only. For use with 1880 mm (74 In.) or wider tread spacing.	2,408.00
6301		620/75R30 In. 163D R1W Radial In Single Wheel Configuration - 8 Position Available in Goodyear only. Goodyear is available in the US, Canada, Australia, New Zealand, Central America, and South America only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Codes 6044 and 6045. For use with 2080 or 2182 mm tread spacing with Code 6064 or 6065. For ILS: Not available on 8335R, 8345R, 8370R.	3,392.00
6302		IF 620/75R30 In. 164D R1W Increased Flexion Radial In Single Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Codes 6044 or 6045. For use with 2080 or 2182 mm tread spacing with Code 6064 or 6065. For ILS: Not available on 8335R, 8345R, 8370R.	5,592.00
6308		650/60R34 In. 159D R1W Radial In Single Wheel Configuration - 8 Position Available in Trelleborg only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Codes 6044 or 6045. For use with 2080 or 2182 mm tread spacing with Code 6064 or 6065.	3,528.00
6313		IF 650/60R34 In. 159D R1W Radial In Single Wheel Configuration - 8 Position Available in Trelleborg only.  Requires No Brand Preference Code 5999.	5,028.00
6310		IF 650/60R34 In. 165D R1W Radial In Single Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999.	5,028.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		FRONT WHEELS AND TIRES for 50 km/h TRANSMISSION (CODE 1550 OR 1553)	
		INDEPENDENT LINK SUSPENSION (CODE 6061, 6063, or 6065):	
		ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Position noted For use with any B Rated RCI Group 47 Rear Tire with same brand preference. Requires Code 6061.	
6511		380/85R34 In. 137B R1 Radial in Dual Wheel Configuration - 8 Position Available in Firestone.	9,190.00
		Requires No Brand Preference Code 5999. Requires Code 5513 Rear Tire. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	
6113		600/65R28 In. 147B R1W Radial In Single Wheel Configuration - 8 Position	4,330.00
		Available in Michelin. Requires No Brand Preference Code 5999. Use with 1780 mm (70 In.) or wider tread settings.	
		8	
		ILS Axle Code 6063 or 6065 with:	
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Position noted For use with any B Rated RCI Group 48 or 49 Rear Tire with same brand preference. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
6209		420/85R34 In. 147B R1W Radial In Single Tire Configuration - 8 Position Available in Firestone or Goodyear.	2,272.00
		Goodyear is available in the US, Canada, Central America, and South America only. Requires Rear Tire Code 5610 or 5453.	
6609		420/85R34 In. 147B R1W Radial In Dual Tire Configuration - 8 Position	11,968.00
		Available in Firestone or Goodyear. Goodyear is available in the US, Canada, Central America, and South America only. Requires Rear Tire Code 5610 or 5453. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	
6316		480/70R34 In. 155B R1W Radial in Single Wheel Configuration - 8 Position Available in Firestone only.  Requires No Brand Preference Code 5999.	2,724.00
		Tread setting restrictions apply, see Operators Manual.	
6317		480/70R34 In. 143B R1W Radial in Single Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Operators Manual.	2,490.00
6210		540/65R34 In. 145D R1W Radial In Single Tire Configuration - 8 Position Available in Michelin.  Use with 1780 mm (70 In.) or wider tread settings.	2,980.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6212		FRONT WHEELS AND TIRESContinued 600/70R30 In. 152B R1W Radial In Single Tire Configuration - 8 Position Available in Firestone, Michelin, Goodyear, or Trelleborg. Goodyear is available in the US, Canada, Central America, and South America only. Use with 1780 mm (70 In.) or wider tread settings.	3,670.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial in Single Tire Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999. For use with 1780 mm (70in.) or wider tire tread.	5,870.00
		ILS Axle Code 6065 with:	
		B Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Position noted For use with any B Rated RCI Group 49 Rear Tire with same brand preference. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted. Group 44 front tires are not compatible with loaders.	
6311		650/60R34 In. 159D R1W Radial In Single Wheel Configuration - 8 Position Available in Trelleborg only. Requires No Brand Preference Code 5999.	4,102.00
6314		IF 650/60R34 In. 159D R1W Radial In Single Wheel Configuration - 8 Position Available in Trelleborg only. Requires No Brand Preference Code 5999.	5,602.00
6312		IF 650/60R34 In. 165D R1W Radial In Single Wheel Configuration - 8 Position Available in Michelin only. Requires No Brand Preference Code 5999.	5,602.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges.  You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Matching front and rear tire brands will be installed on Tractor unless notified by factory. Mitas brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	800.00
5902		Goodyear Brand Only Goodyear is available in the US, Canada, Central America, and South America only. Limited availability in New Zealand and Australia.	800.00
5903		Michelin Brand Only	1,200.00
5904		Mitas Brand Only	800.00
5905		Trelleborg Brand Only	800.00
		OPERATOR'S MANUAL AND LABELS	
0409		English	In Base Price

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0437		OPERATOR'S MANUAL AND LABELSContinued Spanish Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0401		Arabic	Same Price
0426		Simplified Chinese	Same Price
0430		Portuguese	Same Price
0439		Thai	Same Price
0442		Vietnamese	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8288		Operator Station and Electrical: Foot Operated Speed Control	340.00
8242		Radar, Dual Beam Sensor	932.00
8227		Outside Mirrors, Power Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from Right Hand and Left Hand Manual Adjust Mirrors. Requires Standard Cab code 2059.	1,006.00
8228		Outside Mirrors, Power Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from Right Hand and Left Hand Electrically Adjusting Mirrors. Not compatible with Standard Cab code 2059.	559.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	134.00
8725		Single Left Hand Rotary Beacon Light Required to add Rotary Beacon Light to Economy Lighting Package.	353.00
8726		Second Rotary Beacon Light Required to add Second Rotary Beacon Light on RH side to Economy, Standard and Premium Lighting Package. If ordered with Economy Lighting Package, requires code 8725.	353.00
8720		Loader/Driving Light Package Provides two Halogen road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	216.00
8264		Actively Cooled Refrigeration Unit (391 In.3 / 6.4 L3)	422.00
8210		Leather Comfort Package  Not compatible with Code 2059 Standard CommandView III Cab.  Includes heated leather seat, leather wrapped steering wheel, leather instructional seat, carpet floor mat, and rear window decal.	1,805.00
878B		Battery Disconnect	143.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8297		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Standard Hitch Controls Deducts hitch encoder and 3 direct access controls under armrest.	-77.00
8782		Back Up Alarm	250.00
8064		<b>Technology:</b> Ethernet Switch Available in US, Canada, Australia, and New Zealand only. Required for machine Ethernet connectivity to a GS3 2630 display. The Ethernet switch allows multiple Ethernet connections to the MTG and is required for John Deere Machine Sync, Remote Display Access and Wireless Data Transfer on the GS3 2630 display. If field-installing a GS3 2630 Display, also order Ethernet Adapter Harness.	In Configuration
8010		Chassis: Fenders, Pivoting Front - 480 mm (18.9 ln.) Wide Recommended for use with 290 mm (12.4 ln.) to 420 mm (16.9 ln.) tire widths. Code 8010, 8011, 8012 or 8014 is required for 50 km/h (31 mph) Tractors. Not compatible with Code 8011, 8012 or 8014.	1,307.00
8011		Fenders, Pivoting Front - 620 mm (24.4 ln.) Wide Recommended for use with 480 mm (18.9 ln.) to 600 mm (23.6 ln.) tire widths. Not for use with front dual tire combinations. Code 8010, 8011, 8012 or 8014 is required for 50 km/h (31 mph) Tractors. Not compatible with option Code 8010, 8012 or 8014.	1,531.00
8012		Fenders, Pivoting Front - 710 mm (27.9 ln.) Wide Requires Front Axle Code 6044 or 6045. Requires Front Tire Code 6301, 6302, 6308, 6309, 6310, or 6313. Code 8010, 8011, 8012 or 8014 is required for 50 km/h (31 mph) Tractors. Not for use with front dual tire combinations. Not compatible with option Code 8010, 8011 or 8014.	1,805.00
8014		Fenders, Pivoting Front -710 mm (27.9 ln.) Wide Requires Front Axle Code 6062, 6063, 6064, or 6065 Requires Front Tire Code 6208, 6214, 6228, 6229, 6212, 6215, 6233, 6234, 6301, 6302, 6308, 6309, 6310, 6311, 6312, 6313, or 6314 Not for use with front dual tire combinations. Code 8010, 8011, 8012 or 8014 is required for 50 km/h (31 mph) Tractors. Not compatible with option Code 8010, 8011 or 8012.	1,805.00
8020		Fenders, Rear Extensions 2.55 m (100 ln.) Width Includes external PTO switch, and hitch control switch on both fenders. Requires rear hitch code 4000, 4033, 4034, or 4046. Not compatible with Code 8021, 8022, or 8023 Rear Fenders.	1,284.00
8021		Fender, Rear Extensions 2.75 m. (108 ln.) Width Provides coverage for up to 800 mm section width tires. Includes external PTO switch, and hitch control switch on both fenders. Requires rear hitch code 4000, 4033, 4034, or 4046. Not compatible with Code 8020, 8022, or 8023 Rear Fenders.	1,539.00
8756		Trailer Brake, Hydraulic Includes rear Tractor line hydraulic coupler. Not compatible with Code 0143. Not compatible with Codes 8751 or 8752. If Air and Hydraulic Trailer Brakes are required, order Code 8752. Code 8751, 8752, or 8756 is required for 50 kph (31 mph) tractors.	829.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8751		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Trailer Brake, Air Dual Line System Includes compressor, tank, air dryer, control valves and 2 line couplers. Not compatible with Codes 8756 or 8752. If Air and Hydraulic Trailer Brakes are required, order Code 8752. Code 8751, 8752, or 8756 is required for 50 kph (31 mph) tractors. Rack and Pinion Tread settings restrictions with 625 kg (1378 Lb.) inner wheel weight: 320 to 650 section tires, Narrowest setting is 69.5 In. centers 710 to 900 section tires, No tread width restriction. Not compatible with ballast package code 8930 and inside wheel wieght option codes 8974 and 8976.	6,680.00
8752		Trailer Brake, Air Dual Line and Hydraulic Includes rear Tractor line hydraulic coupler. Includes compressor, tank, air dryer, control valves and couplers. Not compatible with Code 0143. Not compatible with Codes 8751 or 8756. Code 8751, 8752, or 8756 is required for 50 kph (31 mph) tractors. Rack and Pinion Tread settings restrictions with 625 kg (1378 Lb.) inner wheel weight: 320 to 650 section tires, Narrowest setting is 69.5 In. centers 710 to 900 section tires, No tread width restriction. Not compatible with ballast package code 8930 and inside wheel weight option codes 8974 and 8976.	7,508.00
8291		Left Hand Step Mud Guard Included on tractors with Group 49 Rear Tires. Option on tractors with Group 47 and Group 48 Rear Tires.	101.00
8428		Hitch and Drawbar: Rear Hydraulic Center Link - Cat 3 (90 mm) Includes fender mounted controls for SCV III. Requires rear fender extensions code. Requires hitch code 4033, 4034, 4035, 4036, or 4037.	1,163.00
8429		Rear Hydraulic Center Link - Cat 4 (120mm) Includes fender mounted controls for SCV III. Requires rear fender extensions code. Requires hitch code 4046, 4032, 4039, or 4040.	1,338.00
832G		Hydraulics: Auxiliary Hydraulic Connections - 1/2 In. Includes (2) 12.7 mm (1/2 In). motor return couplers, (1) 9.5 mm (3/8 In.) flat face sump coupler, (1)12.7 mm (1/2 In.) power beyond pressure coupler and (1) 6.4 mm (1/4 In.) load sense coupler.	882.00
832H		Auxiliary Hydraulic Connections - 3/4 In. Includes (2) 19 mm (3/4 In.) motor return couplers, (1) 9.5 mm (3/8 In.) flat face sump coupler, (1) 19 mm (3/4 In.) power beyond pressure coupler and (1) 9.5 mm (3/8 In.) load sense coupler.	982.00
832D		High Capacity Take-Out Oil Reservoir Increases take-out oil capacity from 40L to 90L for operation of large single acting cylinders. Rack and Pinion Tread settings restrictions with 625 kg (1378 Lb.) inner wheel weight: 320 to 650 section tires, Narrowest setting is 69.5 In. centers 710 to 900 section tires, No tread width restriction. Not compatible with ballast package code 8930 and inside wheel weight option codes 8974 and 8976.	1,158.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8409		Front Implement: Premium Front Hitch with One Front Auxillary Coupler5,200 kg (11,450 Lb.) Max Lift Capacity at Hitch Balls 3175 kg (7000 Lb.) ISO Lift Capacity. Includes Front Hitch Valve, One Front SCV with couplers, Position Sensing, and Single Acting and Double Acting Modes. Requires code 841K or 841L. Requires Independent Link Suspension. ISOBUS Connector available through Parts.	7,700.00
8411		Premium Front Hitch with Two Front Auxillary Couplers 5,200 kg (11,450 Lb.) Max Lift Capacity at Hitch Balls 3175 kg (7000 Lb.) ISO lift Capcity. Includes Front Hitch Valve, Two Front SCVs with Couplers, Position Sensing, Single Acting and Double Acting modes, and Motor Return Coupler. Requires code 841K or 841L. Requires Independent Link Suspension. ISOBus Connector available through Parts.	9,356.00
838D		PTO, Independent Front with 35 mm (1-3/8 ln) 21-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 2) For Code 3037 FT4/ StageIV or Code 3036 iT4/Stage3b Compliant Engine. Requires Front Hitch Code 8409 or 8411. Requires ILS Front Axle Code 6062, 6063, 6064, or 6065. Not compatible with 16 Speed Powershift Transmission Code 1490. Additional Front PTO shafts available through Parts.	7,413.00
838C		PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 3) For Code 3037 FT4/ StageIV or Code 3036 iT4/Stage3b Compliant Engine. Requires Front Hitch Code 8409 or 8411. Requires ILS Front Axle Code 6062, 6063, 6064, or 6065. Not compatible with 16 Speed Powershift Transmission Code 1490. Additional Front PTO shafts available through Parts.	7,413.00
838E		PTO, Independent Front with 35 mm (1-3/8 ln) 21-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 2) For Code 3034 Stage II Compliant Engine.  Requires Front Hitch Code 8409 or 8411.  Requires ILS Front Axle Code 6063 or 6065.  Not compatible with 16 Speed Powershift Transmission Code 1490.  Additional Front PTO shafts available through Parts.	7,413.00
838F		PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 3) For Code 3034 Stage II Compliant Engine. Requires Front Hitch Code 8409 or 8411. Requires ILS Front Axle Code 6063 or 6065. Not compatible with 16 Speed Powershift Transmission Code 1490. Additional Front PTO shafts available through Parts.	7,413.00
841K		Front Hitch Paddle Pot SCV Controls Compatible only with FH codes 8408, 8409, 8410, and 8411. Not compatible with 841L Joystick Control. Provides proportional paddle pot SCV control for Front Htich and Front SCV's if equipped.	No Charge
841L		Joystick Control Not compatible with 6 Rear SCV's code 3361. Not compatible with CommandArm SCV Controls code 841K.	1,225.00

### 8245R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8300		Engine: Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	143.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	584.00
8220		Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO or transport speeds above 23 km/h (14.3 mph). Not compatible with Stage II Emission compliant engine code 3034.	3,319.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights Support weighs 382 Lb. (173 kg). 1300 Axle requires single front tires with load index of 141 or greater. 1500 Axle requires single front tires with load index of 143 or greater or front duals. ILS requires single front tires with load index of 145 or greater or front duals. Includes Tow Point.	595.00
8956		Weight, Front Support with Four Suitcase Weights 1300 Axle requires single front tires with load index of 143 or greater. 1500 Axle requires single front tires with load index of 145 or greater or front duals. ILS requires single front tires with load index of 146 or greater or front duals.	1,039.00
8957		Weight, Front Support with Eight Suitcase Weights 1300 Axle requires single front tires with load index of 145 or greater. 1500 Axle requires single front tires with load index of 146 or greater or front duals. ILS requires single front tires with load index of 148 or greater or front duals.	1,484.00
8958		Weight, Front Support with Twelve Suitcase Weights 1300 Axle requires single front tires with load index of 146 or greater. 1500 Axle requires single front tires with load index of 148 or greater or front duals. ILS requires single front tires with load index of 150 or greater or front duals.	1,928.00
8959		Weight, Front Support with Sixteen Suitcase Weights 1300 Axle requires single front tires with load index of 148 or greater. 1500 Axle requires single front tires with load index of 150 or greater or front duals. ILS requires single front tires with load index of 151 or greater or front duals.	2,372.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights 1300 Axle requires single front tires with load index of 150 or greater. 1500 Axle requires single front tires with load index of 152 or greater or front duals. ILS requires single front tires with load index of 153 or greater or front duals.	3,038.00
		Rear Wheel Weights - For Inside/Inner Wheels (Cast): Weights shown are for each weight.	
8974		One Pair 205 kg (452 Lb.)  Not compatible with Air Trailer Brakes codes 8751 and 8752.  Not compatible with High Capacity Take-Out Oil Reservoir code 832D.	1,162.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8976		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Two Pair 205 kg (452 Lb.) Based on the tire width option ordered, some 452 Lb. wheel weights may be shipped on a separate pallet and require dealer installation. Not compatible with Air Trailer Brakes codes 8751 and 8752. Not compatible with High Capacity Take-Out Oil Reservoir code 832D. Not Compatible with Cab Suspension Option.	2,325.00
8977		One Pair 625 kg (1378 Lb.) Requires tire with load rating above 151 Load Index. Some tread restrictions apply with Air Trailer Brakes and High Capacity Take-Out Oil Resevoir.	3,543.00
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights shown are for each weight.	
8978		One Pair 72 kg (159 Lb.) Starter Weights and One Pair 205 kg (452 Lb.) Weight for the Outside of Single Rear Wheel For outside of drive wheel on rear singles only.	1,571.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8980		One Pair 72 kg (159 Lb.) Starter Weights and One Pair 205 kg (452 Lb.) Weights for Outer Rear Dual Requires rear duals.  Not compatible with Triples.	1,571.00
8981		One Pair 72 kg (159 Lb.) Starter Weights and Two Pair 205 kg (452 Lb.) Weights for Outer Rear Dual Requires rear duals.  Not compatible with rear triples.	2,733.00
8982		One Pair 72 kg (159 Lb.) Starter Weights and Three Pair 205 kg (452 Lb.) Weights Requires rear duals.  Not compatible with rear triples.	3,896.00
8983		One Pair 70 kg (154 Lb.) Starter Weights and One Pair 900 kg (1984 Lb.) Weight for the Outside of Dual Wheel Requires rear duals with 42, 46, or 50 inch rim. Not Comaptible with other rim sizes. Not compatible with rear triples.	5,498.00
8785		Miscellaneous: Chock Block Holder	127.00
8550		Skid for Duals For Tractors shipping outside of the United States and Canada.	126.00

#### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
CODE	IDENTIFIER	SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	U3D (\$)
		Ballast Packages:	
8930		727 kg (1603 Lb.) Ballast Package with Rear Duals: Front Weight Support with No Front Suitcase Weights and One Pair 72 kg (159 Lb.) with One Pair of 205 kg (452 Lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights 1300 Axle: 130 Lb./hp with 40/60 Front/Rear Weight Split and require single front tires with load index of 141 or greater. Not compatible with any other factory installed front or rear weight code.	2,182.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Electrical:	
	RE58827	9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	152.90
	BRE10009	Battery Disconnect, Wheel	172.70
		Compatible with wheel tractors (SN 090001-) Switch disconnects power to the entire tractor to aid in maintaining battery life.	
	RE344751	Front Implement CAN Communication Connector  Provides CAN Communication connection for front hitch ISOBus implements.	141.90
	RE322780	ISO Cab Implement CAN Bus Adapter ISO cab implement controller area network (CAN) bus adapter is available to connect ISO compliant implement or device to ISO11786 tractor cornerpost connector.	65.97
	RE21519	Implement Switch with 10 Ft. (3 m) Harness	198.00
	BRE10137	Mounting Kit for Radar with Dual Beam Sensor, Wheel	244.20
	RE278986	Radar with Dual Beam Sensor - AU	1,034.61
	RE278980	Radar with Dual Beam Sensor - NA Requires mounting kit BRE10137 wheel or AR245330 tracks.	1,135.92
	BRE10166	Transmission Back-up Alarm, Wheel	302.50
	SWDEF110VKIT	Engine: 110V Pump Kit	858.57
	SWDEF12VKIT	12V Pump Kit	852.86
	SWDEF025	2.5 gal jug of John Deere Diesel Exhaust Fluid	0.00
	SWDEFPDU20T	20gal Portable Dispensing Unit with lockable, hinged lid Fluid not included.	1,680.00
	SWDEF275	275gal tote of John Deere Diesel Exhaust Fluid	0.00
	SWDEF330	330gal tote of John Deere Diesel Exhaust Fluid	0.00
	SWDEF055	55gal drum of John Deere Diesel Exhaust Fluid	0.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SWDEFPDU60T	ATTACHMENTS FOR FIELD CONVERSIONContinued 60gal Portable Dispensing Unit with lockable, hinged lid Fluid not included.	1,864.00
	RE227949	Engine Block Heater (110V)	111.39
	RE524692	Engine Block Heater (220V)	135.04
	BRE10060	Ether Aid Starting Kit Includes Ether Aid Canister and Switch.	116.60
	RE340473	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	720.50
	RE318606	Fenders: Fender, Rear Extensions - 2.55 m (100 ln.) Width Increases total fender width to 2.55 m (100 ln.)	1,554.30
	RE324406	Fender, Rear Extensions 2.75 m. (108 ln.) Width Increases total fender width to 2.75 m (108 ln.)	369.60
		Requires Fenders Rear Extensions (RE318606) for installation.	
	BRE10086	Fenders, Pivoting Front - 710 mm (27.9 ln.) Wide for ILS Requires Group 43 or 44 Front Tires, 600mm or wider.	2,184.60
	RE236667	Fenders, Pivoting Front - 480 mm (18.9 ln.) Wide Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,580.70
	RE260608	Fenders, Pivoting Front - 480 mm (18.9 ln.) Wide for 1300 Series Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,580.70
	RE308214	Fenders, Pivoting Front - 480 mm (18.9 ln.) Wide for 1500 Series Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,580.70
	RE236670	Fenders, Pivoting Front - 620 mm (24.4 ln.) Wide Also order 2 pieces of R186578. Recommended for use with 18.4 ln. (480 mm) to 23.6 ln. (600 mm) tire widths. Not for use with front dual tire combinations.	1,852.40
	RE308215	Fenders, Pivoting Front - 620 mm (24.4 ln.) Wide for 1500 Series Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,852.40
	BRE10085	Fenders, Pivoting Front - 710 mm (27.9 ln.) Wide for 1500 Series MFWD Recommended use with Group 44 Tires, 600mm or wider.	2,184.60
	RE260609	Wide Fenders, Pivoting Front - 620 mm (24.4 ln.) Wide for 1300 Series Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,852.40
	PF90686	GreenStar Harnesses: Harness - Original GreenStar Display and Mobile Processor to GreenStar 3 or GreenStar 2 (Round) Cornerpost	121.00

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	PF90596	GreenStar Miscellaneous Hardware: GreenStar/Gen 4 10" Display Touch Panel Protector Service Kit	40.70
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	33.96
	AR211154	Drawbar Heavy Duty Support for use with Category 4 Drawbar (11,000 Lb. Vertical Load Capacity)  Requires Category 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.).  Category 4 Drawbar is not compatible with field installed 1-3/8 540 rpm PTO.	935.00
	BRE10099	Drawbar, Category 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Category 4 Drawbar is not compatible when 1-3/8 540 rpm PTO shaft is installed.	2,121.90
	BRE10093	EasyGuide Hydraulic Center Link Storage Bracket Kit	148.50
	RE327692	Front Hitch Chain Hooks	226.60
	R264789	Front Tow Point Requires (4) 19M9162 Cap Screws and (6) 24M7242 washers.	411.82
	BRE10144	Rear Hitch Premium Controls Upgrade Kit Also order software R545978 through parts. See installation instructions.	251.90
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,732.50
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	2,807.20
	BRE10095	Rear Hydraulic Center Link Kit, 120mm with Pivot End (Cat 4)  Compatible with category 4 hitch.	1,641.20
	BRE10097	Rear Hydraulic Center Link Kit, 90mm with Ball Type (Cat 3) Compatible with category 3 hitch.	1,375.00
	BRE10165	<b>Hydraulics:</b> 2nd Front Hitch SCV Kit Compatible with 8R (Serial Number 090001-). Requires front hitch. Requires (R551978) Software download to activate function - See Parts.	1,358.50
	BRE10123	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers, Wheel For Tractors equipped with or without a rear hitch, see installation instructions for additional parts needed to complete installation. Not compatible with 1 3/4 Hi flow SCV Option. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 090001	2,384.80
	BRE10124	6th Remote Cylinder SCV with Push/Pull Breakaway Couplers with High Pressure Relief Levers, Wheel For Tractors equipped with or without a rear hitch, see installation instructions for additional parts needed to complete installation. Not compatible with 1 3/4 Hi flow Selective Control Valve Option. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R (Serial Number 090001-).	2,384.80

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10089	ATTACHMENTS FOR FIELD CONVERSIONContinued  Auxiliary Hydraulic Connections - 1/2 In.  Includes (2) 12.7 mm (1/2 In). motor return couplers, (1) 9.5 mm (3/8 In.)  flat face case drain sump coupler, (1)12.7 mm (1/2 In.) power beyond pressure coupler and (1) 6.4 mm (1/4 In.) load sense coupler.	891.00
	BRE10090	Auxiliary Hydraulic Connections - 3/4 ln.  Includes (2) 19 mm (3/4 In.) motor return couplers, (1) 9.5 mm (3/8 In.)  flat face sump coupler, (1) 19 mm (3/4 In.) power beyond pressure coupler and (1) 9.5 mm (3/8 In.) load sense coupler.	1,057.10
	BRE10171	Front Hitch Hydraulic Motor Return Kit  Provides low pressure return for front hitch implements.	689.70
	RE346500	High Capacity Auxiliary Hydraulic Reservoir Increases take-out oil capacity from 40L to 90L (10.5 gallons to 23.5 gallons) for operation of large single acting cylinders. Rack and Pinion Tread settings restrictions with 625 kg (1378 lbs) inner wheel weight: 320 to 650 section tires, Narrowest setting is 69.5 In. centers. Not compatible with 205 kg inner wheel weights.	1,428.90
	BRE10052	Hitch Auxiliary Raise Kit, Wheel	152.90
	RE327561	Hydraulic Motor Case Drain (Flush Face Coupler) Kit Includes (1) 3/8" flush face case drain coupler. Required to connect Tractor sump to case drains on Seeding Equipment.	189.20
	RE336452	Hydraulic Trailer Brake, Wheel	1,003.20
	BRE10122	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	1,131.90
	BRE10057	Single Line Air Trailer Brake Requires Air Trailer Brakes on Tractor for Installation.	572.00
	RE334627	<b>Lighting:</b> Front HID Light Kit Also order software R334626 through parts. See installation instructions.	2,026.20
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Software not required.	351.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights Also order software R334622 through parts. See installation instructions.	161.70
	RE334683	Loader and Driving Light Package Includes headlights, wiring harness, brackets and mounting hardware. Also order software R334685 through parts. See installation instructions.	272.80
	RE334623	Rotary Beacon Light Kit, Left Side Also order software R334625 through parts. See installation instructions.	432.30
	BRE10043	Rotary Beacon Light Kit, Right Side Also order software R550311 through parts. See installation instructions.	432.30

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BRE10151	Miscellaneous: Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	337.70
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	116.60
	RE67016	Operator Environment: 3-Pin Adaptor for Power Strip	51.43
	RE67015	3-Way Convenience Adapter for Power Strip	31.16
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear	54.99
	RE317435	Accessory Mounting Bracket - Long Bar Provides mounting location for additional monitors along right side window. Accepts BRE10015, BRE10152, and more.	128.70
	RE341704	Actively Cooled Refrigeration Unit (391 In3 / 6.4 L3)  Must also order the following brackets and screws: RE345942, R340091, 19M7867, RE345943, R267251 and 19M7796.	950.06
	RE269615	Antenna Mount and Wiring for Business Band (2-Way) Radio	161.70
	RE275532	Ash Tray Fits in existing cup holder.	108.06
	RE346238	Carpet with foot throttle	171.79
	RE556830	Carpet without foot throttle	171.79
	BRE10015	Cell Phone Mount Kit  Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	59.40
	RE67014	Cigar-Style Adapter for Power Strip	46.92
	BRE10147	CommandARM Bracket Not compatible with joystick or GS3 2630 display. Compatible with tablet mount BRE10034 and cell phone mount BRE10015. Tablet and cell phone mount not included in BRE10147.	41.80
	PF90385	Cornerpost Display Bracket	111.12
	PFP12435	Display Harness - GS2 / GS3 Display with Video to GreenStar (Round) Cornerpost (30 in. / 762 mm) Includes 3 Video Outputs on MY13 7R, 8R, 8RT, 9R, 9RT tractors. Excludes CCD BUS (most 20-series tractors)	172.68
	PFP12950	Ethernet Adapter Cable (Square to Round - 2.5 ft. / .8m)  Cable connects the corner post Ethernet connector (square) to the GS3 2630 display Ethernet connector (round). Required for Remote Display Access, Wireless Data Transfer, and Machine Sync.	49.89

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE323407	ATTACHMENTS FOR FIELD CONVERSIONContinued External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	686.40
	BRE10041	External Mirrors, Electrically Telescoping and Heated Mirror Heads, Wheel For converting the heads on electric mirrors to telescoping and heated.	689.70
	RE321017	Foot-Operated Speed Control, Wheel and Tracks Order Floor Mat separate through Parts.	145.20
	RE68495	Power Strip with Six Outlets	56.28
	BRE10039	Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Compact Disc Player, Remote Controls, USB port and Auxiliary Input Jack located on right side console. BlueTooth capable including microphone, Four Speakers, Subwoofer, and External Antenna.  Also order software R543675 through parts. See installation instructions.	1,024.10
	BRE10040	Premium Radio Package with XM Radio  AM/FM Stereo with Premium Tuner, Weatherband, Compact Disc Player,  Remote Controls, USB port and Auxiliary Input Jack located on right side console, BlueTooth capable including microphone, XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	1,255.10
	RE298942	Also order software R543676 through parts. See installation instructions.  Seat Belt Kit  Meets regulations that require a seat belt anchorage force similar to the SAE J386, ISO 6683, and OSHA requirements (29CFR1926.602) for earth moving operations and non-agricultural tractor operations.	293.70
	BRE10152	Self - Leveling Cup Holder Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	58.30
	BRE10143	Single Lever Multi Function Joystick Not Compatible with 6 rear Selective Control Valves. Also order software R318390 through parts. See installation instructions. Compatible with 7R (serial number 080001-) Compatible with 8R (serial number 090001-).	1,511.40
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	12.96
	BRE10038	Standard Radio Package  AM/FM Stereo with Weatherband, Remote Controls, Auxiliary Input Jack Located on Right Side Console, Four Speakers and External Antenna.	830.50
		Also order software R543674. See installation instructions.	
	BRE10127	Step Mud Guard, Left Side Compatible with group 47 and 48 tires.	122.10
	RE261504	Sun Shade, Front Pull Down	89.99
	RE562587	Sun Shade, Rear or Right Hand Comes factory installed on premium cabs. Offered as a field installed only option for standard cabs.	107.61

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10034	ATTACHMENTS FOR FIELD CONVERSIONContinued Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).	75.90
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	452.37
	BRE10037	Windshield Wiper with Washer, Right Hand Window Comes factory installed on premium cabs. Offered as a field installed only option for standard cabs. Also order software R551514. See installation instructions.	205.70
	R537790	PTO: 1-3/8 In. 1000 RPM shaft for use with Drawbar or 3-pt Hitch (flange) Requires 1000/1000E RPM PTO from the factory, PTO Code 3822.	369.91
	RE272736	Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO with drawbar or 3 point hitch	561.00
	RE313419	Front PTO 21 spline 1 3/8 In. pto stub shaft (flange)	376.26
	RE313422	Front PTO 6 spline 1 3/8 ln. front pto stub shaft (flange) <i>Not compatible in US.</i>	376.26
	RE313418	Front PTO 20 spline 1 3/4 In. front pto stub shaft (flange)	384.13
	RE298885	Software Downloads: Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO or transport speeds above 23 km/h (14.3 mph). Download through Service Advisor's software delivery system. Includes instruction and download only. Not Compatible with Stage II engines. See the Agricultural Sales Manual for ground speed specifications.	3,543.32
	RE323009	<b>Transmission:</b> Transmission Hydraulic Oil Heater (110 Volts) Compatible with 16SP PowerShift and Infinitely Variable Transmissions.	394.90
	AL71345	Vandal Protection: Vandal Protection, Door Locks - Custom Key	185.90
	R167153	<b>Weights:</b> Starter Weight, Wheel, 159 Lb. (72 Kg) Required to install 205 kg (452 Lb.) wieght to outer duals or flange axle rim.	246.40
	BL15020	Weight, 1500 kg Front Mounted	4,667.30
	AL204830	Weight, 1800 kg Front Mounted	5,600.10

### 8245R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BRE10026	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, 970 kg Outer Wheel Weight 900 kg weights are not included. Requires (2) 900 kg weights to be ordered through parts. Reference installation instructions for more information. Requires 42 In or larger wheel with a steel rim (steel rim with cast hubs (7R code 5090), flange axle or dual wheel) to mount. Includes starter weights and attaching hardware.	990.00
	R127764	Weight, Front Suitcase 95 Lb. (43 kg) Quantity of One	134.20
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	735.90
	R167151	Weight, Inner Wheel, 1378 Lb. (625 Kg)	2,143.90
	BL15083	Weight, Pickup Weight, 1984 LB. (900 kg)	3,698.62
	R207782	Weight, Wheel, 452 Lb. (205 kg)	701.80
	BRE10132	Wheel Equipment: Front Wheel Dual Extensions (425mm bolt circle hub) Compatible with 1500 axles or ILS.	2,932.60
	AR190666	One 10 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	895.40
	AR190668	One 13 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	994.40
	AR190669	One 15 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	1,042.80
	AR194744	One 5 In. Rear Dual Hub Extension For use with standard duty 10 bolt wheel hubs.	807.40
	RE267658	Three Meter Front Wheel Spacer (425mm Bolt Circle Hub) For use with all 1500 Axles. For use with Independent Link Suspension models 8245-8295 (Serial Number 090001-). For use with All Independent Link Suspension models (Serial Number -090001).	3,539.80