

**AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS**

**6120M Cab Tractor
Equipment for Base Machine**

Engine
John Deere Power Tech PSS
Stage V Compliant
4 cylinders
Rated power 97/68 EC w/o IPM 120 hp
Max. Power 97/68 EC w/o IPM 126 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 195 l
Diesel Exhaust Fluid Tank Capacity 13 l

Transmission (check code selection)
Mechanical Park Lock

Operator Station
330° all-round visibility
Front Wiper and Washer
Front Sunvisor
Steering Column telescoping and tilting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights
Alternator Capacity 14V/120A
Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics
Hydraulic Pump PC System - 80 l/min
SCVs (check code selection)

Ag Management Solutions (AMS) (check code selection)

Miscellaneous
Operators Manual

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

Ex-works Port of Entry

| | | | |
|-------|--|-------------------|------------|
| 4298L | | 6120M Cab Tractor | 108,756.00 |
|-------|--|-------------------|------------|

DESTINATION

| | | | |
|------|--|---------------|---------------|
| 0184 | | Canada | No Added Cost |
| 0202 | | United States | In Base Price |

OPERATOR'S MANUAL

| | | | |
|------|--|---------|---------------|
| 0409 | | English | In Base Price |
| 0413 | | French | No Added Cost |
| 0437 | | Spanish | No Added Cost |

SHIPPING PREPARATION

| | | | |
|------|--|--|---------------|
| 7702 | | Shipment Preparation - by Ship Overseas <i>includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) including beacon light only in R1, R2 & R3</i> | In Base Price |
| 7706 | | Shipment Preparation - by Ship Overseas, with Conservation <i>Code 7702 plus certain parts of the tractor are coated with a protective film</i> | 58.00 |

PACKAGE CONFIGURATIONS

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|---|-----------------------|--|-------------------------------|
| PACKAGE CONFIGURATIONS ...Continued... | | | |
| 0501 | | No package | No Added Cost |
| TRANSMISSION | | | |
| 1436 | | PowrQuad Plus - 24/24, 40 km/h <i>Includes electrical lefthand reverser.</i> | In Base Price |
| 1437 | | PowrQuad Plus - 16/16, 30 km/h <i>Includes electrical lefthand reverser.</i> | -1,992.00 |
| 1440 | | PowrQuad Plus - 24/24, 40 km/h, with creeper <i>Includes electrical lefthand reverser.</i> <i>Transmission with Left Hand Power Reverser (25 mph) with Creeper</i> <i>Requires Code 6045 (MFWD)</i> <i>Includes Transmission De-Clutch Function.</i> | 2,759.00 |
| 1441 | | PowrQuad Plus - 16/16, 30 km/h, with creeper <i>Includes electrical lefthand reverser.</i> <i>Transmission with Left Hand Power Reverser (19 mph) with Creeper</i> <i>Includes Transmission De-Clutch Function.</i> | 1,218.00 |
| 1454 | | AutoQuad Plus - 24/24, 40 km/h <i>Includes electrical lefthand reverser.</i> <i>Transmission with Left Hand Power Reverser (25 mph)</i> <i>Requires Code 6045 (MFWD)</i> <i>Includes Transmission De-Clutch Function.</i> | 3,033.00 |
| 1458 | | AutoQuad Plus - 24/24, 40 km/h, with creeper <i>Includes electrical lefthand reverser.</i> <i>Transmission with Left Hand Power Reverser (25 mph) with Creeper</i> <i>Requires Code 6045 (MFWD)</i> <i>Includes Transmission De-Clutch Function.</i> | 3,888.00 |
| 1500 | | CommandQuad Plus - 24/24, 40 km/h <i>Includes electrical lefthand reverser.</i> | 7,880.00 |
| OPERATOR'S STATION | | | |
| 2071 | | Basic Cab <i>Right-hand Steps</i> <i>Front Windshield Wiper and Washer</i> <i>Tilt/Telescopic Steering Column</i> <i>Right Hand Operational Controls</i> <i>Floor Mat</i> <i>Hand and Foot Throttle Control</i> <i>Overhead Reading Light</i> <i>7-pin Signal Interface Socket (Code 8224)</i> <i>Inner Rear View Mirror (Code 8230)</i> <i>Power Outlet Socket (Code 8240)</i> <i>LH and RH Remote Hitch Controls (Code 8446)</i> <i>Air conditioning (Code 8206)</i> <i>No Handbrake (Code 8762)</i> <i>Drawbar flat version (Code 8437)</i> <i>154ah battery (Code 8746)</i> <i>Requires Code Mechanical Suspension Seat (Code 2109) and Mirrors Standard-Left-hand and Right-hand (Code 2510) and Panorama windshield with RH door (Code 2631)</i> | In Base Price |
| 2072 | | Economy Cab <i>Includes in addition to Base Cab:</i> <i>Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).</i> | 2,073.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|---|-----------------------|---|-------------------------------|
| OPERATOR'S STATION ...Continued... | | | |
| 2073 | | Standard Cab <i>Includes in addition to Economy Cab Front & Rear Roller Blind (Code 8276) Instructor Seat (Code 8254) Additional Storage Compartment (Code 8266) Bottle Holder (878R) iTec Basic (Code 8217)</i> | 2,801.00 |
| 2074 | | Low Clearance Standard Cab <i>Only for USA (Code 0202), Canada (Code 0184), Australia and New Zealand (Codes 0202, 0184, 0230, 0237) Requires 30 k transmission (Codes 1437, 1441) Air conditioning Front Windshield Wiper and Washer Not with Right-hand footstep Not with Right-hand door Not with Rear hitch remote control (8446), LH remote in base Tilt/Telescopic Steering Column Right Hand Operational Controls Floor Mat Hand and Foot Throttle Control Overhead Reading Light 7-pin Signal Interface Socket (Code 8224) Inner Rear View Mirror (Code 8230) Power Outlet Socket (Code 8240) No Handbrake (Code 8762) Drawbar flat version (Code 8437) 154ah battery (Code 8746) Horizontal exhaust (Code 8330) Includes Air Suspension Seat (Code 2127) No Mirrors (Code 2500)</i> | 13,864.00 |
| SEAT | | | |
| 2109 | | Basic Seat <i>With mechanical suspension, Grammer Seat MSG85-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.</i> | In Base Price |
| 2127 | | Economy Seat <i>With air suspension, Grammer Seat MSG 95GL-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.</i> | No Added Cost |
| MIRRORS | | | |
| 2500 | | Without Mirrors for Low Clearance Cab | No Added Cost |
| 2510 | | Mirrors - Left-hand and Right-hand Standard <i>Have fixed length arms with manually adjustable mirror positions.</i> | In Base Price |
| 2511 | | Mirrors - Left-hand and Right-hand Manual Telescopic | No Added Cost |
| WINDSHIELD | | | |
| 2631 | | Panorama Front Windshield | In Base Price |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|---------------------|-----------------------|---|-------------------------------|
| RADIO | | | |
| 2650 | | Radio Preparation <i>Includes pre-radio wiring, antenna installation and speaker package.</i> | In Base Price |
| 2651 | | Without Radio Preparation <i>No pre-radio wiring, antenna installation and speaker package.</i> | -895.00 |
| 2663 | | Radio (Business Radio Package) <i>only for North America & Japan</i> <i>Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.</i> | 337.00 |
| REAR AXLE | | | |
| 5010 | | Flange-Type Rear Axle | In Base Price |
| 5040 | | R&P Rear Axle - 79 mm Shaft <i>100.6 Inch lengths (2.556 mm).</i> <i>Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length</i> | 2,582.00 |
| 5042 | | R&P rear axle - 79 mm shaft - short version <i>90 Inch length (2.286 mm)</i> | 2,258.00 |
| FRONT AXLE | | | |
| 6022 | | 2WD Front Axle | -9,087.00 |
| 6045 | | 4WD Front Axle - Unsuspended <i>Limited slip differential.</i> | In Base Price |
| REAR WHEELS | | | |
| 5093 | | 2-Position Steel Wheels <i>Rear wheels.</i> | -601.00 |
| 5090 | | Adjustable Steel Wheels (Steel Disk) <i>Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.</i> <i>Adjustable Steel wheel with flange axle</i> <i>Steel wheel with cast hub on R&P axle (2 position or adjustable)</i> <i>When ordered with 2WD (6022) the front wheel will be a 2-position.</i> <i>Rear wheels.</i> | No Added Cost |
| 5091 | | Adjustable Cast Wheels (Cast Disk) <i>Rear wheels.</i> | 181.00 |
| FRONT WHEELS | | | |
| 6091 | | 2-position steel wheels <i>Front wheels</i> | -601.00 |
| 6092 | | Adjustable steel wheels <i>Front wheels</i> <i>Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.</i> | No Added Cost |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------------------------------|-----------------------|--|-------------------------------|
| TIRE BRAND PREFERENCE | | | |
| 5904 | | Rear and Front Tire Brand - Mitas | 200.00 |
| 5901 | | Rear and Front Tire Brand - Firestone | 200.00 |
| 5903 | | Rear and Front Tire Brand - Michelin | 900.00 |
| 5915 | | Rear and Front Tire Brand - Nokian <i>Special profile - Tight block pattern tread - ideal for grass and communal applications.</i> | 200.00 |
| 5905 | | Rear and Front Tire Brand - Trelleborg | 200.00 |
| 5999 | | Rear and Front Tire Brand - No preference <i>Order results in either Mitas, Firestone or Continental tires.</i> | In Base Price |
| 5918 | | Rear and Front Tire Brand - Vredestein <i>For possible tire combinations, please see online sales manual.</i> | Call For Prices |
| REAR WHEELS AND TIRES | | | |
| 539B | | Rear Wheels Size 340/90R48 <i>Available in Mitas.</i> | 1,176.00 |
| 5161 | | Rear Wheels Size 420/85R24/16.9-24 <i>R1/RIW profile, 2WD and MFWD. Available in Firestone. 2WD requires Front wheels size 11L-15 (Code 6100) or Front wheels size 27/9.5-15 (Code 6141), MFWD requires Front wheels size 10.5/80-18 (Code 6110).</i> | -1,231.00 |
| 5180 | | Rear Wheels Size 420/85R30 <i>Available in, Firestone, Michelin, Kleber, Trelleborg.</i> | -296.00 |
| 5190 | | Rear Wheels Size 460/85R30 <i>Available in Firestone or Trelleborg.</i> | -206.00 |
| 5202 | | Rear Wheels Size 420/85R34 <i>Available in Michelin, Firestone, Trelleborg.</i> | -356.00 |
| 5208 | | Rear Wheels Size 480/70R34 <i>Available in Mitas, Firestone or Trelleborg.</i> | 362.00 |
| 5212 | | Rear Wheels Size 460/85R34 <i>Available in Firestone, Trelleborg and Mitas</i> | In Base Price |
| 5215 | | Rear Wheels Size 520/70R34 <i>Available in Mitas, Trelleborg or Firestone.</i> | 620.00 |
| 5220 | | Rear Wheels Size 320/90R42 <i>Available in Firestone.</i> | 660.00 |
| 5221 | | Rear wheels size 420/85R38 <i>Available in Firestone, Trelleborg.</i> | 428.00 |
| 5222 | | Rear Wheels Size 480/70R38 <i>Available in Mitas, Firestone, Trelleborg or Vredestein.</i> | 1,620.00 |
| 5234 | | Rear Wheels Size 460/85R38 <i>Available in Firestone, Trelleborg or Vredestein.</i> | 2,102.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | REAR WHEELS AND TIRES ...Continued... | |
| 5232 | | Rear Wheels Size 520/70R38 <i>Available in Mitas, Firestone or Trelleborg.</i> | 2,416.00 |
| 5245 | | Rear Wheels Size 13.6-46 <i>Available in Firestone.</i> | 824.00 |
| 5252 | | Rear Wheels Size 380/90R46 <i>Available in Mitas or Michelin.</i> | 1,214.00 |
| 5214 | | Rear Wheels Size 480/80R34 - Special Profile <i>Available in Nokian.</i> | 1,328.00 |
| 5237 | | Rear Wheels Size 480/80R38 - Special Profile <i>Available in Nokian.</i> | 3,704.00 |

FRONT WHEELS AND TIRES

| | | | |
|------|--|--|---------------|
| | | For 2WD Front Axle / Transmission | |
| 6100 | | Front Wheels Size 11L-15 <i>Available in Firestone.</i> | -3,148.00 |
| 6110 | | Front Wheels Size 10.5/80-18 <i>Available in Firestone.</i> | -2,562.00 |
| 6123 | | Front Wheels Size 11.00-16 <i>Available in Firestone.</i> | -2,638.00 |
| 6151 | | Front Wheels Size 10.00-16 <i>Available in Firestone.</i> | -2,810.00 |
| | | For MFWD Front Axle / Transmission | |
| 639D | | Front Wheels Size 270/95R32 <i>Available in Kleber.</i> | -68.00 |
| 6180 | | Front Wheels Size 280/85R24 <i>Available in Firestone, Mitas, Trelleborg.</i> | -1,198.00 |
| 6200 | | Front Wheels Size 320/85R24 <i>Available in Firestone or Trelleborg.</i> | -778.00 |
| 6210 | | Front Wheels Size 340/85R24 <i>Available in Trelleborg or Firestone.</i> | 110.00 |
| 6211 | | Front Wheels Size 380/70R24 <i>Available in Mitas, Firestone or Trelleborg.</i> | -550.00 |
| 6215 | | Front Wheels Size 320/85R28 <i>Available in Trelleborg or Firestone.</i> | -248.00 |
| 6220 | | Front Wheels Size 380/85R24 <i>Available in Firestone, Trelleborg or Vredestein.</i> | In Base Price |
| 6221 | | Front Wheels Size 420/70R24 <i>Available in Mitas, Trelleborg, Firestone or Vredestein.</i> | -256.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|---|-----------------------|---|-------------------------------|
| FRONT WHEELS AND TIRES ...Continued... | | | |
| 6230 | | Front Wheels Size 340/85R28 <i>Available in Firestone, Trelleborg or Vredestein.</i> | 96.00 |
| 6232 | | Front Wheels Size 420/85R24 <i>Available in Trelleborg, Firestone or Vredestein.</i> | 366.00 |
| 6236 | | Front Wheels Size 380/85R28 | 352.00 |
| 6240 | | Front Wheels Size 420/70R28 | 782.00 |
| 6258 | | Front Wheels Size 380/85R30 <i>Available in Mitas, Michelin or Firestone.</i> | 1,334.00 |
| 6275 | | Front Wheels Size 340/85R38 <i>Available in Mitas.</i> | 1,732.00 |
| 6280 | | Front Wheels Size 13.6-38 - R2 <i>Available in Firestone.</i> | -128.00 |
| 6237 | | Front Wheels Size 440/80R24 - Special Profile <i>Available in Nokian.</i> <i>Tight block pattern tread - ideal for grass and communal applications.</i> | 1,530.00 |
| 6225 | | Front Wheels Size 400/80R24 - Special Profile <i>Available in Nokian.</i> <i>Tight block pattern tread - ideal for grass and communal applications.</i> | 910.00 |
| CENTER LINK | | | |
| 4200 | | No Center Link | -939.00 |
| 4210 | | Center Link with Ball End - Category 2 <i>Comes with category 2 ball.</i> | In Base Price |
| 4213 | | Center Link with Ball End - Category 3 <i>Comes with category 3 ball.</i> | No Added Cost |
| DRAFT LINK | | | |
| 4100 | | No Draft Links/No Rockshaft | -2,941.00 |
| 4120 | | Draft Links with Telescopic Ball End - Category 2 | In Base Price |
| 4121 | | Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N.</i> | No Added Cost |
| STABILIZER | | | |
| 4400 | | No Sway Control Blocks and No Stabilizer Bar | -487.00 |
| 4410 | | Sway Control Blocks <i>Stop-bar at PTO housing to prevent horizontal drawbar movement.</i> | In Base Price |
| 4421 | | Stabilizer Bars - Adjustable Both Sides <i>Left-hand and right-hand.</i> | 630.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|--|-----------------------|--|-------------------------------|
| 4424 | | STABILIZER ...Continued... Stabilizer Bars - Automatic Both Sides <i>Left-hand and right-hand automatic stabilizer bar.</i> | 630.00 |
| REAR POWER TAKE-OFF (PTO) | | | |
| 3810 | | Rear Independent 540rpm PTO <i>Rear Independent 540 RPM PTO Not compatible with Power Beyond (Code 832J) or 3 SCVs (Codes 3335 or 3338)</i> | -826.00 |
| 3820 | | Rear Independent 540/1000rpm PTO | In Base Price |
| HYDRAULIC PUMP | | | |
| 3232 | | Hydraulic Pump - 80 l/min <i>PC system, 35 ccm pump. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc Does not include Powerfill Brakes (option 8765)</i> | In Base Price |
| 3223 | | Hydraulic Pump - 114 l/min <i>Recommended for front loader applications PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen. Does not include Powerfill Brakes (option 8765)</i> | 1,800.00 |
| SELECTIVE CONTROL VALVES (SCVS) | | | |
| 3319 | | 2 Mechanical SCVs (2 SCV 200 Series) <i>Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.</i> | In Base Price |
| 3320 | | 2 Mechanical SCVs (2 SCV 450 Series) <i>Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.</i> | 120.00 |
| 3338 | | 3 Mechanical SCVs (3 SCV 450 Series) <i>Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).</i> | 1,040.00 |
| GREENSTAR AND AUTOTRAC | | | |
| 1834 | | Less Greenstar Ready | In Base Price |
| 1830 | | ISOBus Ready / GreenStar Ready Option <i>Power harness Connector at the A-post StarFire Receiver roof harness and bracket ISOBUS Class 2 gateway controller and In-cab ISOBUS connector 60A socket.</i> | 814.00 |
| 1832 | | AutoTrac Ready <i>ISOBUS/GreenStar Ready (Code 1830) plus: Steering system unit (SSU) Wheel angle sensor Electrohydraulic steering valve</i> | 4,618.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|--|-----------------------|---|-------------------------------|
| GREENSTAR AND AUTOTRAC ...Continued... | | | |
| <i>Steering wheel sensor Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).</i> | | | |
| <hr/> | | | |
| RECEIVER | | | |
| 1835 | | Less StarFire Receiver | In Base Price |
| 1840 | | StarFire 6000 Receiver - SF1 Ready <i>Provides access to the no-charge SF1 differential correction signal. SF1 provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. An SF3 Ready Activation and License is required to use SF3 differential corrections. License sold separately via AMS PricePage. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.</i> | 3,895.00 |
| 1841 | | StarFire 6000 Receiver - SF3 Ready <i>Includes StarFire 6000 SF3 with Ready Activation. SF3 provides +/- 3 cm (1.2 in) horizontal pass-to-pass accuracy with in-season repeatability (where applicable). An SF3 Subscription is required to use SF3 differential corrections. Subscription sold separately via AMS PricePage. See Ag Sales Manual for additional information. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.</i> | 7,895.00 |
| 1843 | | StarFire 6000 Receiver - SF3 and RTK (Modem/Radio Not Included) <i>Includes StarFire 6000 SF3 Ready Activation and StarFire 6000 RTK Ready Activation. RTK provides +/- 2.5 cm (1 in) horizontal pass-to-pass accuracy with long-term repeatability. RTK functionality requires access to differential corrections from an RTK base station and additional hardware or subscriptions may be required. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.</i> | 11,395.00 |
| <hr/> | | | |
| SOFTWARE ACTIVATIONS | | | |
| 1867 | | Less Software | In Base Price |
| 1865 | | 4240 AutoTrac Activation <i>Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076).</i> | 3,000.00 |
| 1864 | | 4240 Section Control and Data Sync Subscription plus AutoTrac Activation <i>Includes activation to enable Section Control and Data Sync. Includes separate CommandCenter AutoTrac activation. For separate Section Control and Data Sync only subscription, see ISG price pages. Requires 4240 Universal Display (code 8076).</i> | 3,600.00 |
| 1866 | | 4640 Automation 1.0 Subscription- 1 Year | 1,350.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|---|-----------------------|---|-------------------------------|
| SOFTWARE ACTIVATIONS ...Continued... | | | |
| <i>Includes first year subscription required to enable AutoTrac, Documentation, John Deere Section Control, AutoTrac RowSense, In-Field Data Sharing, AutoTrac Turn Automation and AutoTrac Implement Guidance (Passive guidance) to a 4640. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display.</i> | | | |
| <i>Wireless Data Transfer available with an additional JDLink Connect subscription. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the StarFire receiver signal accuracy. Feature availability may be limited in your area and/or may require additional hardware.</i> | | | |
| <i>Requires 4640 Universal Display (code 8075).</i> | | | |
| 1860 | | 4640 Premium 3.0 Subscription- 1 Year <i>Includes first year subscription required to enable John Deere Section Control, AutoTrac RowSense, and In-Field Data Sharing to a 4640 Display. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. To enable Wireless Data Transfer, a JDLink Connet subscription is required. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the receiver signal accuracy level. Feature availability may be limited in your area and/or may require additional hardware.</i> <i>Requires 4640 Universal Display (code 8075).</i> | 850.00 |
| <hr/> | | | |
| ENGINE | | | |
| 8304 | | Fuel Heater System | 150.00 |
| COLD START PACKAGES | | | |
| 8300 | | Cold Start Package I <i>This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)</i> | 340.00 |
| 8301 | | Cold Start Package II <i>This package includes a set of heaters (engine block heater, transmission oil pump heater & charge pump heater) and an electrical cable for 230V/110V socket. Not compatible with Code 8300 (Cold Start Package I)</i> | 485.00 |
| FUEL TANK | | | |
| 8307 | | Fuel Tank Bottom Guard <i>Metal shield protecting the bottom of the fuel tank. Required in Japan (0079)</i> | 443.00 |
| EXHAUST | | | |
| 8330 | | Horizontal Exhaust | No Added Cost |
| CAB EQUIPMENT | | | |
| 8261 | | Mechanical Cab Suspension | 1,647.00 |
| 8237 | | Cigarette Lighter and Ashtray <i>Mounted at right-hand console.</i> | 22.00 |
| 8782 | | Backup Alarm <i>Safety alarm for reverse.</i> | 507.00 |
| 878M | | Condenser Screen <i>If the tractor is equipped with air conditioning, the optional super fine screen in front of the air</i> | 22.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | CAB EQUIPMENT ...Continued... <i>conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package</i> | |
| | | ROOF SELECTION | |
| 878T | | Roof Hatch with Glass <i>Openable hatch for ventilation, opens to rear.</i> | 647.00 |
| | | FRONT AXLE | |
| 8607 | | AutoDifflock <i>Steering angle dependent engagement and disengagement. Provides 100 % rear axle Difflock, front axle remains limited slip</i> | 290.00 |
| | | STEERING AND BRAKES | |
| | | <i>No handbrake in base for R4</i> | |
| 8763 | | Heavy Duty Rear Wheel Brakes <i>Increased disc brake thickness (+20%) to ensure higher braking capacity (designed for transport with non-braked trailers).</i> | 136.00 |
| 8765 | | Powerfill Brake <i>The hydraulic system supports the operator to reduce braking pedal force.</i> | 531.00 |
| | | FRONT FENDERS | |
| 8011 | | Front Fenders 4WD - Rigid | 600.00 |
| 8012 | | Front Fenders 4WD - Turnable | 902.00 |
| | | REAR FENDERS | |
| 8020 | | Rear Fender Extensions - Adjusted to Tire Size | 685.00 |
| | | FRONT WEIGHTS | |
| 8950 | | Front Base Weight - 60 kg <i>Allows installation of quick-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.</i> | 282.00 |
| 8951 | | Front Base Weight - 110 kg <i>Allows installation of quick-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.</i> | 377.00 |
| | | BATTERY | |
| 8747 | | Battery 12V/174AH <i>Located on right-hand floor.</i> | 126.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ALTERNATOR | |
| 8742 | | Alternator 14V/200A | 280.00 |
| | | ELECTRICAL EQUIPMENT | |
| 878B | | Battery Circuit Breaker <i>Can be ordered with any battery, integrated in ignition key.</i> | 157.00 |
| 878H | | Multi Power Outlet Strip <i>Six additional outlets for powering monitors or other electrical equipment. Located at right-hand door behind right-hand console.</i> | 92.00 |
| | | LIGHTING PACKAGES | |
| | | <i>Base lighting - Cab: Hood High-beam light (HB3) (2) Hood Low-beam light (HB3) (1) Turn lights rear fender (17) Tail lights rear fender (18) Brake-lights fender (18) Work lights roof front outer left-hand and right-hand (H3) (8) Work light roof rear inner right-hand (H3) (14) Region 4 Base Lighting - Cab Four Front Grille Headlights Two Front Outer Roof Worklights One Rear Right Roof Worklight Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights</i> | |
| 873D | | Light Package - Economy <i>Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14).</i> | 201.00 |
| 873U | | Light Package - Standard <i>Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14). Two front inner work lights (H3). Not in combination with Low Clearance Standard Cab (Code 2074)</i> | 456.00 |
| | | LIGHTING | |
| 8730 | | 2 Beltline Road Lights - H4 <i>If a frontloader or front hitch is installed road lights might be covered during road drive by frontloader boom or implement. For safety the lights delivered with this code replace the front grill road light function. two beltline mounted adjustable road lights (H4) (6)</i> | 500.00 |
| 8725 | | Beacon Light <i>Front cab roof mounted.</i> | 221.00 |
| | | HITCH | |
| 8424 | | Draft Control <i>Electronic Lower Link Sensing. Requires draft links (Codes 4110, 4112, 4113, 4120,4121).</i> | 652.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|-----------------------------------|-----------------------|---|-------------------------------|
| DRAWBAR | | | |
| 8435 | | Drawbar - High Clearance <i>Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap</i> | 269.00 |
| 8437 | | Drawbar flat version <i>Drawbar 1 inch bent to solve ground clearance issues Category 2</i> | No Added Cost |
| REAR HITCH | | | |
| 8446 | | Rear Hitch Remote Control <i>Left-hand and right-hand.</i> | In Base Price |
| 8457 | | Higher Hitch Lift Capacity <i>Capacity increase is achieved by bigger lift cylinders.</i> | 399.00 |
| REAR POWER TAKE-OFF (PTO) | | | |
| 8385 | | Heavy-Duty Rear PTO <i>Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.</i> | 319.00 |
| 8386 | | PTO Remote Control <i>Left-hand and right-hand, mounted on rear fenders. Rear Remote PTO Control- LH Included with Standard Cab</i> | 66.00 |
| FRONT POWER TAKE-OFF (PTO) | | | |
| 8380 | | Preparation for Front Auxiliary Drive <i>Includes torsion-damper and belt-pulley. Crankshaft Pulley without Drive Shaft</i> | 639.00 |
| SELECTIVE CONTROL VALVES | | | |
| 832J | | Power Beyond - Rear <i>Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.</i> | 640.00 |
| 832O | | Power Beyond Preparation - Rear <i>Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. Four separate ports are provided at the rear end of the tractor: pressure (P), load sensing (LS), tank return (R) and drain (D). All ports without coupler and closed with plugs.</i> | 416.00 |

AG MANAGEMENT SOLUTIONS

**AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS**

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | AG MANAGEMENT SOLUTIONS ...Continued... | |
| 8075 | | <p>John Deere 4640 Universal Display + AutoTrac Activation <i>Includes 10.4 inch touch screen Display with Bulkhead Connector, 2 USB Ports, 4 video inputs and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription.</i> <i>Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements.</i> <i>Capable of Gen 4 Universal AutoTrac, Premium and Ultimate Activation.</i> <i>Includes Bulkhead Connect.</i></p> | 8,495.00 |
| 8076 | | <p>John Deere 4240 Universal Display <i>Includes 8.4 inch touch screen Display with Bulkhead Connector, 1 USB Port, 1 video port, 1 ethernet port and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription.</i> <i>Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements.</i> <i>Capable of Gen 4 Universal AutoTrac Activation and 4240 Section Control and Data Sync Subscription.</i> <i>Includes Bulkhead Connect.</i></p> | 2,495.00 |
| | | FRONT LOADER PREPARATION | |
| 8924 | | <p>Loader Hydraulic Preparation - Mechanical Midstack SCV - 3 Functions <i>Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately.</i> <i>Gear shifting buttons included.</i></p> | 3,405.00 |
| 8925 | | <p>Loader Hydraulic Preparation - Mechanical Midstack SCV - 2 Functions <i>Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately.</i> <i>Gear shifting buttons included.</i> <i>Includes: 2-function mid-mounted control valve with mechanical joystick control.</i></p> | 2,780.00 |
| | | FRONT LOADER PACKAGES | |
| 891E | | <p>Loader Ready Package - Mechanical SCV, 2 Functions <i>Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler.</i> <i>Gear shifting buttons included.</i> <i>For R-Series Front Loaders.</i> <i>Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.</i></p> <p><i>Note: Loader component of single point is ordered with loader. Front weight support is recommended.</i> <i>Compatible with 2-function R Series loaders.</i></p> | 5,095.00 |
| 891F | | <p>Loader Ready Package - Mechanical SCV, 3 Functions <i>Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler.</i></p> | 6,161.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|---|-----------------------|---|-------------------------------|
| FRONT LOADER PACKAGES ...Continued... | | | |
| <i>Gear shifting buttons included.</i> | | | |
| <i>For R-Series Front Loaders.</i> | | | |
| <i>Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.</i> | | | |
| <i>Note: Loader component of single point is ordered with loader. Front weight support is recommended.</i> | | | |
| <i>Compatible with 3-function R Series loaders.</i> | | | |
| MISCELLANEOUS | | | |
| 8002 | | Toolbox <i>Left-hand side installed</i> | 85.00 |
| 878I | | License Plate Bracket - Rear <i>Fender mounted.</i> <i>Not with Code 2074 (Low Clearance Cab).</i> | 39.00 |
| SPECIAL PAINTING | | | |
| 8030 | | Special Painting - Industrial Yellow <i>No RAL definition. John Deere owned colour.</i> | 1,602.00 |
| 8031 | | Special Painting - Municipality Orange <i>RAL2011</i> <i>'Community Orange' Paint Finish</i> | 1,602.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Brakes | | | |
| BL15680 | | Hydraulic Trailer Brake Kit <i>PFC System, Basic, No Front Axle Brake</i> | 807.40 |
| BL15790 | | Hydraulic Trailer Brake Kit <i>PC System, without SFA, No Front Axle Brake</i> | 635.80 |
| Cab Equipment | | | |
| BL15522 | | Bottle-/ Cup-Holder | 50.60 |
| AL80126 | | Rear Mirror Mechanical | 188.10 |
| AL80127 | | Rear Mirror Mechanical | 188.10 |
| Cold Start Packages | | | |
| BL15539 | | Fuel Heating Device | 194.70 |
| BL15427 | | Cold Start Package <i>Only compatible with AutoQuad and PowrQuad Transmissions.</i> <i>Includes engine block heater, charge pump preheater and all required hardware.</i> | 905.30 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|----------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| BL15431 | | Cold Start Package <i>Only compatible with 6R and 6M tractors.</i> | 447.70 |
| BL15538 | | DEF-Tank Filler Neck Heater | 115.50 |
| | | Coupling Balls | |
| AL179161 | | Guide Ball Holder, Category 2 | 117.70 |
| AL180047 | | Guide Ball Holder, Category 3 | 104.50 |
| | | Drawbar | |
| AL81724 | | Drawbar Dropdown <i>Lowers the height of Drawbar by approximately 3 Inches.</i> | 503.80 |
| | | Electrical | |
| BL15659 | | Battery Cut-Off Switch <i>Also Order Software AL216894.</i> | 591.80 |
| BL15726 | | Radar, Dual Beam Attaching Kit <i>See installation instructions for also order parts. Requires software AL220212.</i> | 125.40 |
| | | Engine | |
| BL15749 | | Cold Weather Starting Package, 110 V, 4 cyl. <i>Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.</i> | 594.00 |
| BL15384 | | Stainless Steel Exhaust | 982.30 |
| | | Fenders | |
| AL208651 | | Fender Mud Guard | 61.60 |
| BL15292 | | Fender Side Extension <i>Refer to installation instructions for additional hardware needed to complete installation on certain models.110X15 for North America only.</i> | 226.60 |
| BL15293 | | Fender Side Extension <i>Refer to installation instructions for additional hardware needed to complete installation on certain models.200X20 for North America only.</i> | 226.60 |
| BL15650 | | MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide <i>See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.</i> | 927.30 |
| BL15652 | | MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide <i>See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.</i> | 957.00 |
| BL15654 | | MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide <i>See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.</i> | 973.50 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|----------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| BL15655 | | MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide <i>See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.</i> | 988.90 |
| BL15656 | | MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long <i>See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.</i> | 988.90 |
| BL15646 | | MFWD Front Fender, Turnable, 24.4 in. (620mm) Long <i>See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.</i> | 1,002.10 |
| BL15658 | | MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide <i>See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.</i> | 1,002.10 |
| AL180215 | | MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide <i>See Ag Sales Manual for compatible tire combinations.</i> | 754.60 |
| BL15649 | | MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide <i>See Ag Sales Manual for compatible tire combinations.</i> | 673.20 |
| BL15651 | | MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide <i>See Ag Sales Manual for compatible tire combinations.</i> | 688.60 |
| BL15653 | | MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide <i>See Ag Sales Manual for compatible tire combinations.</i> | 695.20 |
| BL15771 | | Stop Panel Kit for Turnable Front Fenders | 19.80 |
| | | Front Axle | |
| BL15202 | | Pressure Accumulator, 1.0 L - For Low Temperature Use <i>Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.</i> | 704.00 |
| AL206240 | | Tobacco Axle | 1,630.20 |
| | | Front Axle | |
| AL156778 | | Hub Extension 60mm, Front, Tread Adjustment <i>Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).</i> | 721.60 |
| BL15201 | | Low Temperature Attachment For TLS <i>Adds 1.4 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.</i> | 704.00 |
| | | Front Fenders | |
| BL15648 | | Base Support Kit for Front Fenders, RIGID <i>Also order MFWD front fender kit in corresponding width and size.</i> | 192.50 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|---|-----------------------|---|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION ...Continued... | | | |
| | | Front Power Take-Off (PTO) | |
| BL15206 | | NA Preparation For Installing Front PTO | 1,305.70 |
| | | Front Weights | |
| AL157299 | | Front Shield <i>Protecting the frame end.</i> | 56.10 |
| AL176565 | | Front Weight Carrier, 243 Lb. (110 Kg) | 457.13 |
| | | Fuel Tank | |
| BL15550 | | Bottom Guard, Fuel Tank | 265.10 |
| | | Hitch and Drawbar | |
| AL180493 | | Hitch Raise/Lower Switch <i>Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.</i> | 110.00 |
| BL15610 | | Lift Cylinder for Increased Lift Capacity (75mm) | 943.80 |
| | | Hydraulics | |
| BL15216 | | Additional Oil Reservoir <i>Increases the existing oil capacity to 3.7 gallons (14 liters). Pressure and Flow Compensated.</i> | 585.20 |
| BL15288 | | Control Lever (Joystick) upgrade <i>Converts PowerQuad Plus into AutoQuad Plus control. Requires software AL214131, see installation instructions.</i> | 630.30 |
| BL15710 | | ICV Oil Line Kit <i>Used only in Power Reverser applications.</i> | 192.50 |
| BL15711 | | ICV Oil Line Kit <i>Used only in PowerQuad Plus and 2WD applications.</i> | 97.90 |
| BL15712 | | ICV Oil Line Kit <i>Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.</i> | 97.90 |
| BL15684 | | ICV Oil Lines, PC Hyd System PB in Position #3 <i>Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.</i> | 366.30 |
| BL15685 | | ICV Oil Lines, PC Hyd System PB in Position #4 <i>Independent Control Valve. See installation instructions for also order parts.</i> | 366.30 |
| BL15635 | | Lever M-ICV, 2-Function <i>Mechanical Independent Control Valve. NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.</i> | 2,066.90 |
| BL15251 | | M-ICV 2-Function to 3-Function Upgrade <i>Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.</i> | 601.70 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|----------|--|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| BL15634 | M-ICV, 2-Function | Mechanical Independent Control Valve. <i>NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.</i> | 1,342.00 |
| BL15682 | M-SCV, 200 Series And 450 Series Position 3 | Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing. | 464.20 |
| BL15683 | M-SCV, 200 Series And 450 Series Position 4 | Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing. | 464.20 |
| BL15735 | Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) | Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions. | 297.00 |
| BL15438 | Power Beyond Return Coupler 1/2-Inch (12.5 mm) | Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions. | 292.60 |
| BL15737 | Power Beyond Return Coupler 3/4-Inch (20 mm) | Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions. | 314.60 |
| BL15671 | Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face | Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions. | 427.90 |
| BL15739 | Power Beyond With External Pressure Free Return | Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain). | 295.90 |
| BL15740 | Power Beyond With External Pressure Free Return | Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain). | 77.00 |
| BL15674 | Power Beyond Without External Pressure Free Return | Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain). | 174.90 |
| BL15686 | V Oil Lines, PFC Hydraulic System | | 366.30 |
| | | Lighting | |
| AL205916 | 1 Work Light H3, On Beacon Light Bracket | Installed on beacon light support. | 162.80 |
| AL205881 | 2 Headlights H4, Beltline Mounted (Upright Position) | Additional also order parts required. Also requires software AL217713. See installation instructions. | 327.80 |
| | | Lighting | |
| BL15170 | (2) H3 Flood Lamps, Rear Cab Roof Mounted | Additional also order parts and software required. See installation instructions. | 223.30 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|----------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| BL15169 | | (2) H3 Work Lights, Front Cab Roof Mounted, LH and RH <i>Additional also order parts and software required. See installation instructions.</i> | 223.30 |
| AL179972 | | (2) H3 Work Lights, Rear Fender Mounted, LH and RH <i>Also requires software, AL217733. Additional also order parts are required. See installation instructions.</i> | 247.50 |
| BL15174 | | (2) HB3 Work Lights, Beltline Upright Mounted <i>Also order software AL217716.</i> | 313.50 |
| AL111705 | | Beacon Light, LH <i>Requires Switch (AL181123).</i> | 276.10 |
| BL15716 | | Beacon Light, RH | 272.80 |
| BL15670 | | Bracket, Headlights and Worklights | 24.20 |
| AL201586 | | Extremity Lights Preparation Kit <i>See Parts Catalog and MHM 873 Installation Instructions for additional components.</i> | 1,159.40 |
| BL15257 | | Hood Corner Work Lights | 510.40 |
| | | Miscellaneous | |
| BL15181 | | Accumulator, Suspended Front Axle <i>Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using female thread M22 x 1.5.</i> | 704.00 |
| BL15006 | | Screen, Condenser <i>Compatible on tractors without air conditioning.</i> | 91.30 |
| AL204829 | | Tool Box | 301.40 |
| BL15295 | | Window decal, rear <i>John Deere logo.</i> | 23.10 |
| | | Miscellaneous | |
| BRE10151 | | Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i> | 374.00 |
| BRE10153 | | Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i> | 129.80 |
| BL15869 | | Latch, Vandal-Kit, Transmission Oil Filler Neck | 167.20 |
| AL211572 | | Lockable Filler Cap DEF-Tank | 50.42 |
| AL213203 | | Lockable Filler Cap Fuel Tank | 34.06 |
| AL113087 | | Lockable Fuel Tank | 29.27 |
| AL71345 | | Security Door Lock Kit <i>Includes Lockable Door Handles (2). Key is different than that used to start Tractor.</i> | 206.80 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|----------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| R127764 | | Weight, front suitcase 43 kg (95 lb) quantity of one <i>For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.</i> | 134.20 |
| AL203919 | | Operator Environment 3-Terminal Socket | 91.30 |
| BL15158 | | Display Bracket <i>For mounting display and implement controls.</i> | 177.10 |
| AL178985 | | Field Office without Beverage Holder <i>Compatible with Instructional Seat.</i> | 273.90 |
| AL173569 | | Instructional Seat, Unsuspended <i>Includes seatbelt.</i> | 691.90 |
| AL151224 | | Mirror, Inside Rear | 182.60 |
| AL174215 | | Power Strip with Six Outlets | 88.00 |
| BL15082 | | Presence Switch, Operator Seat <i>For air suspended seat. See installation instructions for additional parts and/or software required.</i> | 198.00 |
| AL180494 | | Remote Switch, PTO <i>Also requires software, AL210796. Also order AL174668. See installation instructions.</i> | 108.90 |
| BL15278 | | Seat, Operator - Mechanical Suspension <i>See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.</i> | 975.70 |
| AL117734 | | Seatbelt for Instructional Seat | 72.60 |
| AL157620 | | Sun Visor <i>Flip down style.</i> | 112.20 |
| BL15198 | | Sunshade <i>Compatible in front, side, and rear. Pull to unroll style.</i> | 204.60 |
| AL173570 | | Suspension for Instructional Seat | 283.80 |
| AL208658 | | Wiper/Washer, Rear | 269.50 |
| BL15629 | | Wiper/Washer, Rear | 269.50 |
| BL15231 | | iTEC Headland Management System <i>Reference Installation Instructions. Also order software AL213360.</i> | 33.00 |
| BRE10015 | | Operator's Station Cell Phone Mount Kit | 67.10 |
| BRE10255 | | Tablet Mount Kit <i>Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141). With 1.5 inch toughball mount for increased tablet stability over original BRE10034.</i> | 92.40 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor

Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|---|-----------------------|--|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION ...Continued... | | | |
| | | Radio | |
| BL15385 | | Deluxe Radio with CD <i>Also order software AL216783. Only for North America (region 4).</i> | 446.60 |
| BL15387 | | Radio Deluxe with CD <i>Also order software varies by model, see installation instructions for complete list.</i> <i>Also order (1) Radio Button - BL15585.</i> <i>Reference installation instructions for more information.</i> | 400.40 |
| | | Rear Axle | |
| AL156777 | | Hub Extension 111mm, Rear, Tread Adjustment | 756.80 |
| AL156776 | | Hub Extension 30mm, Rear, Tread Adjustment | 721.60 |
| AL156779 | | Hub Extension 44mm, Rear, Tread Adjustment | 590.70 |
| | | Rear Hitch Equipment | |
| BL15134 | | Center Link CAT.2, Hook Type | 1,136.30 |
| AL81619 | | Holder For Hitch Cable (Rope) | 69.30 |
| | | Seat | |
| AL204297 | | Backrest Extension for Operator Seats | 169.40 |
| BL15037 | | Comfort Seat - Air Suspended <i>Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.</i> | 1,592.80 |
| BL15038 | | Super Comfort Seat <i>Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.</i> | 2,125.20 |
| | | Selective Control Valves | |
| BL15813 | | Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 <i>Impliment side flat face coupler case drain. Size 10, ISO 16028.</i> | 50.60 |
| BL15812 | | Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 <i>Impliment side flat face coupler. Size 20, ISO 16028.</i> | 228.80 |
| AL176808 | | Power Beyond Coupler - Male, Size 12.5 mm (1/2") <i>Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense.</i> <i>Kit does not contain Hydraulic Hoses.</i> <i>Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.</i> | 297.00 |
| | | Transmission | |
| AL158728 | | Back-up Alarm | 631.40 |
| BL15622 | | Creeper Field Kit for PowrQuad Transmissions <i>Reference Installation Instructions.</i> | 1,613.70 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|----------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| BL15623 | | Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range <i>Reference Installation Instructions for also ordering parts and software.</i> 40k Speed Radius Index 750, 775 50k Speed Radius Index 700, 725, 800, 825, 875 | 1,613.70 |
| BL15624 | | Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range <i>Reference Installation Instructions for also ordering parts and software.</i> 40k Speed Radius Index 700, 725, 800, 825, 875 50k Speed Radius Index 750, 775 | 1,613.70 |
| BL15625 | | Creeper Kit for PowrQuad PLUS Transmissions, 4-Range <i>Reference Installation Instructions.</i> | 1,613.70 |
| BL15709 | | Creeper Module <i>Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.</i> | 507.10 |
| BL15708 | | Creeper Module <i>Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.</i> | 922.90 |
| AL213767 | | Creeper Shift Components <i>Required for creeper retrofit.</i> | 161.70 |
| BL15714 | | Creeper Shift Components <i>Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.</i> | 161.70 |
| BL15715 | | Creeper Shift Components <i>Required for PowerQuad Plus 6 range/PowerQuad 6 range.</i> | 161.70 |
| BL15702 | | Creeper, Assembly Parts <i>Required for electronic PowerQuad Plus 6 range.</i> | 107.80 |
| BL15706 | | Creeper, Countershaft <i>Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.</i> | 410.30 |
| BL15707 | | Creeper, Countershaft <i>Required for PowerQuad Plus 6 range/PowerQuad 6 range.</i> | 410.30 |
| | | Vandal Protection | |
| BL15086 | | Vandal Protection, Hood | 155.10 |
| BL15362 | | Vandal Protection, Lockable Transmission Oil Filler Cap | 167.20 |
| | | Weights | |
| T21689 | | Weight, Rear Wheel, 107 Lb. (49Kg) <i>Please verify compatibility with the wheel weight matrix before ordering any weights.</i> | 166.10 |
| R56920 | | Weight, Rear Wheel, 110 Lb. (50Kg) <i>Please verify compatibility with the wheel weight matrix before ordering any weights.</i> | 142.26 |
| R61524 | | Weight, Rear Wheel, 135 Lb. (61Kg) <i>Please verify compatibility with the wheel weight matrix before ordering any weights.</i> | 358.60 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

6120M Cab Tractor
Continued

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|----------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| AR112536 | | Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) <i>Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.</i> | 1,518.00 |
| APY10029 | | Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) <i>Please verify compatibility with the wheel weight matrix before ordering any weights.</i> | 746.90 |
| L28228 | | Weight, Wheel, 120 Lb. (54Kg) <i>Please verify compatibility with the wheel weight matrix before ordering any weights.</i> | 288.06 |
| | | Wheel Equipment | |
| BL15934 | | Wheel Reinforcements, Rear <i>For models with 8in. (203mm) bolt circle diameter.</i> | 1,767.70 |
| | | Wheel Weights | |
| R167153 | | Starter Weight, Wheel, 159 Lb. (72 Kg) | 246.40 |
| R207782 | | Weight, Wheel, 452 Lb. (205 kg) <i>Please verify compatibility with the wheel weight matrix before ordering any weights.</i> | 701.80 |